

## [MC-EDMX-Diff]:

# Entity Data Model for Data Services Packaging Format

---

### Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (~~“this documentation”~~) for protocols, file formats, data portability, computer languages, and standards ~~as well as overviews of the interaction among each of these technologies~~ support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you ~~may~~ can make copies of it in order to develop implementations of the technologies ~~that are~~ described in ~~the Open Specifications~~ this documentation and ~~may~~ can distribute portions of it in your implementations ~~using~~ that use these technologies or ~~in~~ your documentation as necessary to properly document the implementation. You ~~may~~ can also distribute in your implementation, with or without modification, any ~~schema, IDL's~~ schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications- documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that ~~may~~ might cover your implementations of the technologies described in the Open Specifications- documentation. Neither this notice nor Microsoft's delivery of ~~the~~ this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open ~~Specification may~~ Specifications document might be covered by the Microsoft Open Specifications Promise or the Microsoft Community Promise. If you would prefer a written license, or if the technologies described in ~~the Open Specifications~~ this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation ~~may~~ might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit [www.microsoft.com/trademarks](http://www.microsoft.com/trademarks).
- **Fictitious Names.** The example companies, organizations, products, domain names, ~~e-mail~~ email addresses, logos, people, places, and events ~~that are~~ depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications ~~documentation~~ does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available ~~standard~~ standards specifications and network programming art, and ~~assumes, as such,~~ assume that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

| Date       | Revision History | Revision Class | Comments   |
|------------|------------------|----------------|--|
| 2/27/2009  | 0.1              | Major          | First Release.   |
| 4/10/2009  | 0.1.1            | Editorial      | Changed language and formatting in the technical content.                    |
| 5/22/2009  | 0.1.2            | Editorial      | Changed language and formatting in the technical content.                    |
| 7/2/2009   | 0.1.3            | Editorial      | Changed language and formatting in the technical content.                    |
| 8/14/2009  | 0.1.4            | Editorial      | Changed language and formatting in the technical content.                    |
| 9/25/2009  | 0.2              | Minor          | Clarified the meaning of the technical content.                              |
| 11/6/2009  | 0.2.1            | Editorial      | Changed language and formatting in the technical content.                    |
| 12/18/2009 | 0.2.2            | Editorial      | Changed language and formatting in the technical content.                    |
| 1/29/2010  | 0.2.3            | Editorial      | Changed language and formatting in the technical content.                    |
| 3/12/2010  | 1.0              | Major          | Updated and revised the technical content.                                   |
| 4/23/2010  | 1.0.1            | Editorial      | Changed language and formatting in the technical content.                    |
| 6/4/2010   | 1.0.2            | Editorial      | Changed language and formatting in the technical content.                    |
| 7/16/2010  | 2.0              | Major          | Updated and revised the technical content.                                   |
| 8/27/2010  | 2.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 10/8/2010  | 3.0              | Major          | Updated and revised the technical content.                                   |
| 11/19/2010 | 3.0.1            | Editorial      | Changed language and formatting in the technical content.                    |
| 1/7/2011   | 4.0              | Major          | Updated and revised the technical content.                                   |
| 2/11/2011  | 4.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 3/25/2011  | 4.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 5/6/2011   | 4.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 6/17/2011  | 4.1              | Minor          | Clarified the meaning of the technical content.                              |
| 9/23/2011  | 5.0              | Major          | Updated and revised the technical content.                                   |
| 12/16/2011 | 5.1              | Minor          | Clarified the meaning of the technical content.                              |
| 3/30/2012  | 6.0              | Major          | Updated and revised the technical content.                                   |
| 7/12/2012  | 6.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 10/25/2012 | 6.0              | None           | No changes to the meaning, language, or formatting of the technical content. |
| 1/31/2013  | 6.0              | None           | No changes to the meaning, language, or formatting of the                    |

| Date       | Revision History | Revision Class            | Comments   |
|------------|------------------|---------------------------|--|
|            |                  |                           | technical content.   |
| 8/8/2013   | 6.0              | None                      | No changes to the meaning, language, or formatting of the technical content. |
| 11/14/2013 | 6.0              | None                      | No changes to the meaning, language, or formatting of the technical content. |
| 2/13/2014  | 6.0              | None                      | No changes to the meaning, language, or formatting of the technical content. |
| 5/15/2014  | 6.0              | None                      | No changes to the meaning, language, or formatting of the technical content. |
| 6/30/2015  | 7.0              | Major                     | Significantly changed the technical content.                                 |
| 10/16/2015 | 7.0              | <del>No Change</del> None | No changes to the meaning, language, or formatting of the technical content. |

# Table of Contents

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>Introduction</b>                            | <b>5</b>  |
| 1.1      | Glossary                                       | 5         |
| 1.2      | References                                     | 5         |
| 1.2.1    | Normative References                           | 5         |
| 1.2.2    | Informative References                         | 6         |
| 1.3      | Overview                                       | 6         |
| 1.4      | Relationship to Protocols and Other Structures | 6         |
| 1.5      | Applicability Statement                        | 6         |
| 1.6      | Versioning and Localization                    | 6         |
| 1.7      | Vendor-Extensible Fields                       | 7         |
| <b>2</b> | <b>Structures</b>                              | <b>8</b>  |
| 2.1      | edmx:Edmx                                      | 8         |
| 2.2      | edmx:DataServices                              | 8         |
| 2.3      | edmx:Reference                                 | 9         |
| 2.4      | edmx:AnnotationsReference                      | 9         |
| <b>3</b> | <b>Structure Examples</b>                      | <b>11</b> |
| <b>4</b> | <b>Security</b>                                | <b>12</b> |
| <b>5</b> | <b>Appendix A: Product Behavior</b>            | <b>13</b> |
| <b>6</b> | <b>Change Tracking</b>                         | <b>14</b> |
| <b>7</b> | <b>Index</b>                                   | <b>15</b> |

# 1 Introduction

The Entity Data Model for Data Services Packaging Format (EDMX) is an XML-based file format that serves as the packaging format for the service metadata of a **data service**.

Data services are specified in [MS-ODATA]. The **Entity Data Model (EDM)** and the EDM conceptual **schemas** are specified in [MC-CSDL].

Sections 1.7 and 2 of this specification are normative ~~and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in [RFC2119].~~ All other sections and examples in this specification are informative.

## 1.1 Glossary

~~The~~This document uses the following terms ~~are specific to this document:~~

**annotation:** Any custom, application-specific extension that is applied to an instance of a schema definition language through the use of custom attributes and elements that are not a part of that schema definition language.

**data service:** A server-side application that implements the OData protocol for the purpose of enabling clients to publish and edit resources. The resources exposed by **data services** are described by using the **EDM**, as specified in [MC-CSDL].

**Entity Data Model (EDM):** A set of concepts that describes the structure of data, regardless of its stored form.

**schema:** The set of attributes and object classes that govern the creation and update of objects.

**Uniform Resource Identifier (URI):** A string that identifies a resource. The URI is an addressing mechanism defined in Internet Engineering Task Force (IETF) Uniform Resource Identifier (URI): Generic Syntax [RFC3986].

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as defined in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the Errata.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dohelp@microsoft.com. We will assist you in finding the relevant information.

[MC-CSDL] Microsoft Corporation, "Conceptual Schema Definition File Format".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[XMLSCHEMA1] Thompson, H., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

## 1.2.2 Informative References

[MS-ODATA] Microsoft Corporation, "Open Data Protocol (OData)".

## 1.3 Overview

An Entity Data Model for Data Services Packaging Format (EDMX) document is an XML-based file format that serves as the packaging format for the service metadata of a data service.

As specified in [MS-ODATA], clients can obtain the service metadata for a data service with a **URI** of the following signature.

```
http://<host>/<prefix>/<service path>/$metadata
```

The data service returns service metadata packaged in an EDMX document. The root of an EDMX document is an **edm:Edmx** element, which contains exactly one **edm:DataServices** subelement. The **edm:DataServices** subelement contains zero or more **Schema** subelements, which specify Entity Data Model (EDM) conceptual schemas. These EDM conceptual schemas are annotated as specified in [MS-ODATA].

The structure of an EDMX document resembles the following example.

```
<edm:Edmx>
  <edm:DataServices>
    <!-- Entity Data Model Conceptual Schemas, as specified in
         [MC-CSDL] and annotated as specified in [MS-ODATA] -->
    <Schema>

    </Schema>
    <!--
         Additional Entity Data Model Conceptual Schemas as
         specified in [MC-CSDL] and annotated as specified in [MS-ODATA]
    -->
  </edm:DataServices>
</edm:Edmx>
```

The contents of an EDMX document are completely determined by the data service in question and will vary depending on the data service, as specified in [MS-ODATA].

## 1.4 Relationship to Protocols and Other Structures

EDMX serves as the packaging format of the metadata of a data service (as specified in [MS-ODATA]).

## 1.5 Applicability Statement

An EDMX document is used when clients of a data service (as specified in [MS-ODATA]) require the metadata of the data service.

## 1.6 Versioning and Localization

This document specifies version 1.0 of EDMX.

## 1.7 Vendor-Extensible Fields

An EDMX document does not contain any vendor-extensible fields, nor does it support extensibility. However, the Entity Data Model (EDM) conceptual schemas that are packaged in an EDMX document support an extension mechanism through the use of **annotations** (**AnnotationAttribute** and **AnnotationElement**), as specified in [MC-CSDL].

Parsers of EDMX documents ignore content that is unexpected or that cannot be parsed.

## 2 Structures

### 2.1 edm:Edmx

The **edm:Edmx** element defines the XML namespace for the EDMX document and contains the **edm:DataServices** subelement.

The following example uses the **edm:EDMX** element.

```
<edm:Edmx Version="1.0" xmlns:edm="http://schemas.microsoft.com/ado/2007/06/edm">
```

The following rules apply to the **edm:Edmx** element:

- An EDMX document **MUST** have exactly one **edm:Edmx** element as its root element.
- The **Version** attribute **MUST** be defined on the **edm:Edmx** element. **Version** is of type **xs:string**, as specified in the XML schema [XMLSCHEMA1].
- The **edm:Edmx** element **MAY** contain one or more **edm:Reference** subelements.
- The **edm:Edmx** element **MAY** contain one or more **edm:AnnotationsReference** subelements.
- The **edm:Edmx** element **MUST** contain exactly one **edm:DataServices** subelement.

| Element  | edm:Edmx |                      |   |           |
|--|----------|----------------------|---|-----------|
| Attributes   | Name     | Required             |   |           |
|  | Version  | Yes                  |   |           |
| Subelements<br>MUST appear in this sequence.<br>Within a Choice set,<br>all chosen elements<br>can be arbitrarily ordered. | Name     | Occurrence           |   |           |
|  | Choice   | Reference            | 0 | Unbounded |
|  |          | AnnotationsReference | 0 | Unbounded |
|  |          | DataServices         | 1 | 1         |

### 2.2 edm:DataServices

The **edm:DataServices** element contains the service metadata of a data service. This service metadata contains zero or more Entity Data Model (EDM) conceptual schemas (as specified in [MC-CSDL]), which are annotated as specified in [MS-ODATA].

The following represents the **edm:DataServices** element.

```
<edm:DataServices>
```

The following rule applies to the **edm:DataServices** element:

- The **edm:DataServices** element can contain zero or more **Schema** subelements. <1>

| Element     | edm:DataServices |            |           |
|-------------|------------------|------------|-----------|
| Subelements | Name             | Occurrence |           |
|             |                  | Min        | Max       |
|             | Schema           | 0          | Unbounded |

## 2.3 edm:Reference

The **edm:Reference** element is used to reference another EDMX document or an Entity Data Model (EDM) conceptual schema.

The following examples use the **edm:Reference** element.

```
<edm:Reference Url="http://www.fabrikam.com/model.edmx" />
<edm:Reference Url="http://www.fabrikam.com/model.csd1" />
```

The following rules apply to the **edm:Reference** element:

- The **Url** attribute MUST be defined on the **edm:Reference** element. **Url** is of type **xs:anyURI**, as specified in the XML schema [XMLSCHEMA1]. **Url** specifies a URI that resolves to the referenced EDMX document or to the EDM conceptual schema. **Url** MUST be an absolute URL.
- If **edm:Reference** is defined in an EDMX document, processors **MUST** incorporate the referenced EDMX document or the EDM conceptual schema.

## 2.4 edm:AnnotationsReference

The **edm:AnnotationsReference** element is used to reference annotations (as specified in [MC-CSDL]) specified in another EDMX document or in an Entity Data Model (EDM) conceptual schema.

The following examples use the **edm:AnnotationsReference** element.

```
<edm:AnnotationsReference Url="http://fabrikam.com/Annotations.edmx">
  <edm:Include TermNamespace="Com.Fabrikam.Model" Qualifier="Phone" />
</edm:AnnotationsReference>

<edm:AnnotationsReference Url="http://fabrikam.com/Annotations.edmx">
  <edm:Include TermNamespace="Com.Fabrikam.Model" />
</edm:AnnotationsReference>
<edm:AnnotationsReference Url="http://fabrikam.com/Annotations.edmx">
  <edm:Include Qualifier="Phone" />
</edm:AnnotationsReference>

<edm:AnnotationsReference Url="http://fabrikam.com/Annotations.edmx">
  <edm:Include />
</edm:AnnotationsReference>
```

The following rules apply to the **edm:AnnotationsReference** element:

- The **Url** attribute MUST be defined on the **edm:AnnotationsReference** element. **Url** is of type **xs:anyURI**, as specified in the XML schema ([XMLSCHEMA1]). **Url** specifies a URI that resolves to the referenced EDMX document or to the EDM conceptual schema that contains annotations. **Url** MUST be an absolute URL.

- The **edm:AnnotationsReference** element MUST contain one or more **edm:Include** subelements. **edm:Include** is used to define the external annotations that are specified in the referenced EDMX document or in the EDM conceptual schema.
- If the **edm:AnnotationsReference** element is defined in an EDMX document, processors MAY ignore the **edm:AnnotationsReference** element.
- If processors do not ignore the **edm:AnnotationsReference** element, processors MUST incorporate only the **Annotations** elements (as specified in [MC-CSDL]) and ignore all other EDM conceptual schema elements (as specified in [MC-CSDL]).
- The **TermNamespace** attribute MAY be defined on the **edm:Include** subelement. **TermNamespace** is of type **xs:string**. ~~**TermNamespace**~~ **and** indicates which annotations are to be included.
- The **Qualifier** attribute MAY be defined on the **edm:Include** subelement. **Qualifier** is of type **xs:string**. ~~**Qualifier**~~ **and** indicates which annotations are to be included.
- If the **Qualifier** attribute is specified as an empty string, it is considered to be not specified.
- If only the **TermNamespace** attribute is defined on the **edm:Include subelement**, **edm:AnnotationsReference** includes all annotations that apply terms that are in the specified **TermNamespace**, regardless of the **Qualifier**.
- If both **TermNamespace** and **Qualifier** attributes are defined on the **edm:Include** subelement, **edm:AnnotationsReference** includes all annotations that apply terms that are in the specified **TermNamespace** and have the specified **Qualifier**.
- If only the **Qualifier** attribute is defined on the **edm:Include** subelement, **edm:AnnotationsReference** includes all annotations that apply terms that have the specified **Qualifier**, regardless of the namespace of the terms.
- If neither the **TermNamespace** nor the **Qualifier** attribute is defined on the **edm:Include** subelement, **edm:AnnotationsReference** includes all annotations.

### 3 Structure Examples

The following is an example of the service metadata returned by a data service. The **edm:Edmx** and **edm:DataServices** elements are specified in sections 2.1 and 2.2 of this document. All other XML elements are specified in [MC-CSDL] and [MS-ODATA].

```
<edm:Edmx Version="1.0" xmlns:edm="http://schemas.microsoft.com/ado/2007/06/edm">
  <edm:DataServices>
    <Schema Namespace="NorthwindModel"
      xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices"
      xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
      xmlns="http://schemas.microsoft.com/ado/2006/04/edm">
      <EntityContainer Name="NorthwindEntities" m:IsDefaultEntityContainer="true">
        <EntitySet Name="OrderDetails" EntityType="NorthwindModel.OrderDetail" />
        <EntitySet Name="Orders" EntityType="NorthwindModel.Order" />
        <AssociationSet Name="OrderDetails_Orders"
          Association="NorthwindModel.OrderDetails_Orders">
          <End Role="Orders" EntitySet="Orders" />
          <End Role="OrderDetails" EntitySet="OrderDetails" />
        </AssociationSet>
      </EntityContainer>
      <EntityType Name="OrderDetail">
        <Key>
          <PropertyRef Name="OrderID" />
          <PropertyRef Name="ProductID" />
        </Key>
        <Property Name="Discount" Type="Edm.Single" Nullable="false" />
        <Property Name="OrderID" Type="Edm.Int32" Nullable="false" />
        <Property Name="ProductID" Type="Edm.Int32" Nullable="false" />
        <Property Name="Quantity" Type="Edm.Int16" Nullable="false" />
        <Property Name="UnitPrice" Type="Edm.Decimal" Nullable="false" Precision="19"
          Scale="4" />
        <NavigationProperty Name="Order" Relationship="NorthwindModel.OrderDetails_Orders"
          FromRole="OrderDetails" ToRole="Orders" />
      </EntityType>
      <EntityType Name="Order">
        <Key>
          <PropertyRef Name="OrderID" />
        </Key>
        <Property Name="CustomerID" Type="Edm.String" Nullable="true" MaxLength="5"
          Unicode="true" FixedLength="true" />
        <Property Name="OrderDate" Type="Edm.DateTime" Nullable="true" />
        <Property Name="OrderID" Type="Edm.Int32" Nullable="false" />
        <Property Name="ShipAddress" Type="Edm.String" Nullable="true" MaxLength="60"
          Unicode="true" FixedLength="false" />
        <NavigationProperty Name="OrderDetails"
          Relationship="NorthwindModel.OrderDetails_Orders" FromRole="Orders" ToRole="OrderDetails" />
      </EntityType>
      <Association Name="OrderDetails_Orders">
        <End Role="Orders" Type="NorthwindModel.Order" Multiplicity="1" />
        <End Role="OrderDetails" Type="NorthwindModel.OrderDetail" Multiplicity="*" />
        <ReferentialConstraint>
          <Principal Role="Orders">
            <PropertyRef Name="OrderID" />
          </Principal>
          <Dependent Role="OrderDetails">
            <PropertyRef Name="OrderID" />
          </Dependent>
        </ReferentialConstraint>
      </Association>
    </Schema>
  </edm:DataServices>
</edm:Edmx>
```

## 4 Security

None.

## 5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs.

This document specifies version-specific details in the Microsoft .NET Framework. For information about which versions of .NET Framework are available in each released Windows product or as supplemental software, see [MS-NETOD] section 4.

- Microsoft .NET Framework 3.5 Service Pack 1 (SP1)
- Microsoft .NET Framework 4.0
- Microsoft .NET Framework 4.5
- Microsoft .NET Framework 4.6

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

<1> Section 2.2: Microsoft implementations always have at least one **Schema** subelement.

## 6 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## **7 Index**

### **A**

Applicability 6

### **C**

Change tracking 14

### **D**

Details

- edm:AnnotationsReference element 9

- edm:DataServices element 8

- edm:Edmx element 8

- edm:Reference element 9

### **E**

- edm:AnnotationsReference element 9

- edm:DataServices element 8

- edm:Edmx element 8

- edm:Referenceelement 9

Elements

- edm:AnnotationsReference 9

- edm:DataServices 8

- edm:Edmx 8

- edm:Reference 9

Example 11

Examples 11

### **F**

Fields - vendor-extensible 7

### **G**

Glossary 5

### **I**

Informative references 6

Introduction 5

### **L**

Localization 6

### **N**

Normative references 5

### **O**

Overview (synopsis) 6

### **P**

Product behavior 13

### **R**

References 5  
  informative 6  
  normative 5  
Relationship to protocols and other structures 6

## **S**

Security 12  
Structures  
  edm:AnnotationsReference 9  
  edm:DataServices 8  
  edm:Edmx 8  
  edm:Reference 9

## **T**

Tracking changes 14

## **V**

Vendor-extensible fields 7  
Versioning 6