

[MS-ADA2]: Active Directory Schema Attributes M

This topic lists the Errata found in the MS-ADA2 document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.

Errata are subject to the same terms as the Open Specifications documentation referenced.



To view a PDF file of the errata for the previous versions of this document, see the following ERRATA Archives:

October 16, 2015 - [Download](#)

June 30, 2015 - [Download](#)

July 18, 2016 - [Download](#)

Errata below are for Protocol Document Version [V29.0 - 2016/07/14](#).

Errata Published*	Description
2017/05/01	<p>In Section 2.459, Attribute msDS-SourceAnchor, changed from:</p> <p>The msDS-SourceAnchor attribute defines a unique, immutable identifier for the object in the authoritative directory.</p> <p>Changed to:</p> <p>The msDS-SourceAnchor attribute defines a unique, immutable identifier for the object in the authoritative directory. This attribute is reserved for future use.</p>
2017/05/01	<p>In Section 2.288, Attribute msDS-ComputerSID, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>In Section 2.290, Attribute msDS-CustomKeyInformation, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p>

Errata Published*	Description
	<p>...</p> <p>RangeUpper: 132096 showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>RangeUpper: 132096 isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>In Section 2.294, Attribute msDS-DeviceDN, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Added a new Section 2.304, Attribute msDS-DrsFarmID:</p> <p>2.304 Attribute msDS-DrsFarmID</p> <p>This attribute is not necessary for Active Directory to function. The protocol does not define a format beyond that required by the schema.</p> <p>cn: ms-DS-Drs-Farm-ID ldapDisplayName: msDS-DrsFarmID attributeId: 1.2.840.113556.1.4.2265 attributeSyntax: 2.5.5.12 omSyntax: 64 isSingleValued: TRUE systemOnly: TRUE searchFlags: 0 schemaIdGuid: 6055f766-202e-49cd-a8be-e52bb159edfb isMemberOfPartialAttributeSet: TRUE systemFlags: FLAG_SCHEMA_BASE_OBJECT isDefunct: TRUE</p> <p>Version-Specific Behavior: Implemented on Windows Server 2012 R2 and Windows Server 2016.</p>

Errata Published*	Description
	<p>In Section 2.346, Attribute msDS-KeyApproximateLastLogonTimeStamp, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>systemFlags: FLAG_SCHEMA_BASE_OBJECT isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>In Section 2.349, Attribute msDS-KeyId, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>RangeUpper: 132096 showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>RangeUpper: 132096 isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>In Section 2.350, Attribute msDS-KeyMaterial, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>RangeUpper: 132096 showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>RangeUpper: 132096 isMemberOfPartialAttributeSet: FALSE showInAdvancedViewOnly: TRUE</p> <p>...</p>

Errata Published*	Description
	<p>In Section 2.351, Attribute msDS-KeyPrincipal, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>linkID: 2218</p> <p>showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>linkID: 2218</p> <p>isMemberOfPartialAttributeSet: FALSE</p> <p>showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>In Section 2.353, Attribute msDS-KeyUsage, the 'isMemberOfPartialAttributeSet' attribute was added.</p> <p>Changed from:</p> <p>...</p> <p>RangeUpper: 132096</p> <p>showInAdvancedViewOnly: TRUE</p> <p>...</p> <p>Changed to:</p> <p>...</p> <p>RangeUpper: 132096</p> <p>isMemberOfPartialAttributeSet: FALSE</p> <p>showInAdvancedViewOnly: TRUE</p> <p>...</p>
2016/08/29	<p>In Section 2.209, Attribute msDS-AllowedDNSSuffixes, changed "forest" to "domain" in the description of the msDS-AllowedDNSSuffixes attribute.</p> <p>Changed from:</p> <p>For a given Active Directory forest, this attribute specifies the list of DNS suffixes (by their fully qualified domain name (FQDN) (1) ([MS-ADTS] section 1.1)) allowed to be used to identify computers that are members of that forest.</p> <p>Changed to:</p> <p>For a given Active Directory domain, this attribute specifies the list of DNS suffixes (by their fully qualified domain name (FQDN) (1) ([MS-ADTS] section 1.1)) allowed to be used to identify computers that are members of that domain.</p>

*Date format: YYYY/MM/DD