

[MS-CHAP]: Extensible Authentication Protocol Method for Microsoft Challenge Handshake Authentication Protocol (CHAP)

This topic lists the Errata found in the MS-CHAP document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V16.0 - 2015/06/30](#).

Errata Published YYYY/MM/DD	Description
2015/10/12	<p>In Section 3.3.1, Abstract Data Model, the description of the password ADM was corrected.</p> <p>Changed from:</p> <p>Password: A 0-256 Unicode string (generated using Normalization Form C [UNICODE5.0.0/2007]), used in the generation of NT Response ([RFC2759] section 4), Master Session Key (section 3.1.5.1), and AuthenticatorResponse ([RFC2759] section 5).</p> <p>Changed to:</p> <p>Password: A 0-256 Unicode string (generated using Normalization Form C [UNICODE5.0.0/2007]), used in the generation of NT Response ([RFC2759] section 4), Master Session Key (section 3.1.5.1), and AuthenticatorResponse ([RFC2759] section 5). The Password could belong to a user or a machine and it is obtained in an implementation-specific mechanism.</p>

*Date format: YYYY/MM/DD