

## [MS-CMRP]: Failover Cluster: Management API (ClusAPI) Protocol

This topic lists the Errata found in the MS-CMRP document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V31.0 - 2015/10/16](#).

Errata Published*	Description
2016/03/21	<p>In Section 2.2.3.37, SR_RESOURCE_TYPE_ELIGIBLE_DISKS_RESULT, corrected the field name DiskGuild to DiskGuid.</p> <p>Changed from: DiskGuild (variable): An array of GUID structures, as specified in [MS-DTYP] section 2.3.4.2, each containing the resource ID of a storage class resource.</p> <p>Changed to: DiskGuid (variable): An array of GUID structures, as specified in [MS-DTYP] section 2.3.4.2, each containing the resource ID of a storage class resource.</p>
2015/10/26	<p>In Section 2.2.3.38, SR_RESOURCE_TYPE_QUERY_ELIGIBLE_TARGET_DATADISKS, added the following fields:</p> <p>Reserved1 (1 byte): This field MUST be ignored. Reserved2 (1 byte): This field MUST be ignored.</p> <p>In Section 2.2.3.39, SR_RESOURCE_TYPE_QUERY_ELIGIBLE_SOURCE_DATADISKS, added the following fields:</p> <p>Reserved1 (1 byte): This field MUST be ignored. Reserved2 (1 byte): This field MUST be ignored. Reserved3 (1 byte): This field MUST be ignored.</p>
2015/10/26	<p>In Section 2.2.3.39, SR_RESOURCE_TYPE_QUERY_ELIGIBLE_SOURCE_DATADISKS, corrected all instances of SR_RESOURCE_TYPE_ELIGIBLE_SOURCE_DATADISKS to SR_RESOURCE_TYPE_QUERY_ELIGIBLE_SOURCE_DATADISKS.</p>

\*Date format: YYYY/MM/DD