

# [MS-DSML]: Directory Services Markup Language (DSML) 2.0 Protocol Extensions

---

## Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit [www.microsoft.com/trademarks](http://www.microsoft.com/trademarks).
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
06/20/2008	0.1		Initial Availability
07/25/2008	0.1.1	Editorial	Revised and edited the technical content.
08/29/2008	0.1.2	Editorial	Revised and edited the technical content.
10/24/2008	0.1.3	Editorial	Revised and edited the technical content.
12/05/2008	0.2	Minor	Updated the technical content.
01/16/2009	1.0	Major	Updated and revised the technical content.
02/27/2009	1.1	Minor	Updated the technical content.
04/10/2009	1.2	Minor	Updated the technical content.
05/22/2009	1.2.1	Editorial	Revised and edited the technical content.
07/02/2009	1.2.2	Editorial	Revised and edited the technical content.
08/14/2009	1.2.3	Editorial	Revised and edited the technical content.
09/25/2009	1.3	Minor	Updated the technical content.
11/06/2009	1.3.1	Editorial	Revised and edited the technical content.
12/18/2009	1.4	Minor	Updated the technical content.
01/29/2010	2.0	Major	Updated and revised the technical content.
03/12/2010	3.0	Major	Updated and revised the technical content.
04/23/2010	3.0.1	Editorial	Revised and edited the technical content.
06/04/2010	3.0.2	Editorial	Revised and edited the technical content.
07/16/2010	4.0	Major	Significantly changed the technical content.
08/27/2010	5.0	Major	Significantly changed the technical content.
10/08/2010	5.1	Minor	Clarified the meaning of the technical content.
11/19/2010	5.1	No change	No changes to the meaning, language, or formatting of the technical content.
01/07/2011	5.2	Minor	Clarified the meaning of the technical content.
02/11/2011	5.2	No change	No changes to the meaning, language, or formatting of the technical content.
03/25/2011	5.2	No change	No changes to the meaning, language, or formatting of the technical content.

<b>Date</b>	<b>Revision History</b>	<b>Revision Class</b>	<b>Comments</b>
05/06/2011	5.2	No change	No changes to the meaning, language, or formatting of the technical content.
06/17/2011	5.3	Minor	Clarified the meaning of the technical content.
09/23/2011	5.3	No change	No changes to the meaning, language, or formatting of the technical content.
12/16/2011	6.0	Major	Significantly changed the technical content.
03/30/2012	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/12/2012	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
10/25/2012	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
01/31/2013	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
08/08/2013	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/14/2013	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/13/2014	6.0	No change	No changes to the meaning, language, or formatting of the technical content.

# Contents

<b>1 Introduction</b>	<b>6</b>
1.1 Glossary	6
1.2 References	6
1.2.1 Normative References	7
1.2.2 Informative References	7
1.3 Overview	7
1.4 Relationship to Other Protocols	8
1.5 Prerequisites/Preconditions	9
1.6 Applicability Statement	9
1.7 Versioning and Capability Negotiation	9
1.8 Vendor-Extensible Fields	9
1.9 Standards Assignments	9
<b>2 Messages</b>	<b>10</b>
2.1 Transport	10
2.2 Common Message Syntax	10
2.2.1 Namespaces	10
2.2.2 Messages	10
2.2.2.1 BeginSession	11
2.2.2.2 Session	11
2.2.2.3 EndSession	13
2.2.3 Elements	13
2.2.3.1 BeginSession Element	13
2.2.3.2 Session Element	14
2.2.3.3 EndSession Element	14
2.2.4 Complex Types	15
2.2.5 Simple Types	15
2.2.5.1 sessionId Simple Type	15
2.2.6 Attributes	15
2.2.6.1 SessionID Attribute	16
2.2.7 Groups	16
2.2.8 Attribute Groups	16
<b>3 Protocol Details</b>	<b>17</b>
3.1 Server Details	17
3.1.1 Abstract Data Model	17
3.1.2 Timers	17
3.1.2.1 SessionIdleTimer	17
3.1.3 Initialization	18
3.1.4 Message Processing Events and Sequencing Rules	18
3.1.4.1 BeginSession	18
3.1.4.2 Session	19
3.1.4.3 EndSession	19
3.1.4.4 Faults	20
3.1.5 Timer Events	21
3.1.5.1 SessionIdletimer Event	21
3.1.6 Other Local Events	21
<b>4 Protocol Examples</b>	<b>22</b>
<b>5 Security</b>	<b>25</b>

5.1 Security Considerations for Implementers .....	25
5.2 Index of Security Parameters .....	25
<b>6 Appendix A: Full WSDL .....</b>	<b>26</b>
<b>7 Appendix B: Product Behavior .....</b>	<b>27</b>
<b>8 Change Tracking.....</b>	<b>29</b>
<b>9 Index .....</b>	<b>30</b>

# 1 Introduction

This is a specification of Microsoft extensions to the Directory Services Markup Language (DSML) 2.0 Protocol specified in [\[DSML2\]](#). These extensions are referred to as **SOAP session extensions (SSE)** in this specification. They are built on top of **SOAP** request/response bindings specified by DSML and they make it possible to maintain state information across multiple request/response operations.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**Active Directory**  
**directory object**  
**directory service (DS)**  
**Hypertext Transfer Protocol (HTTP)**  
**Lightweight Directory Access Protocol (LDAP)**  
**.NET Framework**  
**schema**  
**SOAP**  
**SOAP body**  
**SOAP fault**  
**SOAP header**  
**SOAP message**  
**Transmission Control Protocol (TCP)**  
**Web Services Description Language (WSDL)**  
**XML**  
**XML namespace**  
**XML schema (XSD)**

The following terms are specific to this document:

**session:** A collection of state information on a directory server. An implementation of the **SOAP session extensions (SSE)** is free to choose the state information to store in a session.

**SOAP session extensions (SSE):** Extensions to DSML that make it possible to maintain state information across multiple request/response operations.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

A reference marked "(Archived)" means that the reference document was either retired and is no longer being maintained or was replaced with a new document that provides current implementation details. We archive our documents online [[Windows Protocol](#)].

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information.

[DSML2] OASIS Standard, "Directory Services Markup Language v2.0", November 2001, <http://xml.coverpages.org/DSMLv2-draft14.pdf>

[MS-ADDM] Microsoft Corporation, "[Active Directory Web Services: Data Model and Common Elements](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XML10] World Wide Web Consortium, "Extensible Markup Language (XML) 1.0 (Third Edition)", February 2004, <http://www.w3.org/TR/2004/REC-xml-20040204/>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

### 1.2.2 Informative References

[MS-ADTS] Microsoft Corporation, "[Active Directory Technical Specification](#)".

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[RFC2696] Weider, C., Herron, A., Anantha, A., and Howes, T., "LDAP Control Extension for Simple Paged Results Manipulation", RFC 2696, September 1999, <http://www.ietf.org/rfc/rfc2696.txt>

## 1.3 Overview

The Directory Services Markup Language (DSML) Protocol [[DSML2](#)] is a protocol that specifies the encoding of **directory service (DS)** operations in **XML** [[XML10](#)] documents using a SOAP [[SOAP1.1](#)] request/response binding. These XML documents can be used to request that a DS operation be performed, such as the creation or removal of a **directory object**.

In a [[SOAP1.1](#)] binding, there is no correlation between subsequent operations. That is, there is no way for a caller to indicate that a directory operation is a continuation of a previous directory operation. Even though this lack of continuity does not cause an issue for many directory

operations, a directory server can implement operations that are intended to be used in a sequence where an operation is required to be correlated with a preceding operation.

For example, **Lightweight Directory Access Protocol (LDAP)** paged searches [\[RFC2696\]](#) allow a search that returns a large number of results to be split into multiple searches, each of which returns a subset of search results. The server can return a cookie with each search result that the client is expected to pass to the next search request. However, for the server to be able to interpret the cookie correctly, the server is required to detect that the next search request is a continuation of the search request that returned the cookie. DSML SOAP session extension (SSE) provides such a mechanism to correlate multiple search requests. This mechanism can be used in conjunction with existing LDAP controls, such as LDAP paged search control [\[RFC2696\]](#), to enable operations such as LDAP paged searches.

In DSML SSE, the correlation between operations is abstracted as a **session**. Zero or more directory operations can be performed in a session, and it is the responsibility of the DS to save any state necessary for correlating the operations in that session.

SSE provides the following features to clients:

- A way to indicate that a DSML request is expected to cause the creation of a session.
- A way to associate operations with a specific session, so that the DS can save any state required for correlation between those operations.
- A way to request that a session be terminated, so that no future requests will apply to that session and so that the state of the session can be discarded by the server.


SSE does not specify the state that is required to be saved. An implementation of a DS is free to save any state that could be necessary for performing future operations within that session. For example, a DS that supports LDAP-paged searches could choose to save the portion of the search result that has not yet been returned to the client.

SSE does not specify how soon its state will be discarded after a session is terminated. Moreover, discarding the state of a session does not imply further changes to the state of the abstract data model of the directory [\[MS-ADTS\]](#). That is, directory objects that were added to the directory as part of the session stay added, objects that were removed stay removed, and objects that were modified stay modified.

## 1.4 Relationship to Other Protocols

SSE is an extension to DSML and is built on top of its SOAP binding ([\[DSML2\]](#) section 6) over **Hypertext Transfer Protocol (HTTP)**. Therefore, these extensions are dependent on DSML [\[DSML2\]](#) and SOAP 1.1 [\[SOAP1.1\]](#).

SSE and DSML use SOAP over HTTP as shown in the following layering diagram.





## **Figure 1: SSE protocol layers**

### **1.5 Prerequisites/Preconditions**

None.

### **1.6 Applicability Statement**

SSE is suitable where the DSML protocol is already in use with a SOAP binding, and a means of correlating operations across multiple request/response messages is required. These extensions are not applicable outside of DSML or with alternative non-SOAP bindings of DSML, such as a file binding described in [\[DSML2\]](#) section 7.

### **1.7 Versioning and Capability Negotiation**

None.

### **1.8 Vendor-Extensible Fields**

None.

### **1.9 Standards Assignments**

None.

## 2 Messages

### 2.1 Transport

SOAP session extensions (SSE) use HTTP as the transport protocol over which SOAP 1.1 [\[SOAP1.1\]](#) messages are sent.

### 2.2 Common Message Syntax

This section contains common definitions that are used by this protocol. The syntax of the definitions uses **XML schema** as defined in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and **Web Services Description Language (WSDL)** as defined in [\[WSDL\]](#).

#### 2.2.1 Namespaces

This specification defines and references various **XML namespaces** using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific prefix for each namespace that is used, the choice of any particular namespace prefix is implementation-specific and is not significant for interoperability.

Prefix	Namespace URI	Reference
(none) <a href="#">&lt;1&gt;</a>	urn:schema-microsoft-com:activedirectory:dsmlev2	(none)
ad	http://schemas.microsoft.com/2008/1/ActiveDirectory/Data	<a href="#">[MS-ADDM]</a>
dsml	urn:oasis:names:tc:DSML:2:0:core	<a href="#">[DSML2]</a>
soap	http://schemas.xmlsoap.org/soap/envelope/	<a href="#">[SOAP1.1]</a>
xs	http://www.w3.org/2001/XMLSchema	<a href="#">[XMLSCHEMA1]</a>

#### 2.2.2 Messages

SSE defines a set of **SOAP headers** that can be attached to DSML **SOAP request messages** by a client. SSE headers can be used for the following:

- To initiate a session.
- To perform an operation within the context of a previously-initiated session.
- To terminate a session.

When a client uses these headers in a request message, the server **MUST** respond by including corresponding headers in the DSML SOAP response message, which indicates that the session has been initiated or that the operation has been performed within the requested session.

The headers that are supported by SSE are specified in the following table.

Header	Description
<a href="#">BeginSession</a>	Used by a client request to instruct the server to begin a session. The <b>SOAP body</b> to which this header is attached <b>MUST</b> be processed in the context of the session. That is, it <b>MUST</b> be processed as if the session were initiated prior to processing the request message.

Header	Description
<a href="#">Session</a>	Used by a client request to instruct the server to process a SOAP request message inside a session that was previously created with a BeginSession operation.  Used by a server response to inform the client that the operation was performed within the requested session.
<a href="#">EndSession</a>	Used by a client request to instruct the server to terminate a session that was previously created with a BeginSession operation. The SOAP body to which this header is attached MUST be processed in the context of the session. That is, it MUST be processed as if the session were terminated after the request message completed processing.

### 2.2.2.1 BeginSession

A client MUST attach a <BeginSession> header to a DSML SOAP message that contains a <dsml:batchRequest> payload in order to instruct the server to initiate a new session and to process the <dsml:batchRequest> payload in the context of that session.

The client specifies the <BeginSession> header as follows:

- The "urn:schema-microsoft-com:activedirectory:dsmlv2" XML namespace MUST be specified. [<2>](#)
- The **soap:mustUnderstand** attribute MUST be set to 1.

The following XML shows a <BeginSession> header and a <dsml:batchRequest> payload in a SOAP message.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <BeginSession xmlns="urn:schema-microsoft-com:activedirectory:dsmlv2"
      soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest>
      DSML payload
    </dsml:batchRequest>
  </soap:Body>
</soap:Envelope>
```

### 2.2.2.2 Session

A client MUST attach a <Session> header to a DSML SOAP message that contains a <dsml:batchRequest> payload in order to instruct the server that the payload MUST be processed in the context of a previously allocated session.

The client specifies the <Session> header as follows:

- The "urn:schema-microsoft-com:activedirectory:dsmlv2" XML namespace MUST be specified. [<3>](#)
- The **soap:mustUnderstand** attribute MUST be set to 1.

Subsequently, the server MUST attach a <Session> header to a DSML SOAP response message that contains a <dsml:batchResponse> payload in order to indicate that the corresponding <dsml:batchRequest> payload was processed in the context of a session.

The server MUST attach a <Session> header when responding to a DSML SOAP message from a client that contained a <BeginSession> header (section [2.2.2.1](#)), a <Session> header, or an <EndSession> header (section [2.2.2.3](#)).

The following XML shows a <Session> header and a <dsml:batchRequest> payload as sent by a client in a SOAP message.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="sessionId" soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest>
      DSML payload
    </dsml:batchRequest>
  </soap:Body>
</soap:Envelope>
```

In the preceding script, **sessionId** MUST be the identifier that was returned from the server in a preceding <Session> header. Its type is **sessionId** (section [2.2.5.1](#)).

The following XML shows a <Session> header and a <dsml:batchResponse> payload as sent by the server in a SOAP message.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="sessionId" />
  </soap:Header>
  <soap:Body>
    <dsml:batchResponse>
      DSML payload
    </dsml:batchResponse>
  </soap:Body>
</soap:Envelope>
```

In the preceding script, if the server is returning this <Session> header in response to a BeginSession operation performed by the client, then the **sessionId** MUST be a unique value that is freshly allocated by the server and associated with the newly-created session.

Instead, if the server is returning this <Session> header in response to a Session or EndSession operation performed by the client, then the **sessionId** MUST be the same value as that passed in by the client.

### 2.2.2.3 EndSession

A client **MUST** attach an <EndSession> header to a DSML SOAP message in order to instruct the server to terminate the specified session after the <dsml:batchRequest> payload has been processed in the context of the session.

The client specifies the <EndSession> header as follows:

- The "urn:schema-microsoft-com:activedirectory:dsmlv2" XML namespace **MUST** be specified. [<4>](#)
- The **soap:mustUnderstand** attribute **MUST** be set to 1.

The following XML shows an <EndSession> header and a <dsml:batchRequest> payload in a SOAP message.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <ad:EndSession xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="sessionId" soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest>
      DSML payload
    </dsml:batchRequest>
  </soap:Body>
</soap:Envelope>
```

In the preceding script, **sessionId** **MUST** be an identifier that was returned from the server in a previously received <Session> header. It is of type **sessionId** (section [2.2.5.1](#)).

### 2.2.3 Elements

The following table summarizes the set of common XML schema element definitions defined by this specification. XML schema element definitions that are specific to a particular operation are described with the operation.

Element	Description
<a href="#">BeginSession</a>	The XML schema definition for the <BeginSession> element.
<a href="#">Session</a>	The XML schema definition for the <Session> element.
<a href="#">EndSession</a>	The XML schema definition for the <EndSession> element.

#### 2.2.3.1 BeginSession Element

The **BeginSession** element encloses an XML header necessary to initiate a DSML SOAP message that contains the <dsml:batchRequest> payload.

```
<xs:element name="BeginSession">
  <xs:complexType>
    <xs:attribute name="soap:mustUnderstand"
      type="[SOAP1.1]"
      use="optional" />
  </xs:complexType>
</xs:element>
```

```

    />
  </xs:complexType>
</xs:element>

```

#### Attributes

Name	Type	Description
soap:mustUnderstand	<a href="#">[SOAP1.1]</a>	See <a href="#">[SOAP1.1]</a> section 4.2.3.

### 2.2.3.2 Session Element

The **Session** element encloses an XML header necessary to a DSML SOAP message that contains the <dsml:batchRequest> payload to instruct the server the payload MUST be processed in the context of a previously allocated session.

```

<xs:element name="Session">
  <xs:complexType>
    <xs:attribute name="SessionID"
      type="sessionId"
      use="required"
    />
    <xs:attribute name="soap:mustUnderstand"
      type="[SOAP1.1]"
      use="optional"
    />
  </xs:complexType>
</xs:element>

```

#### Attributes

Name	Type	Description
SessionID	<a href="#">sessionId</a>	A string value that uniquely identifies an existing session.
soap:mustUnderstand	<a href="#">[SOAP1.1]</a>	See <a href="#">[SOAP1.1]</a> section 4.2.3.

### 2.2.3.3 EndSession Element

The **EndSession** element encloses an XML header necessary to a DSML SOAP message that contains the <dsml:batchRequest> payload to instruct the server the payload has been processed and to terminate the session.

```

<xs:element name="EndSession">
  <xs:complexType>
    <xs:attribute name="SessionID"
      type="sessionId"
      use="required"
    />
    <xs:attribute name="soap:mustUnderstand"
      type="[SOAP1.1]"
      use="optional"
    />
  </xs:complexType>
</xs:element>

```

```

    />
  </xs:complexType>
</xs:element>

```

## Attributes

Name	Type	Description
SessionID	<a href="#">sessionId</a>	A string value that uniquely identifies an existing session.
soap:mustUnderstand	<a href="#">[SOAP1.1]</a>	See <a href="#">[SOAP1.1]</a> section 4.2.3.

## 2.2.4 Complex Types

This specification does not define any common XML schema (XSD) complex type definitions.

## 2.2.5 Simple Types

The following table specifies the set of common XML schema simple type definitions that are defined in SSE. XML schema simple type definitions that are specific to a particular operation are specified in the context of that operation.

Simple type	Description
<b>sessionId</b>	Uniquely identifies a session on the server.

### 2.2.5.1 sessionId Simple Type

The **sessionId** is the type used for the **SessionID** attribute in the <Session> and <EndSession> headers.

```

<xs:simpleType name="sessionId">
  <xs:restriction
    base="xsd:string"
  />
</xs:simpleType>

```

## 2.2.6 Attributes

The following table summarizes the set of common XML schema attribute definitions defined by this specification. XML schema attribute definitions that are specific to a particular operation are described with the operation.

Attribute	Description
<a href="#">SessionID</a>	The XML schema definition for the <b>SessionID</b> attribute.

### 2.2.6.1 SessionID Attribute

The SessionID is an attribute in the <Session> (section [2.2.3.2](#)) and <EndSession> (section [2.2.3.3](#)) elements, the value of which uniquely identifies an existing session. It is assigned by the server and returned in the response to a [BeginSession \(section 2.2.3.1\)](#) message.

```
<xs:attribute name="SessionID"
  type="sessionId"
  use="required"
/>
```

### 2.2.7 Groups

This specification does not define any common XML schema (XSD) group definitions.

### 2.2.8 Attribute Groups

This specification does not define any common XML schema (XSD) attribute group definitions.



## 3 Protocol Details

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

### 3.1 Server Details

#### 3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. This organization is provided to further clarify the explanation of how the protocol behaves. This specification does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this specification.

**SessionTableEntry:** A quadruple consisting of the following elements:

- **SessionID:** A value of type **sessionId** (section [2.2.5.1](#)) that is unique in the **SessionTable**.
- **Session:** This protocol extension does not impose any limits or requirements on the contents of a session. An implementation SHOULD<5> store in a session any information that will be required by that implementation in correlating directory operations.
- **SessionIp:** A value that is the IP address of the client that initiated the session by sending a [<BeginSession>](#) (section [2.2.2.1](#)) header.
- **SessionIdleTimer** (section [3.1.2.1](#)): A timer that tracks the elapsed time since the last request associated with this session.

**SessionTable:** An array of **SessionTableEntry** objects; one per **Session**.

**MaxSessionsAllowed:** A 32-bit unsigned integer that specifies the maximum number of sessions that can be open at one time.

**MaxSessionsAllowedPerIp:** A 32-bit unsigned integer that specifies the maximum number of sessions that a single client, identified by its IP address, can have open at one time.

**MaxSessionIdleTimeAllowed:** A value that specifies the maximum time after which an idle session will be terminated by the server even if the client does not send an [<EndSession>](#) (section [2.2.2.3](#)) header.

**Note** The preceding conceptual data can be implemented using a variety of techniques.

#### 3.1.2 Timers

##### 3.1.2.1 SessionIdleTimer

This per-session timer controls the amount of time that a session is allowed to remain idle before the server terminates it.

### 3.1.3 Initialization

The **SessionTable** MUST be initialized to be empty. That is, the protocol extension starts with no sessions created.

**MaxSessionsAllowed**, **MaxSessionsAllowedPerIp**, and **MaxSessionIdleTimeAllowed** MUST be initialized. <6>

### 3.1.4 Message Processing Events and Sequencing Rules

The following table shows the processing events that are defined for DSML:

Operation	Description
<a href="#">BeginSession</a>	Causes a new session to be created.
<a href="#">Session</a>	Causes an operation to be performed using the state stored in the session.
<a href="#">EndSession</a>	Causes a session to be terminated.
<a href="#">Faults</a>	Performs an action if the session request cannot be processed.

#### 3.1.4.1 BeginSession

**Note** Abstract data model objects that are referenced in this section are defined in section [3.1.1](#). **SOAP fault** processing is specified in section [3.1.4.4](#).

The server performs a BeginSession operation when it receives a DSML SOAP request message that contains a <BeginSession> header (section [2.2.2.1](#)).

If the server is not capable of performing a BeginSession operation, and if the header contains a **soap:mustUnderstand** attribute equal to 1, then the server MUST generate a SOAP fault and MUST NOT process any DSML operations that are contained in the SOAP body of the message. Otherwise, if the header does not contain a **soap:mustUnderstand** attribute equal to 1, or if that attribute is not present, then the server MUST process the DSML operations as if the <BeginSession> header were not specified.

If the total number of **SessionTableEntry** objects in the **SessionTable** already equals **MaxSessionsAllowed**, the server MUST not perform the BeginSession operation and MUST generate a SOAP fault.

If the number of **SessionTableEntry** objects, which have the same value for **SessionIp** as the IP address of the client, already equals **MaxSessionsAllowedPerIp**, the server MUST not perform the <BeginSession> operation, and it MUST generate a SOAP fault.

To perform the BeginSession operation, the server MUST allocate a new **SessionTableEntry**, assigning a value to the **SessionID** object that is not used by any other **SessionTableEntry** in the **SessionTable**, record the IP address of the client in the <SessionIp> element, and record the time the DSML SOAP request is received in the <SessionLastAccessTime> element. A server MAY <7> try to minimize the chance of duplicating a **SessionID** value.

The server initializes the state of the **Session** object of the **SessionTableEntry**. The server MUST allocate a new idle session timer, assign it to the <SessionIdleTimer> element of the **SessionTableEntry**, and initialize the timer to 0. The timer MUST be set to expire after a duration specified by **MaxSessionIdleTimeAllowed**. The **SessionTableEntry** is then added to the **SessionTable**. If the server is unable to allocate or initialize a new entry in the **SessionTable**, then

it MUST generate a SOAP fault, and it MUST NOT process any DSML operations that are contained in the SOAP body of the message.

After the **SessionTableEntry** has been initialized, the server MUST perform any DSML operations that are contained in the SOAP body of the request message by using the state stored in the **SessionTableEntry**. DSML operations have the form of a <dsml:batchRequest> element with zero or more child elements. The server SHOULD save any state changes in the **Session** object of the **SessionTableEntry** to correlate these operations with future operations.

Once the operations have successfully completed, or if there were no operations to perform, the server MUST generate a DSML response message [DSML2], with a <Session> header (section 2.2.2.2). The **SessionID** attribute of the <Session> header MUST be assigned the value of the **SessionID** object of the allocated **SessionTableEntry**.

### 3.1.4.2 Session

**Note** Abstract data model objects that are referenced in this section are defined in section 3.1.1. SOAP fault processing is specified in section 3.1.4.4.

The server MUST perform a Session operation when it receives a DSML SOAP request message that contains a <Session> header (section 2.2.2.2).

If the server is not capable of performing a Session operation and if the header contains a **soap:mustUnderstand** attribute equal to 1, then the server MUST generate a SOAP fault and MUST NOT process any DSML operations that are contained in the SOAP body of the message. Otherwise, if the server is not capable of performing a Session operation and either the header does not contain a **soap:mustUnderstand** attribute equal to 1 or that attribute is not present, then the server processes the DSML operations as if the <Session> header were not specified.

To perform the Session operation, the server MUST retrieve the **SessionTableEntry** from the **SessionTable**, which contains a **SessionID** object with a value that matches the **SessionID** attribute specified in the <Session> header. If no such **SessionTableEntry** is found, then the server MUST generate a SOAP fault.

After the matching **SessionTableEntry** has been retrieved, the server MUST reset the timer represented by the <SessionIdleTimer> element of the **SessionTableEntry**, to 0. The server MUST perform any DSML operations that are contained in the SOAP body of the request message, using the state stored in the **SessionTableEntry**. DSML operations have the form of a <dsml:batchRequest> element with zero or more child elements. The server saves any state changes in the **Session** object of the **SessionTableEntry** to correlate these operations with future operations.

When all operations, if any, have been successfully completed, the server MUST generate a DSML response message [DSML2] with a <Session> header (see section 2.2.2.2). The **SessionID** attribute of that <Session> header MUST be assigned the value of the **SessionID** object of the retrieved **SessionTableEntry**.

### 3.1.4.3 EndSession

**Note** Abstract data model objects that are referenced in this section are defined in section 3.1.1. SOAP fault processing is specified in section 3.1.4.4.

The server MUST perform an EndSession operation when it receives a DSML SOAP request message that contains an <EndSession> header (section 2.2.2.3).

If the server is not capable of performing an EndSession operation, and if the header contains a **soap:mustUnderstand** attribute equal to 1, then the server MUST generate a SOAP fault and MUST NOT process any DSML operations that are contained in the SOAP body of the message. Otherwise, if the server is not capable of performing an EndSession operation, and either the header does not contain a **soap:mustUnderstand** attribute equal to 1 or that attribute is not present, then the server processes the DSML operations as if the <EndSession> header were not specified.

To perform the EndSession operation, the server MUST retrieve the **SessionTableEntry** from the **SessionTable** that contains a **SessionID** with a value that matches the **SessionID** attribute specified in the <EndSession> header. If the **SessionTableEntry** is not present, the server MUST return a "Bad Session Request" SOAP fault as specified in section [3.1.4.4](#).

After the matching **SessionTableEntry** has been retrieved, the server MUST perform any DSML operations that are contained in the SOAP body of the request message, using the state stored in the **SessionTableEntry**. DSML operations have the form of a <dsml:batchRequest> element with zero or more child elements. The server SHOULD save any state changes in the **Session** object of the **SessionTableEntry** to correlate these operations with future operations.

Once the operations have successfully completed, or if there were no operations to perform, the server MUST remove the **SessionTableEntry** from the **SessionTable**. The server MUST generate a DSML response message [\[DSML2\]](#) with a <Session> header (section [2.2.2.2](#)). The **SessionID** attribute of that <Session> header MUST be assigned the value of the **SessionID** object of the **SessionTableEntry** that was removed.

The server MUST dispose of the removed **SessionTableEntry**, including the state saved in **SessionTableEntry.Session**. The server MAY [<8>](#) wait for some time after it has removed the **SessionTableEntry** from the **SessionTable** before disposing of the **SessionTableEntry**.

### 3.1.4.4 Faults

If the session request cannot be processed, the server MUST return the following SOAP fault:

```
<SOAP:Envelope xmlns:SOAP="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP:Body>
    <SOAP:Fault>
      <faultcode>SOAP:Client</faultcode>
      <faultstring>SOAP Invalid Request</faultstring>
      <detail>Bad Session Request</detail>
    </SOAP:Fault>
  </SOAP:Body>
</SOAP:Envelope>
```

If the server receives a bad request, it MUST return the following SOAP fault:

```
<SOAP:Envelope xmlns:SOAP="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP:Body>
    <SOAP:Fault>
      <faultcode>SOAP:Client</faultcode>
      <faultstring>SOAP Invalid Request</faultstring>
      <detail>Bad Request</detail>
    </SOAP:Fault>
  </SOAP:Body>
</SOAP:Envelope>
```

If the request cannot be processed for any other reason, the server MUST return the following SOAP fault:

```
<SOAP:Envelope xmlns:SOAP="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP:Body>
    <SOAP:Fault>
      <faultcode>SOAP:Server</faultcode>
      <faultstring>SOAP Server Application Faulted</faultstring>
      <detail>Internal DSML Server Error</detail>
    </SOAP:Fault>
  </SOAP:Body>
</SOAP:Envelope>
```

### 3.1.5 Timer Events

#### 3.1.5.1 SessionIdleTimer Event

When the timer represented by the <SessionIdleTimer> element of a **SessionTableEntry** expires, the server MUST perform an <EndSession> operation on the session associated with that **SessionTableEntry**. The idle session timer expires after reaching **MaxSessionIdleTimeAllowed**.

#### 3.1.6 Other Local Events

None.

## 4 Protocol Examples

In this section, a complete session exchange is shown, consisting of the following steps:

1. The client requests the server to create a session.
2. The server creates a session and returns a **SessionID** attribute value for that session.
3. The client requests the server to perform some operations within the context of the session.
4. The client requests the server to terminate the session.

In this example, the DSML payload is an empty `<dsml:batchRequest />`, so that the only operation the server performs is to create the session.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <BeginSession xmlns="urn:schema-microsoft-com:activedirectory:dsmlv2"
      soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest />
  </soap:Body>
</soap:Envelope>
```

The server creates a session and assigns it a unique **SessionID** attribute value. It then sends a response to the client informing it of the **SessionID** of the new session.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="12345" />
  </soap:Header>
  <soap:Body>
    <dsml:batchResponse />
  </soap:Body>
</soap:Envelope>
```

The client requests a standard DSML operation. By attaching the `<Session>` header (section [2.2.2.2](#)) with the previously defined **SessionID**, the client causes the server to perform the operation in the context of the session.

[SOAP]

```
<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="12345" soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest>
```

```

    <dsml:searchRequest dn="ou=Sales,dc=fabrikam,dc=com"
      scope="baseObject"
      derefAliases="neverDerefAliases">
      <dsml:filter>
        <dsml:present name="objectclass" />
      </dsml:filter>
    </dsml:searchRequest>
  </dsml:batchRequest>
</soap:Body>
</soap:Envelope>

```

The server returns the response with a <Session> header attached.

[SOAP]

```

<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="12345"/>
  </soap:Header>
  <soap:Body>
    <dsml:batchResponse>
      <dsml:searchResponse>
        <dsml:searchResultEntry dn="ou=Sales,dc=fabrikam,dc=com">
          <dsml:attr name="description">
            <dsml:value>Sales force organizational unit</dsml:value>
          </dsml:attr>
          remaining attributes of the object...
        </dsml:searchResultEntry>
        <dsml:searchResultDone>
          <dsml:resultCode code="0" />
        </dsml:searchResultDone>
      </dsml:searchResponse>
    </dsml:batchResponse>
  </soap:Body>
</soap:Envelope>

```

The client can continue requesting DSML operations in the context of the session by attaching <Session> headers as in the preceding example. When the client is finished, it terminates the session by sending an <EndSession> header (section [2.2.2.3](#)).

In this example, the client also includes a <dsml:addRequest> operation inside the <dsml:batchRequest>. This operation is performed in the context of the <Session>. That is, the operation is equivalent to the client first sending a <dsml:batchRequest> that contains the <dsml:addRequest> with a <Session> header attached, followed by an empty <dsml:batchRequest> that contains an <EndSession> header.

[SOAP]

```

<soap:Envelope>
  <soap:Header>
    <ad:EndSession xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="12345" soap:mustUnderstand="1" />
  </soap:Header>
  <soap:Body>
    <dsml:batchRequest>

```

```
<dsml:addRequest dn="ou=DSMLSamples,dc=fabrikam,dc=com">
  <dsml:attr name="objectClass">
    <dsml:value>organizationalUnit</dsml:value>
  </dsml:attr>
</dsml:addRequest>
</dsml:batchRequest>
</soap:Body>
</soap:Envelope>
```

The server responds as follows and includes the **SessionID** attribute value of the session it terminated.

```
<soap:Envelope>
  <soap:Header>
    <ad:Session xmlns:ad="urn:schema-microsoft-com:activedirectory:dsmlv2"
      ad:SessionID="12345"/>
  </soap:Header>
  <soap:Body>
    <dsml:batchResponse>
      <dsml:addResponse>
        <dsml:resultCode code="0" descr="success" />
      </dsml:addResponse>
    </dsml:batchResponse>
  </soap:Body>
</soap:Envelope>
```



## 5 Security

### 5.1 Security Considerations for Implementers

Each session that the client asks the server to create consumes storage on the server. A server implementation can limit the number of sessions that a single client is permitted to have open at one time, or it can restrict the total number of sessions that are open at one time (see section [3.1.1](#) for Abstract Data Model elements that represent these limits). A server implementation can also limit the maximum lifetime during which a session can be left open or idle.

If a client is able to guess the value of the **SessionId** attribute that is assigned to a session created by a different client, then the first client can perform operations in the second client's session by attaching a <Session> header (section [2.2.2.2](#)) that contains the second client's **SessionId**; or it can terminate the second client's session by using an <EndSession> header (section [2.2.2.3](#)) that contains the second client's **SessionId**. A server implementation can perform additional validation checks to ensure that the client using a particular **SessionId** in a <Session> or <EndSession> header is the same client that created the session. [<9>](#)

### 5.2 Index of Security Parameters

None.

## 6 Appendix A: Full WSDL

This specification does not describe a Web Service protocol and does not specify Web Services Description Language (WSDL).

## 7 Appendix B: Product Behavior

This document specifies version-specific details in the Microsoft .NET Framework. For information about which versions of .NET Framework are available in each released Windows product or as supplemental software, see [.NET Framework](#).

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft Directory Services Markup Language (DSML) Services for Windows
- Microsoft .NET Framework 2.0
- Microsoft .NET Framework 3.0
- Microsoft .NET Framework 3.5
- Microsoft .NET Framework 4.0
- Microsoft .NET Framework 4.5

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

[<1> Section 2.2.1:](#) The DSML client in DSML Services for Windows uses the prefix "ad:" for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace. The sender can use an arbitrary prefix for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace for [BeginSession \(section 3.1.4.1\)](#), [Session \(section 3.1.4.2\)](#), and [EndSession \(section 3.1.4.3\)](#) requests. The server processes [BeginSession](#) requests with no prefixes. [Session](#) and [EndSession](#) requests that do not use a prefix will generate a fault from the server. The server response to all successful requests uses the "ad:" prefix. See [Protocol Examples \(section 4\)](#).

[<2> Section 2.2.2.1:](#) The DSML client in DSML Services for Windows uses the prefix "ad:" for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace. The sender can use an arbitrary prefix for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace for [BeginSession \(section 3.1.4.1\)](#), [Session \(section 3.1.4.2\)](#), and [EndSession \(section 3.1.4.3\)](#) requests. The server processes [BeginSession](#) requests with no prefixes. [Session](#) and [EndSession](#) requests that do not use a prefix will generate a fault from the server. The server response to all successful requests uses the "ad:" prefix. See [Protocol Examples \(section 4\)](#).

[<3> Section 2.2.2.2:](#) The DSML client in DSML Services for Windows uses the prefix "ad:" for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace. The sender can use an arbitrary prefix for the "urn:schema-microsoft-com:activedirectory:dsmlv2" namespace for [BeginSession \(section 3.1.4.1\)](#), [Session \(section 3.1.4.2\)](#), and [EndSession \(section 3.1.4.3\)](#) requests. The server processes [BeginSession](#) requests with no prefixes. [Session](#) and [EndSession](#) requests that do not use a prefix will generate a fault from the server. The server response to all successful requests uses the "ad:" prefix. See [Protocol Examples \(section 4\)](#).

<4> [Section 2.2.2.3](#): The DSML client in DSML Services for Windows uses the prefix "ad:" for the "urn:schema-microsoft-com:activedirectory:dsmv2" namespace. The sender can use an arbitrary prefix for the "urn:schema-microsoft-com:activedirectory:dsmv2" namespace for [BeginSession](#) ([section 3.1.4.1](#)), [Session](#) ([section 3.1.4.2](#)), and [EndSession](#) ([section 3.1.4.3](#)) requests. The server processes [BeginSession](#) requests with no prefixes. [Session](#) and [EndSession](#) requests that do not use a prefix will generate a fault from the server. The server response to all successful requests uses the "ad:" prefix. See [Protocol Examples](#) ([section 4](#)).

<5> [Section 3.1.1](#): DSML Services for Windows stores the LDAP connection to the directory server in the session. This ensures that all operations performed within a session are performed using the same LDAP connection. This is required to support the following LDAP controls [\[MS-ADTS\]](#) because the **Active Directory** service does not permit the cookies embedded in these controls to be used across LDAP connections.

- LDAP\_PAGED\_RESULT\_OID\_STRING
- LDAP\_CONTROL\_VLVREQUEST

<6> [Section 3.1.3](#): DSML Services for Windows enforces the following limits by default:

- **MaxSessionsAllowed**: 100 sessions
- **MaxSessionsAllowedPerIp**: 5 sessions
- **MaxSessionIdleTimeAllowed**: 10 minutes

<7> [Section 3.1.4.1](#): DSML Services for Windows generates **SessionID** attribute values randomly. If the randomly generated value matches a **SessionID** attribute value that is currently in the **SessionTable**, then a new **SessionID** value is randomly generated. This process is repeated, if necessary, until a **SessionID** value that is not currently in the **SessionTable** is generated.

<8> [Section 3.1.4.3](#): DSML Services for Windows immediately disposes of the state after removing it from the **SessionTable**. It does this by closing the LDAP connection.

<9> [Section 5.1](#): DSML Services for Windows enforces the following validation checks by default:

- The IP address of the client sending a <Session> or <EndSession> header for a given session matches the IP address of the client that performed the BeginSession operation to create that session.
- The DSML request to which the <Session> or <EndSession> header is attached for a given session is authenticated as the same identity as the DSML request that created that session with a BeginSession operation.

## 8 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 9 Index

### A

[Abstract data model - server](#) 17  
[Applicability](#) 9  
[Attribute groups](#) 16  
Attributes  
  [overview](#) 15  
  [SessionID](#) 16

### B

BeginSession  
  [element](#) 13  
  [message](#) 11

### C

[Capability negotiation](#) 9  
[Change tracking](#) 29  
[Complex types](#) 15

### D

[Data model - abstract - server](#) 17

### E

Elements  
  [BeginSession](#) 13  
  [EndSession](#) 14  
  [Session](#) 14  
EndSession  
  [element](#) 14  
  [message](#) 13  
Events  
  [local - server](#) 21  
  [timer - server - SessionIdleTimer](#) 21  
[Examples - overview](#) 22

### F

[Fields - vendor-extensible](#) 9  
[Full WSDL](#) 26

### G

[Glossary](#) 6  
[Groups](#) 16

### I

[Implementer - security considerations](#) 25  
[Index of security parameters](#) 25  
[Informative references](#) 7  
[Initialization - server](#) 18  
[Introduction](#) 6

### L

[Local events - server](#) 21

### M

[Message processing - server](#) 18  
Messages  
  [attribute groups](#) 16  
  [attributes](#) 15  
  BeginSession  
    [element](#) 13  
    [message](#) 11  
  [complex types](#) 15  
  [elements](#) 13  
  EndSession  
    [element](#) 14  
    [message](#) 13  
  [enumerated](#) 10  
  [groups](#) 16  
  [namespaces](#) 10  
  Session  
    [element](#) 14  
    [message](#) 11  
  [SessionID attribute](#) 16  
  [sessionID simple type](#) 15  
  [simple types](#) 15  
  [syntax](#) 10  
  [transport](#) 10

### N

[Namespaces](#) 10  
[Normative references](#) 7

### O

Operations  
  [BeginSession](#) 18  
  [EndSession](#) 19  
  [Faults](#) 20  
  [Session](#) 19  
[Overview \(synopsis\)](#) 7

### P

[Parameters - security index](#) 25  
[Preconditions](#) 9  
[Prerequisites](#) 9  
[Product behavior](#) 27

### R

References  
  [informative](#) 7  
  [normative](#) 7  
[Relationship to other protocols](#) 8

### S

Security

- [implementer considerations](#) 25
- [parameter index](#) 25
- [Sequencing rules - server](#) 18
- Server
  - [abstract data model](#) 17
  - [BeginSession operation](#) 18
  - [EndSession operation](#) 19
  - [Faults operation](#) 20
  - [initialization](#) 18
  - [local events](#) 21
  - [message processing](#) 18
  - [sequencing rules](#) 18
  - [Session operation](#) 19
  - [timer events - SessionIdleTimer](#) 21
  - [timers - SessionIdleTimer](#) 17
- Session
  - [element](#) 14
  - [message](#) 11
  - [SessionID attribute](#) 16
  - [sessionID simple type](#) 15
- Simple types
  - [overview](#) 15
  - [sessionID](#) 15
- [Standards assignments](#) 9
- [Syntax – messages - overview](#) 10

## T

- [Timer events - server - SessionIdleTimer](#) 21
- [Timers - server - SessionIdleTimer](#) 17
- [Tracking changes](#) 29
- [Transport](#) 10
- Types
  - [complex](#) 15
  - [simple](#) 15

## V

- [Vendor-extensible fields](#) 9
- [Versioning](#) 9

## W

- [WSDL](#) 26