

[MS-GPWL]: Group Policy: Wireless/Wired Protocol Extension

This topic lists the Errata found in [MS-GPWL] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V27.0 – 2020/03/04](#).

Errata Published*	Description
2020/06/22	<p>In Section 2.2.1.2.1, Message Syntax for XML-Based Wireless Profiles, added values and enumerations to phyType.</p> <p>Changed from:</p> <p>autoSwitch: If the connection to a more preferred network is attempted when already connected to a network. A more preferred network is one that is ordered higher in a list of preferred wireless networks.</p> <p>phyType: The IEEE 802.11 physical type that a domain client uses while connected to this wireless network.</p> <p>authentication: The type of 802.11 authentication the domain clients uses for connecting to the WLAN. This value MUST be one of the following:</p> <p>...</p> <p>Changed to:</p> <p>autoSwitch: If the connection to a more preferred network is attempted when already connected to a network. A more preferred network is one that is ordered higher in a list of preferred wireless networks.</p> <p>phyType: The IEEE 802.11 physical type that a domain client uses while connected to this wireless network. This value MUST be one of the following:</p> <ul style="list-style-type: none">▪ a: refers to LAN protocol IEEE 802.11a-1999▪ b: refers to LAN protocol IEEE 802.11b-1999▪ g: refers to LAN protocol IEEE 802.11g-2003▪ n: refers to LAN protocol IEEE 802.11n-2009▪ ac: refers to LAN protocol IEEE 802.11ac-2013▪ ax: refers to LAN protocol IEEE 802.11ax <p>authentication: The type of 802.11 authentication the domain clients uses for connecting to the WLAN. This value MUST be one of the following:</p>

Errata Published*	Description
	<p>...</p> <p>In Section 6.3.1, Wireless LAN Profile v1 Schema, added values to phyType.</p> <p>Changed from:</p> <pre data-bbox="461 562 1162 1115"> <xs:element name="phyType" minOccurs="0" maxOccurs="4"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="a" /> <xs:enumeration value="b" /> <xs:enumeration value="g" /> <!-- this value is reserved for future use --> <xs:enumeration value="n" /> <xs:enumeration value="ac" /> </xs:restriction> </xs:simpleType> </xs:element> </pre> <p>Changed to:</p> <pre data-bbox="461 1356 1162 1860"> <xs:element name="phyType" minOccurs="0" maxOccurs="6"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="a" /> \<xs:enumeration value="b" /> \<xs:enumeration value="g" /> <xs:enumeration value="n" /> <xs:enumeration value="ac" /> <xs:enumeration value="ax" /> </xs:restriction> </xs:simpleType> </pre>

Errata Published*	Description
	</xs:element>

*Date format: YYYY/MM/DD