

## [MS-LCID]: Windows Language Code Identifier (LCID) Reference

This topic lists the Errata found in [MS-LCID] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Protocol Document Version [V12.0 – 2018/09/12](#).

Errata Published*	Description																																								
2018/12/10	<p>In Section 2.2, LCID Structure, language tag values have been changed from:</p> <table border="1" data-bbox="516 684 1414 940"> <thead> <tr> <th>Language ID</th> <th>Language tag</th> </tr> </thead> <tbody> <tr> <td>...</td> <td>...</td> </tr> <tr> <td>0x001A</td> <td>bs, hr, or sr</td> </tr> <tr> <td>...</td> <td>...</td> </tr> <tr> <td>0x002E</td> <td>dsb or hsb</td> </tr> </tbody> </table> <p>Changed to:</p> <table border="1" data-bbox="516 1052 1414 1308"> <thead> <tr> <th>Language ID</th> <th>Language tag</th> </tr> </thead> <tbody> <tr> <td>...</td> <td>...</td> </tr> <tr> <td>0x001A</td> <td>hr</td> </tr> <tr> <td>...</td> <td>...</td> </tr> <tr> <td>0x002E</td> <td>hsb</td> </tr> </tbody> </table> <p>In Section 2.2, LCID Structure, behavior note &lt;8&gt; has been changed from:</p> <p>Language ID (2 bytes): The language component of the LCID.&lt;8&gt;            &lt;8&gt; Section 2.2: The following table shows Language IDs and the versions of Windows in which they were first made available. Language IDs are not assigned for all Language tags, please see section 1.3 for further details.</p> <p>...</p> <table border="1" data-bbox="516 1602 1414 1829"> <thead> <tr> <th>Language</th> <th>Location (or type)</th> <th>Language ID</th> <th>Language tag</th> <th>Supported version</th> </tr> </thead> <tbody> <tr> <td>...</td> <td>...</td> <td>...</td> <td>...</td> <td>...</td> </tr> <tr> <td>Croatian</td> <td></td> <td>0x001A</td> <td>bs, hr, or sr</td> <td>Release 7</td> </tr> <tr> <td>...</td> <td>...</td> <td>...</td> <td>...</td> <td>...</td> </tr> </tbody> </table>	Language ID	Language tag	...	...	0x001A	bs, hr, or sr	...	...	0x002E	dsb or hsb	Language ID	Language tag	...	...	0x001A	hr	...	...	0x002E	hsb	Language	Location (or type)	Language ID	Language tag	Supported version	...	...	...	...	...	Croatian		0x001A	bs, hr, or sr	Release 7	...	...	...	...	...
Language ID	Language tag																																								
...	...																																								
0x001A	bs, hr, or sr																																								
...	...																																								
0x002E	dsb or hsb																																								
Language ID	Language tag																																								
...	...																																								
0x001A	hr																																								
...	...																																								
0x002E	hsb																																								
Language	Location (or type)	Language ID	Language tag	Supported version																																					
...	...	...	...	...																																					
Croatian		0x001A	bs, hr, or sr	Release 7																																					
...	...	...	...	...																																					

Errata Published*	Description																													
	Upper Sorbian		0x002E	dsb or hsb	Release 7																									
	<p>Changed to:</p> <p>Language ID (2 bytes): The language component of the LCID.&lt;8&gt;            &lt;8&gt; Section 2.2: The following table shows Language IDs and the versions of Windows in which they were first made available. Language IDs are not assigned for all Language tags, please see section 1.3 for further details.</p> <p>...</p>																													
	<table border="1"> <thead> <tr> <th data-bbox="516 651 698 730">Language</th> <th data-bbox="698 651 873 730">Location (or type)</th> <th data-bbox="873 651 1055 730">Language ID</th> <th data-bbox="1055 651 1237 730">Language tag</th> <th data-bbox="1237 651 1430 730">Supported version</th> </tr> </thead> <tbody> <tr> <td data-bbox="516 730 698 781">...</td> <td data-bbox="698 730 873 781">...</td> <td data-bbox="873 730 1055 781">...</td> <td data-bbox="1055 730 1237 781">...</td> <td data-bbox="1237 730 1430 781">...</td> </tr> <tr> <td data-bbox="516 781 698 831">Croatian</td> <td data-bbox="698 781 873 831"></td> <td data-bbox="873 781 1055 831">0x001A</td> <td data-bbox="1055 781 1237 831">hr</td> <td data-bbox="1237 781 1430 831">Release 7</td> </tr> <tr> <td data-bbox="516 831 698 882">...</td> <td data-bbox="698 831 873 882">...</td> <td data-bbox="873 831 1055 882">...</td> <td data-bbox="1055 831 1237 882">...</td> <td data-bbox="1237 831 1430 882">...</td> </tr> <tr> <td data-bbox="516 882 698 961">Upper Sorbian</td> <td data-bbox="698 882 873 961"></td> <td data-bbox="873 882 1055 961">0x002E</td> <td data-bbox="1055 882 1237 961">hsb</td> <td data-bbox="1237 882 1430 961">Release 7</td> </tr> </tbody> </table>					Language	Location (or type)	Language ID	Language tag	Supported version	...	...	...	...	...	Croatian		0x001A	hr	Release 7	...	...	...	...	...	Upper Sorbian		0x002E	hsb	Release 7
Language	Location (or type)	Language ID	Language tag	Supported version																										
...	...	...	...	...																										
Croatian		0x001A	hr	Release 7																										
...	...	...	...	...																										
Upper Sorbian		0x002E	hsb	Release 7																										

\*Date format: YYYY/MM/DD