

[MS-PBSD]:

Publication Services Data Structure

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
9/23/2011	0.1	New	Released new document
12/16/2011	0.1	None	No changes to the meaning, language, or formatting of the technical content.
3/30/2012	1.0	None	No changes to the meaning, language, or formatting of the technical content.
7/12/2012	1.0	None	No changes to the meaning, language, or formatting of the technical content.
10/25/2012	1.0	None	No changes to the meaning, language, or formatting of the technical content.
1/31/2013	2.0	Major	Significantly changed the technical content.
8/8/2013	3.0	Major	Significantly changed the technical content.
11/14/2013	3.0	None	No changes to the meaning, language, or formatting of the technical content.
2/13/2014	4.0	Major	Significantly changed the technical content.
5/15/2014	4.0	None	No changes to the meaning, language, or formatting of the technical content.
6/30/2015	5.0	Major	Significantly changed the technical content.

Table of Contents

1	Introduction	4
1.1	Glossary	4
1.2	References	4
1.2.1	Normative References	5
1.2.2	Informative References	5
1.3	Overview	5
1.4	Relationship to Protocols and Other Structures	6
1.5	Applicability Statement	6
1.6	Versioning and Localization	6
1.7	Vendor-Extensible Fields	6
2	Structures	7
2.1	Namespaces	7
2.2	Computer Information	7
2.3	Resource	8
3	Structure Examples	9
3.1	Publication Services Data with no Listed Services	9
3.2	Publication Services Data with Listed Resources	10
4	Security	14
4.1	Security Considerations for Implementers	14
4.2	Index Of Security Fields	14
5	Appendix A: Full XML Schema	15
6	Appendix B: Product Behavior	16
7	Change Tracking	17
8	Index	19

1 Introduction

Publication Services enables computers to advertise (that is, publish) their presence and their resources as **Web services** over IP-based networks. By doing so, other computers can find (that is, discover) the Web services that have been published on the same network.

This document specifies the data, along with its structure, that computers use to describe themselves and the resources that are being offered.

Sections 1.7 and 2 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in [\[RFC2119\]](#). All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are specific to this document:

client: A computer on which the remote procedure call (RPC) client is executing.

device: Any peripheral or part of a computer system that can send or receive data.

domain name: A **domain name** or a NetBIOS name that identifies a domain.

endpoint: In the context of a web service, a network target to which a SOAP message can be addressed. See [\[WSADDR\]](#).

NetBIOS: A particular network transport that is part of the LAN Manager protocol suite. **NetBIOS** uses a broadcast communication style that was applicable to early segmented local area networks. The LAN Manager protocols were the default in Windows NT operating system environments prior to Windows 2000 operating system. A protocol family including name resolution, datagram, and connection services. For more information, see [\[RFC1001\]](#) and [\[RFC1002\]](#).

Publication Services: A Microsoft Windows Devices Profile for Web Services (DPWS) service that enables computers to publish resources so that those resources can be discovered by other computers on the same network.

service: A process or agent that is available on the network, offering resources or services for clients. Examples of services include file servers, web servers, and so on.

web service: A software system designed to support interoperable machine-to-machine interaction over a network, using XML-based standards and open transport protocols.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the [Errata](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[DPWS] Chans, S., Conti, D., Schlimmer, J., et al., "Devices Profile for Web Services", February 2006, <http://specs.xmlsoap.org/ws/2006/02/devprof/devicesprofile.pdf>

[MS-DPWSSN] Microsoft Corporation, "[Devices Profile for Web Services \(DPWS\): Size Negotiation Extension](#)".

[MS-DTYP] Microsoft Corporation, "[Windows Data Types](#)".

[MSDN-PnP-X] Microsoft Corporation, "PnP X: Plug and Play Extensions for Window", <http://www.microsoft.com/whdc/connect/rally/pnp-spec.msp>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[W3C-XSD] World Wide Web Consortium, "XML Schema Part 2: Datatypes Second Edition", October 2004, <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028>

[WS-Discovery] Beatty, J., Kakivaya, G., Kemp D., et al., "Web Services Dynamic Discovery (WS-Discovery)", April 2005, <http://specs.xmlsoap.org/ws/2005/04/discovery/ws-discovery.pdf>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

1.2.2 Informative References

[MS-DPWSRP] Microsoft Corporation, "[Devices Profile for Web Services \(DPWS\): Shared Resource Publishing Data Structure](#)".

[MS-HGRP] Microsoft Corporation, "[HomeGroup Protocol](#)".

[MSDN-DPWS] Microsoft Corporation, "Understanding Devices Profile for Web Services, WS-Discovery, and SOAP-over-UDP", <http://msdn.microsoft.com/en-us/library/dd179231.aspx>

[MSDN-WSD] Microsoft Corporation, "Web Services on Devices", <http://msdn.microsoft.com/en-us/library/bb756908.aspx>

[WSADDR] Gudgin, M., Hadley, M., and Rogers, T., "Web Services Addressing (WS-Addressing) 1.0", W3C Recommendation, May 2006, <http://www.w3.org/2005/08/addressing>

1.3 Overview

The Devices Profile for Web Services (DPWS), as defined in [\[DPWS\]](#), specifies a well-structured messaging model that provides basic functionality such as discovery of an **endpoint** [\[WSADDR\]](#), metadata for that endpoint, and request/response messaging. [DPWS] specifies the role of clients, devices, and services. Clients discover services and communicate with their endpoints. Devices are special **service** endpoints that can host other services. [DPWS] defines metadata for both devices and the services hosted by those devices. Clients can request this metadata and send requests to specific endpoints described in the metadata.

This model fits the requirements of a computer. Computers are often set to be discoverable and advertise metadata that describes themselves and their resources to clients on a network. Publication Services models a computer as a DPWS **device**, and the resources on a computer are modeled as

Web services within the same device. The information that describes a computer and the actual data associated with the resources are stored as part of the device metadata.

The Publication Services Data Structure document defines the organization used for the information that describes how a computer and its resources are represented within the DPWS device metadata.

For additional explanatory information about DPWS, see [\[MSDN-DPWS\]](#). For information about the Microsoft implementation of DPWS, which is called Web Services for Devices (WSD), see [\[MSDN-WSD\]](#).

1.4 Relationship to Protocols and Other Structures

The Publication Services data structure is built on [\[DPWS\]](#) and relies on the Microsoft implementation of DPWS. For more information, see [\[MSDN-WSD\]](#).

Because the number of resources on a computer and the data associated with them can increase over time, clients should also implement the Size Negotiation Extension as specified in [\[MS-DPWSSN\]](#) to be able to retrieve resources completely. <1>

The HomeGroup Protocol [\[MS-HGRP\]](#), which is used to create a trust relationship that facilitates the advertising and publishing of content between machines in a home environment, and the Shell Publishing data structure [\[MS-DPWSRP\]](#) use the Publication Services data structure to advertise their content and resources.

1.5 Applicability Statement

Use of this data structure is suitable for clients if:

- The **client** is a compliant DPWS implementation.
- The client requires communication with the DPWS representation of a computer and its resources.
- The client supports the Size Negotiation Extension [\[MS-DPWSSN\]](#) and can receive messages longer than 32767 octets ([\[MS-DTYP\]](#) section 2.1.5).

Use of this protocol is suitable for **service** implementations if:

- The service will represent itself as a DPWS-compliant computer on the network.
- The service supports the Size Negotiation Extension [\[MS-DPWSSN\]](#) and can send messages longer than 32767 octets.

1.6 Versioning and Localization

This data structure is not versioned and it does not explicitly support localization.

1.7 Vendor-Extensible Fields

This data structure does not define any additional vendor-extensible fields.

2 Structures

2.1 Namespaces

This document defines and references various XML namespaces using the mechanisms specified in [\[XMLNS\]](#). Even though this document associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

Prefix	Namespace URI	Reference
pub	http://schemas.microsoft.com/windows/pub/2005/07	This document
pnpx	http://schemas.microsoft.com/windows/pnpx/2005/10	[MSDN-PnP-X]
wsd	http://schemas.xmlsoap.org/ws/2005/04/discovery	[WS-Discovery]
wsdp	http://schemas.xmlsoap.org/ws/2006/02/devprof	[DPWS]
xs	http://www.w3.org/2001/XMLSchema	[W3C-XSD]

2.2 Computer Information

The Publication Services Data Structure advertises three pieces of information about a computer:

- A type indicating that the device represents a computer
- The **NetBIOS domain name** for the computer
- The NetBIOS computer name

```
<xs:simpleType name="DiscoveryTypeValues">
  <xs:restriction base="xs:QName">
    <xs:enumeration value="Computer" />
  </xs:restriction>
</xs:simpleType>

<xs:element name="Computer" type="xs:string" minOccurs="0" />
```

Element	Description
wsdp:Relationship/wsdp:Host/wsdp:Types	Indicator type for a device representation of a Publication Services-enabled computer (pub:Computer).
wsdp:Relationship/wsdp:Host/pub:Computer	NetBIOS information for the computer.

NetBIOS information for the computer is formatted as follows:

- If the computer is domain joined:

```
<NetBIOS_Computer_Name>/Domain:<NetBIOS_Domain_Name>
```

- If the computer is in a workgroup:

```
<NetBIOS_Computer_Name>\Workgroup:<Workgroup_Name>
```

- Otherwise:

```
<NetBIOS_Computer_Name>\NotJoined
```

Note The pub:Computer element replaces the <any> element wildcard of the HostServiceType complex type, which is instantiated through the <Host> element of the DPWS schema.

2.3 Resource

Each resource to be advertised by a Publication Services device host as a service consists of two fields:

- Type
- Actual data

The resource type is used as the Types (wsdp:Relationship/wsdp:Hosted/wsdp:Types) implemented by a Host Service (see [\[WS-Discovery\]](#)).

The Publication Services Data Structure defines a new element to enclose the actual data associated with the resource as follows.

```
<xs:element name="Resource" type="xs:string" minOccurs="0" />
```

Element	Description
wsdp:Relationship/wsdp:Hosted/pub:Resource	Resource data
wsdp:Relationship/wsdp:Hosted/pub:Resource1	Resource data continued
...	...
wsdp:Relationship/wsdp:Hosted/pub:ResourceN	Resource data continued

If the data is more than 8192 octets ([\[MS-DTYP\]](#) section 2.1.5), it can be split into multiple Resource elements. Clients that want to retrieve the full resource data must combine the data in the order implied by the element names.

Note The pub:Resource* elements replace the <any> element wildcard of the HostServiceType complex type, which is instantiated through the <Hosted> element of the DPWS schema.

3 Structure Examples

3.1 Publication Services Data with no Listed Services

This section contains an example of the Publication Services data associated with a computer (that is, a device). The example data indicates that there are no services being advertised by the computer.

```
<?xml version="1.0" encoding="utf-8" ?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex"
xmlns:wsdp="http://schemas.xmlsoap.org/ws/2006/02/devprof"
xmlns:pnpx="http://schemas.microsoft.com/windows/pnpx/2005/10"
xmlns:pub="http://schemas.microsoft.com/windows/pub/2005/07">
  <soap:Header>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:8a07696e-8128-456c-af85-9a5008aa0446</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:bac3eeec-5488-4a27-99c9-795d0651d914</wsa:RelatesTo>
  </soap:Header>
  <soap:Body>
    <wsx:Metadata>
      <wsx:MetadataSection
Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/ThisDevice">
        <wsdp:ThisDevice>
          <wsdp:FriendlyName>Contoso Publication Service Device Host</wsdp:FriendlyName>
          <wsdp:FirmwareVersion>1.0</wsdp:FirmwareVersion>
          <wsdp:SerialNumber>20050718</wsdp:SerialNumber>
        </wsdp:ThisDevice>
      </wsx:MetadataSection>
      <wsx:MetadataSection Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/ThisModel">
        <wsdp:ThisModel>
          <wsdp:Manufacturer>Contoso, Ltd</wsdp:Manufacturer>
          <wsdp:ManufacturerUrl>http://www.contoso.com</wsdp:ManufacturerUrl>
          <wsdp:ModelName>Contoso Publication Service</wsdp:ModelName>
          <wsdp:ModelNumber>1</wsdp:ModelNumber>
          <wsdp:ModelUrl>http://www.contoso.com</wsdp:ModelUrl>
          <wsdp:PresentationUrl>http://www.contoso.com</wsdp:PresentationUrl>
          <pnpx:DeviceCategory>Computers</pnpx:DeviceCategory>
        </wsdp:ThisModel>
      </wsx:MetadataSection>
      <wsx:MetadataSection
Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/Relationship">
        <wsdp:Relationship Type="http://schemas.xmlsoap.org/ws/2006/02/devprof/host">
          <wsdp:Host>
            <wsa:EndpointReference>
              <wsa:Address>urn:uuid:95ce917d-9e37-4099-ae4-d3292041ea6</wsa:Address>
            </wsa:EndpointReference>
            <wsdp:Types>pub:Computer</wsdp:Types>
            <wsdp:ServiceId>urn:uuid:95ce917d-9e37-4099-ae4-d3292041ea6</wsdp:ServiceId>
            <pub:Computer>D-HAMILTON-1/Domain:CONTOSO_DOMAIN1</pub:Computer>
          </wsdp:Host>
        </wsdp:Relationship>
      </wsx:MetadataSection>
    </wsx:Metadata>
  </soap:Body>
</soap:Envelope>
```

From the example data, the following lines make use of the Computer Information structure (section [2.2](#)):

```
...
    <wsdp:Types>pub:Computer</wsdp:Types>
```

```
<pub:Computer>D-HAMILTON-1/Domain:CONTOSO_DOMAIN1</pub:Computer>
```

3.2 Publication Services Data with Listed Resources

This section contains an example of the Publication Services data associated with a computer (that is, a device) along with one service that is being advertised by that computer.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2006/02/devprof"
xmlns:pnpx="http://schemas.microsoft.com/windows/pnpx/2005/10"
xmlns:pub="http://schemas.microsoft.com/windows/pub/2005/07">
  <soap:Header>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
    <wsa:Action>http://schemas.xmlsoap.org/ws/2004/09/transfer/GetResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:009c39c2-5835-4660-a4bf-53c6fd9b96fd</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:fc7cdb58-30b4-4e0d-a309-5bd7db689a0c</wsa:RelatesTo>
  </soap:Header>
  <soap:Body>
    <wsx:Metadata>
      <wsx:MetadataSection
Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/ThisDevice">
        <wsdp:ThisDevice>
          <wsdp:FriendlyName>Contoso Publication Service Device Host</wsdp:FriendlyName>
          <wsdp:FirmwareVersion>1.0</wsdp:FirmwareVersion>
          <wsdp:SerialNumber>20050718</wsdp:SerialNumber>
        </wsdp:ThisDevice>
      </wsx:MetadataSection>
      <wsx:MetadataSection Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/ThisModel">
        <wsdp:ThisModel>
          <wsdp:Manufacturer>Contoso, Ltd</wsdp:Manufacturer>
          <wsdp:ManufacturerUrl>http://www.contoso.com</wsdp:ManufacturerUrl>
          <wsdp:ModelName>Contoso Publication Service</wsdp:ModelName>
          <wsdp:ModelNumber>1</wsdp:ModelNumber>
          <wsdp:ModelUrl>http://www.contoso.com</wsdp:ModelUrl>
          <wsdp:PresentationUrl>http://www.contoso.com</wsdp:PresentationUrl>
          <pnpx:DeviceCategory>Computers</pnpx:DeviceCategory>
        </wsdp:ThisModel>
      </wsx:MetadataSection>
      <wsx:MetadataSection
Dialect="http://schemas.xmlsoap.org/ws/2006/02/devprof/Relationship">
        <wsdp:Relationship Type="http://schemas.xmlsoap.org/ws/2006/02/devprof/host">
          <wsdp:Host>
            <wsa:EndpointReference>
              <wsa:Address>urn:uuid:95ce917d-9e37-4099-ae4-db3292041ea6</wsa:Address>
            </wsa:EndpointReference>
            <wsdp:Types>pub:Computer</wsdp:Types>
            <wsdp:ServiceId>urn:uuid:95ce917d-9e37-4099-ae4-db3292041ea6</wsdp:ServiceId>
            <pub:Computer>D-HAMILTON-1/Domain:CONTOSO_DOMAIN1</pub:Computer>
          </wsdp:Host>
          <wsdp:Hosted>
            <wsa:EndpointReference>
              <wsa:Address>urn:uuid:95ce917d-9e37-4099-ae4-db3292041ea6</wsa:Address>
            </wsa:EndpointReference>
            <wsdp:Types>pub:ShellPublishing</wsdp:Types>
          </wsdp:Hosted>
        </wsdp:Relationship>
      </wsx:MetadataSection>
    </wsx:Metadata>
    <wsdp:ServiceId>fdid:Provider%5CMicrosoft.Base.Publication/Publication%5CExplorer/C692EF15-
7F02-42E9-9FA9-D5F313749B04_s-1-5-21-738895527-329673414-497557404-1000</wsdp:ServiceId>
    <pub:Resource>m9CAAwzP41GbgYXZYNXav5WPiEjLwICi152YvRwaudWPiUFVG1COi8jPNoAPwlpPNoAIgwTdzVmczZU
asV2cEV2cjJXawRXav5mpNoAIgACTI88GI15WPic2br1WZuJcTh1jIn92atVmbiAyc9IyQ2kjMFZUM10yNGBjMtQjMF1TL
5YUQ50CR1Y0MxMzN0kjQwQzXT1SMtUTLyETL3MDO4kTN1IzNtMjM5YzNzQTM00CN5cTN1cDNwQTLxADMwICIV4TDKACIg
ACPpxmPNoAIgACIgACPp5TDKACIgACI8AnPcV1c1J3ccd2br1WZuxVQwBHRhRXycJ1bh1WaudGXN12Yy92cvZGdcd
VauR2b3NHXm1mYfMcpV2ccR0bjVXb15Gdz5CbPjMchJXet02c88Cc+0gCgACIgACIgACPzxmPNJUQBFURBZ0QBFUQBFU
```



```

ENHFUQBdmRB1kRbHXQBFUQBFLdDR21mSCFkQCh0YFZ0RkkmQBBVQnFUQFF0d3sSczBVNh1WercncaFXQBFFUQpUQBFB
QBFBUSBFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
oFzVhVHZHFEOBF0QBFBFBZ3Ny13KrJnWLDdV11GcDFUQBd2aBFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
dUQ0JUUhFENHFkbcFUQB1lQB1lQR1UQBFBFBFB0ZxsSRQBVVBFVK50aVb1TsZGeBFUQBFBFBFBFBFBFBFBFBFBFBFBFBFB
DOvNUQBFB0drFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
QBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
BFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
dWQ0aHFUdCFkWBhzRBNjQ3NWQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
dWQ0aHFUdCFkWBhzRBNjQ3NWQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
VYBV1RBpnQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
e6p2SBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
IFUNCFFTBbzRBpnQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
FUFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
ESNh0QFhmZkx0VrR1SuZzRwEUQBdXQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
UaFENHFUQBdmRB1kRbHXQBFUQBFLdDR21mSCFkQCh0YFZ0RkkmQBBVQnFUQFF0d3sSczBVNh1WercncaFXQBFFUQpU
BFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
BFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
UUBdWQ0aHFUdCFkWBhzRBNjQ3NWQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
NUhdovNUQBFB0drFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
BhXQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
FUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
FUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
UQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
UQIFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
RmVXWU5WahNGSvJ1LI1Gc0UXcTFGRQpENSBjSn1GSCNkdUVnZJtU2d0S45GTyADcvd0MCFGMvgmWLVncxtmMRR1Q1VEZ
D9WNSd2d3s2NIFUQBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFBFB
5TDKwzLwLmPAEAAA0gjq6BIHKuQ9MtcAQzek05xoILdb7aP6FgXQc01Wcn9/+pzK9YEARQtdmy2jY5AQUV7eI17MG6h7i
m54HXW7C+Oqs2F3cOn0Cx1414TZXL31dB9j8jpYTcnw1QQufPVgzKk/piBoC/qwRRQqjmtUkxcGEVq5ZBIh88rLUHEVHy
1EyG4k8XYLqP6fA3oWIAy</pub:Resource1>

```

```

<pub:Resource2>WCFU3BofYTXgsXnr3ikT3JZcccgdhbcNEYS/CuMIHi5cKGLCIPDcSg7P3VRyx1VzDOW170YhGD7Pa+
NJDFeuG073NiEaCtTljlULny1lqtQokSdeYJJJGqs6g6nd8iLGQ0857ng/PMxvCzdirzSalhxK</pub:Resource2>
  </wsdp:Hosted>
</wsdp:Relationship>
</wsx:MetadataSection>
</wsx:Metadata>
</soap:Body>
</soap:Envelope>

```

From the example data, the following lines make use of the Computer Information structure (section 2.2):

```

<wsdp:Types>pub:Computer</wsdp:Types>
...
<pub:Computer>D-HAMILTON-1/Domain:CONTOSO_DOMAIN1</pub:Computer>

```

Also from the example data, the Resource structure (section 2.3) is demonstrated in the lines that start with "<pub:Resource>", "<pub:Resource1>", and "<pub:Resource2>".

4 Security

4.1 Security Considerations for Implementers

Publication Services does not provide any security to protect the data that is being advertised or to ensure its authenticity. Applications that need to secure their advertised resources typically implement their security policy on top of Publication Service data structures.

4.2 Index Of Security Fields

None.

5 Appendix A: Full XML Schema

For ease of implementation, the following is the full XML schema for this protocol.

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema
  targetNamespace="http://schemas.microsoft.com/windows/pub/2005/07"
  xmlns:pub="http://schemas.microsoft.com/windows/pub/2005/07"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="qualified"
  blockDefault="#all" >

  <xs:simpleType name="DiscoveryTypeValues">
    <xs:restriction base="xs:QName">
      <xs:enumeration value="pub:Computer"/>
    </xs:restriction>
  </xs:simpleType>

  <xs:element name="Computer" type="xs:string" minOccurs="0" />

  <xs:element name="Resource" type="xs:string" minOccurs="0" />

</xs:schema>
```

6 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs.

- Windows Vista operating system
- Windows Server 2008 operating system
- Windows 7 operating system
- Windows Server 2008 R2 operating system
- Windows 8 operating system
- Windows Server 2012 operating system
- Windows 8.1 operating system
- Windows Server 2012 R2 operating system
- Windows 10 operating system
- Windows Server 2016 Technical Preview operating system

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

[<1> Section 1.4](#): On Windows Vista and Windows Server 2008, the maximum metadata size that the device representation of a computer can be is 32767 octets ([\[MS-DTYP\]](#) section 2.1.5). This is because the extension that is documented in [\[MS-DPWSSN\]](#) is not supported on these operating systems.

7 Change Tracking

This section identifies changes that were made to this document since the last release. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- The removal of a document from the documentation set.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical changes were introduced. Minor editorial and formatting changes may have been made, but the technical content of the document is identical to the last released version.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact dochelp@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
6 Appendix B: Product Behavior	Added Windows 10 to applicability list.	Y	Content update.

8 Index

A

[Applicability](#) 6

C

[Change tracking](#) 17

E

Examples

[Publication Services Data with Listed Resources](#) 10

[Publication Services Data with no Listed Services](#) 9

F

[Fields - vendor-extensible](#) 6

[Full XML schema](#) 15

G

[Glossary](#) 4

I

[Implementer - security considerations](#) 14

[Informative references](#) 5

[Introduction](#) 4

L

[Localization](#) 6

N

[Normative references](#) 5

O

[Overview \(synopsis\)](#) 5

P

[Product behavior](#) 16

[Publication Services Data with Listed Resources example](#) 10

[Publication Services Data with no Listed Services example](#) 9

R

[References](#) 4

[informative](#) 5

[normative](#) 5

[Relationship to protocols and other structures](#) 6

S

Security

[implementer considerations](#) 14

T

[Tracking changes](#) 17

V

[Vendor-extensible fields](#) 6

[Versioning](#) 6

X

[XML schema](#) 15