

[MS-PKCA]: Public Key Cryptography for Initial Authentication (PKINIT) in Kerberos Protocol

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
03/02/2007	1.0		Version 1.0 release
04/03/2007	1.1		Version 1.1 release
05/11/2007	1.2		Version 1.2 release
06/01/2007	1.2.1	Editorial	Revised and edited the technical content.
07/03/2007	1.2.2	Editorial	Revised and edited the technical content.
08/10/2007	1.2.3	Editorial	Revised and edited the technical content.
09/28/2007	1.2.4	Editorial	Revised and edited the technical content.
10/23/2007	2.0	Major	Converted document to unified format.
01/25/2008	2.1	Minor	Updated the technical content.
03/14/2008	2.1.1	Editorial	Revised and edited the technical content.
06/20/2008	2.1.2	Editorial	Revised and edited the technical content.
07/25/2008	2.1.3	Editorial	Revised and edited the technical content.
08/29/2008	2.1.4	Editorial	Revised and edited the technical content.
10/24/2008	2.1.5	Editorial	Revised and edited the technical content.
12/05/2008	2.2	Minor	Updated the technical content.
01/16/2009	2.2.1	Editorial	Revised and edited the technical content.
02/27/2009	2.2.2	Editorial	Revised and edited the technical content.
04/10/2009	2.2.3	Editorial	Revised and edited the technical content.
05/22/2009	2.2.4	Editorial	Revised and edited the technical content.
07/02/2009	2.3	Minor	Updated the technical content.
08/14/2009	2.4	Minor	Updated the technical content.
09/25/2009	2.5	Minor	Updated the technical content.
11/06/2009	3.0	Major	Updated and revised the technical content.
12/18/2009	3.1	Minor	Updated the technical content.
01/29/2010	3.2	Minor	Updated the technical content.
03/12/2010	3.3	Minor	Updated the technical content.

Date	Revision History	Revision Class	Comments
04/23/2010	4.0	Major	Updated and revised the technical content.
06/04/2010	5.0	Major	Updated and revised the technical content.
07/16/2010	5.1	Minor	Clarified the meaning of the technical content.
08/27/2010	6.0	Major	Significantly changed the technical content.
10/08/2010	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/19/2010	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
01/07/2011	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/11/2011	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
03/25/2011	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
05/06/2011	6.0	No change	No changes to the meaning, language, or formatting of the technical content.
06/17/2011	6.1	Minor	Clarified the meaning of the technical content.
09/23/2011	6.1	No change	No changes to the meaning, language, or formatting of the technical content.
12/16/2011	7.0	Major	Significantly changed the technical content.
03/30/2012	7.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/12/2012	7.1	Minor	Clarified the meaning of the technical content.
10/25/2012	7.1	No change	No changes to the meaning, language, or formatting of the technical content.
01/31/2013	7.1	No change	No changes to the meaning, language, or formatting of the technical content.
08/08/2013	8.0	Major	Significantly changed the technical content.
11/14/2013	8.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/13/2014	8.0	No change	No changes to the meaning, language, or formatting of the technical content.

Contents

1 Introduction	5
1.1 Glossary	5
1.2 References	6
1.2.1 Normative References	6
1.2.2 Informative References	7
1.3 Overview	7
1.4 Relationship to Other Protocols	7
1.5 Prerequisites/Preconditions	8
1.6 Applicability Statement	8
1.7 Versioning and Capability Negotiation	8
1.8 Vendor-Extensible Fields	8
1.9 Standards Assignments	8
2 Messages	9
2.1 Transport	9
2.2 Message Syntax	9
2.2.1 PA-PK-AS-REP_OLD	9
2.2.2 PA-PK-AS-REP_OLD	11
2.2.3 PA-PK-AS-REQ	11
2.2.4 PA-PK-AS-REP	11
3 Protocol Details	12
3.1 Common Details	12
3.1.1 Abstract Data Model	12
3.1.2 Timers	12
3.1.3 Initialization	12
3.1.4 Higher-Layer Triggered Events	12
3.1.5 Message Processing Events and Sequencing Rules	12
3.1.5.1 Client	12
3.1.5.2 KDC	13
3.1.5.2.1 Certificate Mapping	13
3.1.5.2.1.1 SAN DNSName field	13
3.1.5.2.1.2 SAN UPN field	13
3.1.5.2.1.3 Explicit Mapping	13
3.1.6 Timer Events	14
3.1.7 Other Local Events	14
4 Protocol Examples	15
4.1 Interactive Logon Using Smart Cards	15
4.2 Network Logon Using Smart Cards	17
4.3 Non-RFC Kerberos Clients during AS-REQ	18
5 Security	19
5.1 Security Considerations for Implementers	19
5.2 Index of Security Parameters	19
6 Appendix A: Product Behavior	20
7 Change Tracking	24
8 Index	25

1 Introduction

The Public Key Cryptography for Initial Authentication in Kerberos (PKINIT) protocol [\[RFC4556\]](#) enables the use of public **key** cryptography in the initial authentication exchange (that is, in the **Authentication Service (AS) exchange**) of the Kerberos protocol [\[MS-KILE\]](#). This specification describes the Public Key Cryptography for Initial Authentication in Kerberos (PKINIT): Microsoft Extensions protocol (PKCA) and how the Windows implementation of PKINIT differs from what is specified in [\[RFC4556\]](#).

In an implementation of [\[RFC4120\]](#) or KILE, the security of the AS exchange depends on the strength of the password used to protect it. This also affects the security of subsequent protocol requests.

By using public key cryptography to protect the initial authentication, the Kerberos protocol [\[MS-KILE\]](#) is substantially strengthened and can be used with already existing public key authentication mechanisms such as smart cards.

This document references the PKINIT methods and data formats [\[RFC4556\]](#) and [\[RFC5349\]](#), that the client and the **KDC** can use both to mutually authenticate during the AS exchange with public and private key pairs and to negotiate the AS-REP key, which allows the KDC to encrypt the AS-REP key sent to the client.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

- Authentication Service (AS)**
- Authentication Service (AS) exchange**
- authenticator**
- authorization data**
- certificate authority (CA)**
- elliptic curve cryptography (ECC)**
- key**
- Key Distribution Center (KDC)**
- object identifier (OID)**
- Pre-authentication**
- privilege attribute certificate (PAC)**
- public key infrastructure (PKI)**
- realm**
- service**
- session**
- session key**
- ticket**
- ticket-granting service (TGS)**
- ticket-granting ticket (TGT)**

The following terms are specific to this document:

Principal: A unique, individual account known to the **KDC**. Often a user, but it can be a **service** offering a resource on the network.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

A reference marked "(Archived)" means that the reference document was either retired and is no longer being maintained or was replaced with a new document that provides current implementation details. We archive our documents online [\[Windows Protocol\]](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[FIPS140] FIPS PUBS, "Security Requirements for Cryptographic Modules", FIPS PUB 140, December 2002, <http://csrc.nist.gov/publications/fips/fips140-2/fips1402.pdf>

[MS-ADA1] Microsoft Corporation, "[Active Directory Schema Attributes A-L](#)".

[MS-ADA3] Microsoft Corporation, "[Active Directory Schema Attributes N-Z](#)".

[MS-ADTS] Microsoft Corporation, "[Active Directory Technical Specification](#)".

[MS-KILE] Microsoft Corporation, "[Kerberos Protocol Extensions](#)".

[MS-NLMP] Microsoft Corporation, "[NT LAN Manager \(NTLM\) Authentication Protocol](#)".

[MS-PAC] Microsoft Corporation, "[Privilege Attribute Certificate Data Structure](#)".

[MS-SPNG] Microsoft Corporation, "[Simple and Protected GSS-API Negotiation Mechanism \(SPNEGO\) Extension](#)".

[RFC1964] Linn, J., "The Kerberos Version 5 GSS-API Mechanism", RFC 1964, June 1996, <http://www.ietf.org/rfc/rfc1964.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2315] Kaliski, B., "PKCS #7: Cryptographic Message Syntax Version 1.5", RFC 2315, March 1998, <http://www.ietf.org/rfc/rfc2315.txt>

[RFC2743] Linn, J., "Generic Security Service Application Program Interface Version 2, Update 1", RFC 2743, January 2000, <http://www.ietf.org/rfc/rfc2743.txt>

[RFC3280] Housley, R., Polk, W., Ford, W., and Solo, D., "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile", RFC 3280, April 2002, <http://www.ietf.org/rfc/rfc3280.txt>

[RFC3370] Housley, R., "Cryptographic Message Syntax (CMS) Algorithms", RFC 3370, August 2002, <http://www.ietf.org/rfc/rfc3370.txt>

[RFC3852] Housley, R., "Cryptographic Message Syntax (CMS)", RFC 3852, July 2004, <http://www.ietf.org/rfc/rfc3852.txt>

[RFC4120] Neuman, C., Yu, T., Hartman, S., and Raeburn, K., "The Kerberos Network Authentication Service (V5)", RFC 4120, July 2005, <http://www.ietf.org/rfc/rfc4120.txt>

[RFC4556] Zhu, L., and Tung, B., "Public Key Cryptography for Initial Authentication in Kerberos", RFC 4556, June 2006 <http://www.ietf.org/rfc/rfc4556.txt>

[RFC5349] Zhu, L., Jaganathan, K., and Lauter, K., "Elliptic Curve Cryptography (ECC) Support for Public Key Cryptography for Initial Authentication in Kerberos (PKINIT)", RFC 5349, September 2008, <http://www.ietf.org/rfc/rfc5349.txt>

[X509] ITU-T, "Information Technology - Open Systems Interconnection - The Directory: Public-Key and Attribute Certificate Frameworks", Recommendation X.509, August 2005, <http://www.itu.int/rec/T-REC-X.509/en>

Note There is a charge to download the specification.

[ITUX680] ITU-T, "Abstract Syntax Notation One (ASN.1): Specification of Basic Notation", Recommendation X.680, July 2002, <http://www.itu.int/ITU-T/studygroups/com17/languages/X.680-0207.pdf>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

1.3 Overview

The PKINIT protocol is a security protocol that authenticates entities on a network using public key cryptography. Kerberos is a security protocol that mutually authenticates entities on a network and can provide user credential delegation after authentication is complete. Kerberos is specified in [\[RFC4120\]](#) and [\[MS-KILE\]](#), and PKINIT is specified in [\[RFC4556\]](#). [\[RFC5349\]](#) specifies the use of **elliptic curve cryptography (ECC)** within the framework of PKINIT. PKINIT is a **pre-authentication** extension that extends the Kerberos Protocol to use public key cryptography and **ticket-granting ticket (TGT)** data signing during the initial AS exchange.

This specification indicates the variations from [\[RFC4556\]](#) and [\[RFC5349\]](#) in the Windows implementation of PKINIT.

1.4 Relationship to Other Protocols

PKCA is defined as a Kerberos pre-authentication extension ([\[RFC4120\]](#) section 3.1.1). This extension is used in the Kerberos AS exchange [\[RFC4556\]](#), and therefore PKCA relies on a working Kerberos infrastructure and a **certificate authority (CA)** for issuing [\[X509\]](#) certificates. PKCA includes the use of elliptic curve cryptography (ECC). ECC support [\[RFC5349\]](#) relies upon a CA issuing ECC certificates. Applications already using Kerberos can use PKCA without modifications.

In order to support NTLM authentication [\[MS-NLMP\]](#) for applications connecting to network services that do not support Kerberos authentication, when PKCA is used, the KDC returns the user's NTLM **one-way function (OWF)** in the **privilege attribute certificate (PAC)** PAC_CREDENTIAL_INFO buffer ([\[MS-PAC\]](#) section 2.6.1).

1.5 Prerequisites/Preconditions

PKCA assumes the following, in addition to any assumptions specified in [\[MS-KILE\]](#):

1. The key distribution center (KDC) has an X.509 public key certificate [\[X509\]](#), issued by a certificate authority (CA) and trusted by the clients in the Kerberos realm. For ECC support, the KDC has an ECC public key certificate issued by a CA and trusted by clients in the Kerberos realm. The issuing of these [\[X509\]](#) certificates is not addressed in this protocol specification.
2. A cryptographic-strength random-number generator is available for generating keys and other cryptographically sensitive information. [<1>](#)
3. Each user has an [\[X509\]](#) certificate suitable for use with PKINIT. Details about such a certificate are specified in [\[RFC4556\]](#) Appendix C.

Details about general Kerberos assumptions are specified in [\[RFC4120\]](#) section 1.6.

1.6 Applicability Statement

PKCA is used only in environments that use Kerberos, and it requires the deployment of a **Public Key Infrastructure (PKI)** for issuing [\[X509\]](#) certificates.

1.7 Versioning and Capability Negotiation

PKCA does not have explicit versioning; it is tied to the Kerberos protocol [\[MS-KILE\]](#) versioning mechanisms, as specified in [\[RFC4120\]](#) section 7.5.6. Capability negotiation is as specified in [\[RFC4556\]](#) sections 3.3 and 3.4.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

There are no standards assignments in PKCA beyond what is specified in [\[RFC4556\]](#) and [\[RFC5349\]](#).

2 Messages

2.1 Transport

Messages are carried in the Kerberos AS exchange as pre-authentication data, as specified in [\[RFC4120\]](#) section 5.2.7.

2.2 Message Syntax

The message syntax is as specified in [\[RFC4556\]](#) section 3.2. [<2>](#)

PKCA MAY support these variations based on an earlier draft of [\[RFC4556\]](#) for interoperability.

An earlier draft of [\[RFC4556\]](#) supported a different pre-authentication data identifier:

- PA-PK-AS-REP_OLD 15 [<3>](#)

The algorithm identifier in Cryptographic Message Syntax (CMS) messages, as specified in [\[RFC2315\]](#) and [\[RFC3852\]](#), is md5WithRSAEncryption instead of md5 ([\[RFC3370\]](#) sections 3.2 and 2.2). [<4>](#) The support of SHA-1WithRSAEncryption is added [\[RFC3370\]](#). [<5>](#) The support of ecdsa-with-Sha1, ecdsa-with-Sha256, ecdsa-with-Sha384, and ecdsa-with-Sha512 ([\[RFC5349\]](#) section 3) is also added. [<6>](#)

The following ECC curves ([\[RFC5349\]](#) section 5) are supported: [<7>](#)

- ECPRGF256Random | groupP-256 | secp256r1
- ECPRGF384Random | groupP-384 | secp384r1
- ECPRGF521Random | groupP-521 | secp521r1

2.2.1 PA-PK-AS-REP_OLD

The data for the PA-PK-AS-REP_OLD pre-authentication data identifiers is based on an earlier draft of [\[RFC4556\]](#); therefore, there are some differences in the message format. The ASN.1 [\[ITUX680\]](#) description of the message that is used in place of the message format specified in [\[RFC4556\]](#) section 3.2.1 follows. [<8>](#) [<9>](#)

```
PKINIT DEFINITIONS EXPLICIT TAGS ::=
BEGIN
--EXPORTS ALL--
IMPORTS
KerberosTime, PrincipalName, Realm, EncryptionKey
FROM KerberosV5Spec2
{ iso(1) identified-organization(3) dod(6) internet(1) security(5)
  kerberosV5(2) }
-- Different from [RFC4556] Appendix A
ContentInfo, EnvelopedData, SignedData, IssuerAndSerialNumber
FROM CryptographicMessageSyntax2004
{ iso(1) member-body(2) us(840) rsadsi(113549)
  pkcs(1) pkcs-9(9) smime(16) modules(0) cms-
  2004(24) }
-- Same as defined in [RFC3852]
AlgorithmIdentifier
FROM PKIX1Explicit88
{ iso(1) identified-organization(3) dod(6) internet(1) security(5)
```

```

        mechanisms(5) pkix(7) id-mod(0) id-pkix1-explicit(18) };
-- From [RFC3280] (Same as defined in [RFC4556] Appendix A)
--
-- PKINT data types
--
PA-PK-AS-REQ ::= SEQUENCE {
-- PA TYPE 15
signedAuthPack [0] IMPLICIT OCTET STRING
}

AuthPack ::= SEQUENCE {
    pkAuthenticator [0] PKAuthenticator
}

--
-- PK-AUTHENTICATOR - Different from [RFC4556]
-- Appendix A, PKAuthenticator.
--
PKAuthenticator ::= SEQUENCE {
    kdc-name [0] PRINCIPAL-NAME,
    kdc-realm [1] REALM,
-- name and realm of the KDC issuing the ticket
    cusec [2] INTEGER,
    ctime [3] KerberosTime,
    nonce [4] INTEGER
}
END

```

PA-PK-AS-REQ field:

- signedAuthPack: Contains content identical to the content of the signedAuthPack field, as specified in [\[RFC4556\]](#) section 3.2.1.

AuthPack field:

- pkAuthenticator: Contains a PKAuthenticator structure, as defined in this document. This variation of the AuthPack structure is different from the one specified in [\[RFC4556\]](#).

PKAuthenticator fields:

- kdc-name: Contains the name portion of the ticket-granting service (TGS) name of the KDC that will service the request, as specified in [\[RFC4120\]](#) section 7.3.
- kdc-realm: Contains the realm portion of the TGS name of the KDC that will service the request, as specified in [\[RFC4120\]](#) section 7.3.
- cusec: Contains the same content of the corresponding, identically named field in the type PKAuthenticator, as specified in [\[RFC4556\]](#) section 3.2.1.
- ctime: Contains the same content of the corresponding, identically named field in the type PKAuthenticator, as specified in [\[RFC4556\]](#) section 3.2.1.
- nonce: Contains the same content of the corresponding, identically named field in the type PKAuthenticator, as specified in [\[RFC4556\]](#) section 3.2.1.

2.2.2 PA-PK-AS-REP_OLD

The data for the PA-PK-AS-REP_OLD pre-authentication data identifiers is based on an earlier draft of [\[RFC4556\]](#); therefore, there are some differences in the message format. The ASN.1 [\[ITUX680\]](#) description of the message that is used in place of the message format specified in [\[RFC4556\]](#) section 3.2.3 follows. <10>

```
--
-- KERB-REPLY-KEY-PACKAGE - Different from [RFC4556]
-- Appendix A, ReplyKeyPack
--
KERB-REPLY-KEY-PACKAGE ::= SEQUENCE {
    replyKey [0] EncryptionKey,
    -- Contains the session key used to encrypt the enc-part
    -- field in the AS-REP, for example, the AS reply key.

    nonce [1] INTEGER,
    -- binds response to the request; must be same as the nonce
    -- passed in the PK-AUTHENTICATOR.
    ...
} --#public-
```

KERB-REPLY-KEY-PACKAGE fields:

- replyKey: Contains the same content of the identically named field in the type ReplyKeyPack, as specified in [\[RFC4556\]](#) section 3.2.3.2.
- nonce: Contains the nonce from the PKAuthenticator structure in the PA-PK-AS-REQ request.

However, if the AS-REQ message contains a padata of type KRB5-PADATA-AS-CHECKSUM(132) with no corresponding data field (padata-value is an empty OCTET STRING), then the PA-PK-AS-REP_OLD pre-authentication data contains the same data as specified in [\[RFC4556\]](#) section 3.2.3.2.

2.2.3 PA-PK-AS-REQ

The PA-PK-AS-REQ message format is specified in [\[RFC4556\]](#) section 3.2.1. <11>

2.2.4 PA-PK-AS-REP

The PA-PK-AS-REP message format is specified in [\[RFC4556\]](#) section 3.2.3. <12> The returned **ticket** does not include the AD-INITIAL-VERIFIED-CAS type in the **authorization data**. The content of the SignedData field in the content of EnvelopedData is encoded, as specified in [\[RFC2315\]](#) section 7, not as specified in [\[RFC3852\]](#). Therefore, the data is not wrapped in OCTET STRING; rather, it is wrapped in an ANY DEFINED BY content specific type, as specified in [\[RFC2315\]](#) section 7.

3 Protocol Details

3.1 Common Details

3.1.1 Abstract Data Model

The abstract data model follows what is specified in [\[RFC4556\]](#).

3.1.2 Timers

None.

3.1.3 Initialization

During initialization, the [\[FIPS140\]](#)-compliant random-number generator for keys and nonces is initialized.

3.1.4 Higher-Layer Triggered Events

None.

3.1.5 Message Processing Events and Sequencing Rules

In addition to the required ([\[RFC4556\]](#) section 3.1.1) and recommended ([\[RFC4556\]](#) section 3.1.2) algorithms, PKCA supports the rc2-cbc ([\[RFC4556\]](#) section 3.1.4) algorithm. An implementer SHOULD specify des-ede3-cbc ([\[RFC4556\]](#) section 3.1.2) as the default algorithm. [<13>](#)

PKCA does not implement the id-pkinit-san algorithm ([\[RFC4556\]](#) section 3.2.2).

3.1.5.1 Client

The Kerberos client SHOULD send only a PA-PK-AS-REQ pre-authentication data identifier. [<14>](#)
[<15>](#)

Kerberos clients can process either the PA-PK-AS-REP_OLD or the PA-PK-AS-REP pre-authentication data identifier in the reply, but not both. [<16>](#)

For computer AS-REQ, PKCA clients SHOULD fail unless all of the following conditions are met. [<17>](#)

- The computer certificate contains:
 - subjectAltName (SAN) DNSName field: <computer name>.<DNS domain name> where <computer name> matches the computer name and <DNS domain name> matches the computer's DNS domain name.
 - Enhance Key Usage (EKU): id-pkinit-KPClientAuth (1.3.6.1.5.2.3.4) or TLS/SSL Client Authentication (1.3.6.1.5.5.7.3.2).
- The KDC certificate contains:
 - SAN DNSName field: the DNS name of the domain
 - EKU: id-pkinit-KPkdc (1.3.6.1.5.2.3.5)

3.1.5.2 KDC

If the KDC receives both a PA-PK-AS-REQ and PA-PK-AS-REQ_OLD, the KDC should return KRB_ERROR_GENERIC.

The KDC SHOULD process the PA-PK-AS-REQ pre-authentication data identifier. <18> The KDC SHOULD respond with PA-PK-AS-REP. <19>

The KDC MUST return the user's [unicodePwd](#) attribute ([MS-ADA3] section 2.332) in the [NTLM SUPPLEMENTAL CREDENTIAL](#) buffer ([MS-PAC] section 2.6.4).

3.1.5.2.1 Certificate Mapping

The KDC SHOULD look up the account using the cname. If the account is not found and the cname name-type is NT-X500-PRINCIPAL, the KDC SHOULD locate the account in the account database using the explicit mapping fields. Implementations of PKCA KDCs which use **AD** for the account database when the userAccountControl attribute ([MS-ADA3] section 2.342) bit WT or ST ([MS-ADTS] section 2.2.16) is:

- TRUE: validate certificate mapping using the SAN **DNSName** field. <20>
- Both FALSE: validate certificate mapping using the SAN **UPNName** field first, then try explicit mapping.

If the account is not found, the KDC SHOULD return KDC_ERR_C_PRINCIPAL_UNKNOWN.

3.1.5.2.1.1 SAN DNSName field

The KDC MUST confirm that the name of the account found matches the computer name in the **DNSName** field of the certificate terminated with "\$" and that the DNS domain name in the **DNSName** field of the certificate matches the DNS domain name of the realm. Implementations of PKCA KDCs which use AD for the account database MUST use the **sAMAccountName** attribute ([MS-ADA3] section 2.222) for the computer name. If they do not match, the KDC SHOULD return KDC_ERR_CLIENT_NAME_MISMATCH.

3.1.5.2.1.2 SAN UPN field

The KDC MUST confirm that the account found matches that the account found when using the UPN in the **UPN** field of the certificate. If they do not match, the KDC SHOULD return KDC_ERR_CLIENT_NAME_MISMATCH.

3.1.5.2.1.3 Explicit Mapping

The KDC MUST confirm the explicit mapping of the account to a certificate. Implementations of PKCA KDCs which use AD for the account database MUST confirm that the **altSecurityIdentities** attribute ([MS-ADA1] section 2.61) contains the string created by concatenating the following information from the certificate in the order shown:

1. Subject and Issuer Name fields: "X509:<I>" + Issuer Name field with "\r" and "\n" replaced with "," + "<S>" + Subject field with "\r" and "\n" replaced with ",".
2. Subject field: "X509:<S>" + Subject field with "\r" and "\n" replaced with ",".
3. Issuer and Serial Number fields: "X509:<I>" + Issuer Name field with "\r" and "\n" replaced with "," + "<SR>" + Serial Number field.

4. Subject Key Identifier field: "X509:<SKI>" + Subject Key Identifier field.
5. SHA1 hash of public key: "X509:<SHA1-PUKEY>" + SHA1 hash of public key.
6. 822 field: "X509: <RFC822>" + 822 Name field.

If they do not match, the KDC SHOULD return KDC_ERR_CLIENT_NAME_MISMATCH.

3.1.6 Timer Events

None.

3.1.7 Other Local Events

There are no local events other than what is specified in [\[RFC4556\]](#).

4 Protocol Examples

The following sections describe three common scenarios to illustrate the function of the KILE.

4.1 Interactive Logon Using Smart Cards




Figure 1: Interactive logon

Step 1: A user attempts to log on to a client. At the logon screen, the user selects the certificate and types the PIN. Using the PIN to unlock the smart card, the client generates an AS-REQ with PA-PK-AS-REQ pre-authentication data ([RFC4556] section 3.2.1) and sends the request to the KDC.

Step 2: The KDC validates the AS-REQ ([RFC4120] section 3.1.2), including verifying the user's signature and validating certificate ([RFC4556] section 3.2.2). If the AS-REQ is valid, the KDC generates an AS-REP ([RFC4556] section 3.2.3), with a PAC ([MS-KILE] section 3.3.5.3.2) in the authorization_data field of the TGT, and sends the reply to the client.

Step 3: The client validates the AS-REP ([RFC4556] section 3.2.4). For interactive logons, the client runtime requests authentication to host/hostname.domain, where hostname is the actual name of the client machine, and domain is the domain or realm of the client machine. If the AS-REP is valid, the client generates a TGS-REQ based on the TGT that is obtained in step 2 to obtain a service ticket for host/hostname.domain ([RFC4120] section 3.3.1) and sends the request to the KDC.

Step 4: The KDC validates the TGS-REQ ([\[RFC4120\]](#) section 3.3.2) ([\[MS-KILE\]](#) section 3.3.5.7.1). If the TGS-REQ is valid, the KDC adds Domain Local Groups to the PAC ([\[MS-KILE\]](#) section 3.3.5.7.3), generates a TGS-REP ([\[RFC4120\]](#) section 3.3.3), and sends the reply to the client.

The client validates the TGS-REP ([\[MS-KILE\]](#) section 3.3.4). If the TGS-REP is valid, the service ticket is then interpreted by the Kerberos runtime within the local workstation.

The following fields from the KERB_VALIDATION_INFO field of the PAC ([\[MS-PAC\]](#) Section 2.5) are required by the interactive logon client runtime to authorize the user for local interactive logon, and to establish the necessary management profile for the user:

- LogonTime
- LogoffTime
- KickOffTime
- PasswordLastSet
- PasswordCanChange
- EffectiveName
- FullName
- LogonScript
- ProfilePath
- HomeDirectory
- HomeDirectoryDrive
- LogonCount
- BadPasswordCount
- LogonServer
- LogonDomainName
- UserAccountControl

4.2 Network Logon Using Smart Cards




Figure 2: Network logon

When an application wants authentication, it calls `GSS_Init_sec_context` ([RFC2743] section 2.2.1) to either invoke KILE [MS-KILE] directly, or SPNEGO [MS-SPNG] which can invoke Kerberos.

Step 0: The application client calls `GSS_Init_sec_context` ([RFC2743] section 2.2.1).

When the client does not have a TGT, steps 1 through 2, as described in section 4.1, must be performed.

When the client does not have a service ticket for the application server, steps 3 and 4, as described in section 4.1, must be performed.

Step 5: The Kerberos client generates a GSS-API initial token ([RFC1964] section 1.1.1) containing an AP-REQ ([RFC4120] section 3.2.2) and returns it to the application.

Step 6: The application server calls `GSS_Accept_sec_context` ([RFC2743] section 2.2.2). The Kerberos application server validates the AP-REQ ([RFC4120] section 3.2.3). If the AP-REQ is valid and the client requested mutual authentication, the Kerberos application server generates a GSS-API response token ([RFC1964] section 1.1.2) containing an AP-REP ([RFC4120] section 3.2.4) and returns it to the application server. The Kerberos application server provides the authorization data from the ticket to the Windows system which creates a Windows-specific object that is known as an access token, which is used with the Windows system-provided authorization functions.

If mutual authentication was requested, the application client calls `GSS_Init_sec_context` ([RFC2743] section 2.2.1). The Kerberos client validates the AP-REP ([RFC4120] section 3.2.5). If the AP-REP is valid, the Kerberos client returns `GSS_S_COMPLETE` ([RFC2743] section 2.2.1).

4.3 Non-RFC Kerberos Clients during AS-REQ

PKCA clients developed prior to finalizing RFC 4556 support a PKInit pre-authentication data based on an earlier draft of [RFC4556].

Step 1: A user attempts to log on to a client. At the logon screen, the user selects the certificate and types the PIN. Using the PIN to unlock the smart card, the client generates an AS-REQ with PA-PK-AS-REP_OLD pre-authentication data (section 2.2.1) and sends the request to the KDC.

Step 2: The KDC validates the AS-REQ ([RFC4120] section 3.1.2) including verifying the user's signature and validating certificate ([RFC4556] section 3.2.2). Since the PA-PK-AS-REP_OLD version of the pre-authentication data does not contain a `paChecksum`, the KDC does not return a `KRB-ERROR` with the code `KDC_ERR_PA_CHECKSUM_MUST_BE_INCLUDED` ([RFC4556] section 3.2.3). If the AS-REQ is valid, with the exception of the `paChecksum` checks, the KDC generates an AS-REP ([RFC4556] section 3.2.3) using the PA-PK-AS-REP_OLD, instead of the PA-PK-AS-REP with a PAC ([MS-KILE] section 3.3.5.6.3) in the `authorization_data` field of the TGT, and sends the reply to the client.

5 Security

5.1 Security Considerations for Implementers

PKCA security considerations are specified in [\[RFC4556\]](#). PA-PK-AS-REP_OLD is the earlier version of PA-PK-AS-REQ and PA-PK-AS-REP, and has the same security considerations.

5.2 Index of Security Parameters

PKCA security parameters are specified in [\[RFC4556\]](#).

Security parameter	Section
PKAuthenticator	2.2.1
KERB-REPLY-KEY-PACKAGE	2.2.2

6 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Windows 2000 operating system
- Windows XP operating system
- Windows Server 2003 operating system
- Windows Vista operating system
- Windows Server 2008 operating system
- Windows 7 operating system
- Windows Server 2008 R2 operating system
- Windows 8 operating system
- Windows Server 2012 operating system
- Windows 8.1 operating system
- Windows Server 2012 R2 operating system

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

<1> [Section 1.5](#): Windows contains a FIPS-140-validated random-number generator, as specified in [\[FIPS140\]](#).

<2> [Section 2.2](#): [RFC4556] message syntax is not supported in Windows 2000, Windows XP, and Windows Server 2003.

<3> [Section 2.2](#): Windows 2000, Windows XP, and Windows Server 2003 sent PA-PK-AS-REP_OLD where [\[RFC4120\]](#) would have them send PA-PK-AS-REQ or PA-PK-AS-REP.

<4> [Section 2.2](#): Supported by Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1. In Windows Vista, Windows Server 2008, Windows 7, and Windows Server 2008 R2, the **object identifier (OID)** has been updated to match CMS algorithms, as specified in [\[RFC3370\]](#) sections 3.2 and 2.2. Windows 2000, Windows XP, Windows XP SP1, and Windows Server 2003 do not accept the correct OID.

<5> [Section 2.2](#): Not supported by Windows 2000, Windows XP, and Windows Server 2003.

<6> [Section 2.2](#): ECC is not supported by Windows 2000, Windows XP, Windows Server 2003, Windows Vista, or Windows Server 2008.

<7> [Section 2.2](#): ECC is not supported by Windows 2000, Windows XP, Windows Server 2003, Windows Vista, or Windows Server 2008.

<8> [Section 2.2.1](#): In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, SignedData (as specified in [RFC3852](#)) is encoded as specified in [RFC2315](#) section 9, not as specified in [RFC3852](#) section 5. Therefore, the data is not wrapped in OCTET STRING; rather, it is wrapped in an ANY, as specified in [RFC2315](#) section 7. However, in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the SignedData (as specified in [RFC3852](#)) is encoded as specified in [RFC3852](#). Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 accept the SignedData, as specified in [RFC3852](#). In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, the DHRepInfo form is not implemented; the Public Key Encryption style is used, as specified in [RFC4556](#) section 3.2.3.2. The Diffie-Hellman key delivery method, as specified in [RFC4556](#) section 3.2.3.1, is supported in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, the content-type field of the SignedData in PA-PK-AS-REQ is id-data, as specified in [RFC3852](#) section 4, instead of id-pkinit-authData. However, in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the content-type field of the SignedData is id-pkinit-authData, as specified in [RFC4556](#) section 3.2.3.2. Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 accept id-data in the PA-PK-AS-REQ_OLD pre-authentication data.

<9> [Section 2.2.1](#): In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, SignedData (as specified in [RFC3852](#)) is encoded as specified in [RFC2315](#) section 9, not as specified in [RFC3852](#) section 5. Therefore, the data is not wrapped in OCTET STRING; rather, it is wrapped in an ANY, as specified in [RFC2315](#) section 7. However, in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the SignedData (as specified in [RFC3852](#)) is encoded as specified in [RFC3852](#). Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 accept the SignedData, as specified in [RFC3852](#). In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, the DHRepInfo form is not implemented; the Public Key Encryption style is used, as specified in [RFC4556](#) section 3.2.3.2. The Diffie-Hellman key delivery method, as specified in [RFC4556](#) section 3.2.3.1, is supported in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2.

In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, the content-type field of the SignedData in PA-PK-AS-REQ is id-data, as specified in [RFC3852](#) section 4, instead of id-pkinit-authData. However, in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the content-type field of the SignedData is id-pkinit-authData, as specified in [RFC4556](#) section 3.2.3.2. Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 accept id-data in the PA-PK-AS-REQ_OLD pre-authentication data.

<10> [Section 2.2.2](#): In Windows 2000, Windows XP SP2, and Windows Server 2003 with SP1, the content-type field of the SignedData type inside the EnvelopedData type in the PA-PK-AS-REP_OLD

pre-authentication data is id-data, as specified in [\[RFC3852\]](#) section 4, instead of id-pkinit-rkeyData, as specified in [\[RFC4556\]](#). However, in Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 the content-type field is id-pkinit-rkeyData, as specified in [\[RFC4556\]](#). Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 all accept id-data in the **SignedData** contained in the PA-PK-AS-REP_OLD pre-authentication data.

In addition, Windows 2000, Windows XP SP2, Windows Server 2003 with SP1, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2 do not process id-pkinit-san in the client's [\[X509\]](#) certificate, if present, as specified in [\[RFC4556\]](#) section 3.2.4.

[<11> Section 2.2.3:](#) The PA-PK-AS-REQ message format is not supported in Windows 2000, Windows XP, and Windows Server 2003.

[<12> Section 2.2.4:](#) The RFC version of PA-PK-AS-REP is not supported in Windows 2000, Windows XP, and Windows Server 2003.

[<13> Section 3.1.5:](#) In Windows with PKCA, the KDC supports both des-ede3-cbc and rc2-cbc. If both des-ede3-cbc and rc2-cbc are present, the KDC uses des-ede3-cbc.

[<14> Section 3.1.5.1:](#) In Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the PKINIT pre-authentication data identifiers have been updated to match what is specified in [\[RFC4556\]](#), with one addition (KRB5-PADATA-AS-CHECKSUM) as noted below. However, for backward-compatibility reasons, if the client is not detecting that the KDC is running Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, or Windows Server 2012 R2, it sends both.

In Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2, Windows 8, Windows Server 2012, Windows 8.1, and Windows Server 2012 R2, the client sends additional padata (KRB5-PADATA-AS-CHECKSUM) besides what is specified in [\[RFC4556\]](#). This is padata that contains no data.

```
#define KRB5_PADATA_AS_CHECKSUM          132 /* AS checksum */
```

Clients running Windows XP and Windows 2000 also send this additional padata type.

[<15> Section 3.1.5.1:](#) Windows 2000, Windows XP, and Windows Server 2003 clients send a PA-PK-AS-REP_OLD pre-authentication data identifier. Windows Vista, Windows Server 2008, Windows 7, and Windows Server 2008 R2 clients send a PA-PK-AS-REP_OLD pre-authentication data identifier when all of the following are true:

- the user certificate has a smart card logon EKU, and
- the user certificate has a UPN in Subject Alternative Name.

[<16> Section 3.1.5.1:](#) Windows 2000 and Windows XP SP2 Kerberos clients can only process PA-PK-AS-REP-WINDOWS-OLD.

[<17> Section 3.1.5.1:](#) Computer logon is not supported by Windows 2000, Windows XP, Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7 and Windows Server 2008 R2.

[<18> Section 3.1.5.2:](#) Windows 2000 and Windows Server 2003 KDCs always discard the PA-PK-AS-REQ data identifier and process the PA-PK-AS-REP_OLD data identifier, if present.

<19> [Section 3.1.5.2](#): Windows 2000 and Windows Server 2003 KDCs respond with PA-PK-AS-REP_OLD.

<20> [Section 3.1.5.2.1](#): SAN **DNSName** field is not supported by Windows 2000, Windows Server 2003, Windows Server 2008 and Windows Server 2008 R2.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

8 Index

A

[Abstract data model](#) 12
[Applicability statement](#) 8

C

[Capability negotiation](#) 8
[Change tracking](#) 24

D

[Data model – abstract](#) 12

E

Examples
[non-RFC Kerberos clients during AS-REQ](#) 18
[overview](#) 15
smart cards
[interactive logon using](#) 15
[network logon using](#) 17

F

[Fields – vendor-extensible](#) 8

G

[Glossary](#) 5

H

[Higher-layer triggered events](#) 12

I

[Implementer – security considerations](#) 19
[Index of security parameters](#) 19
[Informative references](#) 7
[Initialization](#) 12
[Introduction](#) 5

L

[Local events](#) 14

M

Message processing
[client](#) 12
[KDC](#) 13
[overview](#) 12

Messages
[syntax](#) 9
[transport](#) 9

N

[Non-RFC Kerberos clients during AS-REQ example](#)
18

[Normative references](#) 6

O

[Overview \(synopsis\)](#) 7

P

[PA-PK-AS-REP](#) 11
[PA-PK-AS-REP_OLD](#) 11
[PA-PK-AS-REQ](#) 11
[PA-PK-AS-REQ-WINDOWS-OLD](#) 9
[Parameter index – security](#) 19
[Preconditions](#) 8
[Prerequisites](#) 8
[Product behavior](#) 20

R

References
[informative](#) 7
[normative](#) 6
[Relationship to other protocols](#) 7

S

Security
[implementer considerations](#) 19
[parameter index](#) 19
Sequencing rules
[client](#) 12
[KDC](#) 13
[overview](#) 12
Smart cards
[interactive logon using - example](#) 15
[network logon using - example](#) 17
[Standards assignments](#) 8
[Syntax – message](#) 9

T

[Timer events](#) 14
[Timers](#) 12
[Tracking changes](#) 24
[Transport](#) 9
[Triggered events – higher layer](#) 12

V

[Vendor-extensible fields](#) 8
[Versioning](#) 8