

[MS-RDWR]: Remote Desktop Workspace Runtime Protocol

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

| Date | Revision History | Revision Class | Comments |
|------------|------------------|----------------|--|
| 12/16/2011 | 1.0 | New | Released new document. |
| 03/30/2012 | 1.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 07/12/2012 | 1.0 | No change | Significantly changed the technical content. |
| 10/25/2012 | 1.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 01/31/2013 | 1.0 | No change | No changes to the meaning, language, or formatting of the technical content. |
| 08/08/2013 | 1.0 | No change | No changes to the meaning, language, or formatting of the technical content. |

Contents

| | |
|--|-----------|
| 1 Introduction | 5 |
| 1.1 Glossary | 5 |
| 1.2 References | 5 |
| 1.2.1 Normative References | 5 |
| 1.2.2 Informative References | 6 |
| 1.3 Overview | 6 |
| 1.4 Relationship to Other Protocols | 7 |
| 1.5 Prerequisites/Preconditions | 7 |
| 1.6 Applicability Statement | 7 |
| 1.7 Versioning and Capability Negotiation | 8 |
| 1.8 Vendor-Extensible Fields | 8 |
| 1.9 Standards Assignments | 8 |
| 2 Messages | 9 |
| 2.1 Transport | 9 |
| 2.2 Common Message Syntax | 9 |
| 2.2.1 Namespaces | 9 |
| 2.2.2 Messages | 9 |
| 2.2.3 Elements | 9 |
| 2.2.4 Complex Types | 9 |
| 2.2.5 Simple Types | 9 |
| 2.2.6 Attributes | 10 |
| 2.2.7 Groups | 10 |
| 2.2.8 Attribute Groups | 10 |
| 2.2.9 Common Data Structures | 10 |
| 3 Protocol Details | 11 |
| 3.1 RDWebServiceSoap Server Details | 11 |
| 3.1.1 Abstract Data Model | 11 |
| 3.1.2 Timers | 11 |
| 3.1.3 Initialization | 11 |
| 3.1.4 Message Processing Events and Sequencing Rules | 11 |
| 3.1.4.1 GetRDPFiles | 11 |
| 3.1.4.1.1 Messages | 12 |
| 3.1.4.1.1.1 RDWebService_GetRDPFiles_InputMessage Message | 12 |
| 3.1.4.1.1.2 RDWebService_GetRDPFiles_OutputMessage Message | 12 |
| 3.1.4.1.2 Elements | 13 |
| 3.1.4.1.2.1 GetRDPFiles | 13 |
| 3.1.4.1.2.2 GetRDPFilesResponse | 13 |
| 3.1.4.1.3 Complex Types | 13 |
| 3.1.4.1.3.1 ArrayOfReconnectContent | 14 |
| 3.1.4.1.3.2 ReconnectContent | 14 |
| 3.1.4.1.3.3 ReconnectContents | 14 |
| 3.1.4.1.4 Simple Types | 15 |
| 3.1.4.1.4.1 ReconnectContentType | 15 |
| 3.1.5 Timer Events | 15 |
| 3.1.6 Other Local Events | 15 |
| 3.2 RDWebServiceSoap Client Details | 16 |
| 3.2.1 Abstract Data Model | 16 |
| 3.2.2 Timers | 16 |

| | | |
|----------|--|-----------|
| 3.2.3 | Initialization | 16 |
| 3.2.4 | Message Processing Events and Sequencing Rules..... | 16 |
| 3.2.5 | Timer Events | 16 |
| 3.2.6 | Other Local Events | 16 |
| 4 | Protocol Examples..... | 17 |
| 4.1 | An HTTP post request for data from the web service | 17 |
| 4.2 | A sample of the resources returned..... | 17 |
| 5 | Security..... | 24 |
| 5.1 | Security Considerations for Implementers..... | 24 |
| 5.2 | Index of Security Parameters | 24 |
| 6 | Appendix A: Full WSDL..... | 25 |
| 7 | Appendix B: Product Behavior..... | 27 |
| 8 | Change Tracking..... | 28 |
| 9 | Index | 29 |

1 Introduction

The Remote Desktop Workspace Runtime Protocol is a Web service-based protocol used to remotely retrieve the contents of the Remote Desktop Protocol (RDP) file that is associated to a user's remote desktop or application-sharing session on a remote computer.

Sections 1.8, 2, and 3 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. Sections 1.5 and 1.9 are also normative but cannot contain those terms. All other sections and examples in this specification are informative.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)
remote application
Remote Desktop Protocol (RDP)
SOAP
SOAP action
SOAP body
SOAP message
Terminal Services
Uniform Resource Locator (URL)
URI
URL
WSDL message
WSDL operation
XML
XML namespace

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

A reference marked "(Archived)" means that the reference document was either retired and is no longer being maintained or was replaced with a new document that provides current implementation details. We archive our documents online [\[Windows Protocol\]](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site,

<http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-TSWP] Microsoft Corporation, "[Terminal Services Workspace Provisioning Protocol](#)".

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[SOAP1.2-1/2003] Gudgin, M., Hadley, M., Mendelsohn, N., et al., "SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624>

[SOAP1.2-2/2003] Gudgin, M., Hadley, M., Mendelsohn, N., et al., "SOAP Version 1.2 Part 2: Adjuncts", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS-2ED] World Wide Web Consortium, "Namespaces in XML 1.0 (Second Edition)", August 2006, <http://www.w3.org/TR/2006/REC-xml-names-20060816/>

[XMLSCHEMA1] Thompson, H.S., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., and Malhotra, A., Eds., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MSDN-TSCCRDP] Microsoft Corporation, "Terminal Services Client Configuration through the .rdp File", <http://msdn.microsoft.com/en-us/library/aa915001.aspx>

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-RDPBCGR] Microsoft Corporation, "[Remote Desktop Protocol: Basic Connectivity and Graphics Remoting](#)".

1.3 Overview

The Remote Desktop Workspace Runtime Protocol retrieves **Remote Desktop Protocol (RDP)** files, as described in [\[MSDN-TSCCRDP\]](#), that are required to reestablish connections to a user's session(s) on a remote server(s). The protocol returns the number of resources that corresponds to the number of connected and disconnected sessions the user has in the deployment. In addition, the type of session (desktop, remote application, or virtual machine (VM)) and the RDP file for reconnecting are returned. In order to reconnect the sessions, the presence of the **Terminal Services** client is required to launch the application, and the Terminal Services client will use the RDP protocol [\[MS-RDPBCGR\]](#) to connect.

1.4 Relationship to Other Protocols

The Remote Desktop Workspace Runtime Protocol uses **SOAP** over **Hypertext Transfer Protocol over Secure Sockets Layer** (HTTPS), as specified in [\[RFC2818\]](#).

The following diagram illustrates the layering of the protocol stack.




Figure 1: Protocol Stack

1.5 Prerequisites/Preconditions

The following are prerequisites for the operation of the Remote Desktop Workspace Runtime Protocol:

- The Remote Desktop Workspace Runtime Protocol does not provide a mechanism for a client to discover the **Uniform Resource Locator (URL)** to the server; consequently, the client requires a valid **URL** to the server.
- The client machine has the necessary applications to launch any of the Remote Desktop Protocol (RDP) configuration files [\[MSDN-TSCCRDP\]](#) returned by the protocol. For example, the Terminal Services client is required to launch the application or desktop and will use the RDP protocol [\[MS-RDPBCGR\]](#) to connect.
- Both client and server implementations of the Remote Desktop Workspace Runtime Protocol are present and running.
- The Remote Desktop Workspace Runtime Protocol uses the authentication model based on [\[MS-TSWP\]](#). For example, the re-use of the authentication cookie negotiated prior to this protocol starting, as described in [\[MS-TSWP\]](#) section 3.1.1.1.

1.6 Applicability Statement

The use of the Remote Desktop Workspace Runtime Protocol is appropriate when the client requires the resource files required to reconnect to the user's remotely connected sessions. These resources represent the remote applications and or desktops that are associated to the user, in the form of RDP file contents.

1.7 Versioning and Capability Negotiation

The Remote Desktop Workspace Runtime Protocol defines a version field to facilitate the process of identifying the protocol version.

1.8 Vendor-Extensible Fields

The Remote Desktop Workspace Runtime Protocol does not define any vendor-extensible fields.

1.9 Standards Assignments

XML namespaces used by SOAP-based protocols are listed in section [2.2.1](#).

2 Messages

2.1 Transport

The Remote Desktop Workspace Runtime Protocol uses SOAP over HTTPS for communication. The Remote Desktop Workspace Runtime Protocol is used as the transport to provide access to the user's RDP file contents that are associated with their active remote application sessions and/or remote desktop sessions.

2.2 Common Message Syntax

This section contains common definitions used by this protocol. The syntax of the definitions uses XML Schema, as defined in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and Web Services Description Language, as defined in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various XML namespaces using the mechanisms specified in [\[XMLNS-2ED\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace that is used, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

| Prefix | NameSpaces URI | Reference |
|--------|---|---|
| soap | http://schemas.xmlsoap.org/wsdl/soap/ | [SOAP1.1] |
| xsd | http://www.w3.org/2001/XMLSchema | [XMLSCHEMA1] , [XMLSCHEMA2] |
| soap12 | http://schemas.xmlsoap.org/wsdl/soap12/ | [SOAP1.2-1/2003] , [SOAP1.2-2/2003] |
| tns | http://schemas.microsoft.com/ts/2010/09/rdweb | |
| wsaw | http://www.w3.org/2006/05/addressing/wsdl | |
| wsdl | http://schemas.xmlsoap.org/wsdl/ | [WSDL] |

2.2.2 Messages

This specification does not define any common XML schema message definitions.

2.2.3 Elements

This specification does not define any common XML schema element definitions.

2.2.4 Complex Types

This specification does not define any common XML schema complex type definitions.

2.2.5 Simple Types

This specification does not define any common XML schema simple type definitions.

2.2.6 Attributes

This specification does not define any common XML schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML schema attribute group definitions.

2.2.9 Common Data Structures

This specification does not define any common XML schema data structures.

3 Protocol Details

3.1 RDWebServiceSoap Server Details

The following sections describe the behavior of the Remote Desktop Workspace Runtime Protocol. This protocol follows a client-server model, whereby a client sends a **SOAP message** that contains a request (a GetRDPFiles operation) to the server, and the server responds with a SOAP message that contains the response.

The following sections describe the behavior of the Remote Desktop Workspace Runtime Protocol.

3.1.1 Abstract Data Model

None.

3.1.2 Timers

None.

3.1.3 Initialization

When this protocol initializes, it MUST begin listening for SOAP requests using the standard SOAP protocol and ports.

3.1.4 Message Processing Events and Sequencing Rules

This specification includes the following **WSDL operations**.

| WSDL Operation | Description |
|----------------|----------------------------------|
| GetRDPFiles | Retrieves an array of resources. |

3.1.4.1 GetRDPFiles

A server processes a GetRDPFiles request using the Remote Desktop Workspace Runtime Protocol upon receiving a SOAP message that contains the specified **Uniform Resource Identifier (URI)** as the **SOAP action**:

```
soapAction="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
```

This operation is specified by the following WSDL.

```
<wsdl:operation name="GetRDPFiles">
  <wsdl:input wsaw:Action="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
    name="RDWebService_GetRDPFiles_InputMessage"
    message="tns:RDWebService_GetRDPFiles_InputMessage"/>
  <wsdl:output wsaw:Action="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
    name="RDWebService_GetRDPFiles_OutputMessage"
    message="tns:RDWebService_GetRDPFiles_OutputMessage"/>
</wsdl:operation>
```

3.1.4.1.1 Messages

The following table summarizes the set of **WSDL message** definitions that are specific to this operation.

| Message | Description |
|--|---|
| RDWebService_GetRDPFiles_InputMessage | Contains a GetRDPFiles element. A message MUST NOT contain anything in the SOAP body . |
| RDWebService_GetRDPFiles_OutputMessage | The response to a GetRDPFilesSoapIn message, which contains a GetRDPFilesResponse element. A message that either MUST NOT contain anything if no resources are available to connect to or MUST contain resource-specific XML in the SOAP body for resources to connect to. |

3.1.4.1.1.1 RDWebService_GetRDPFiles_InputMessage Message

A WSDL message containing the request for **GetRDPFiles** WSDL operation.

The SOAP action value is:

```
http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles
```

The SOAP body contains **GetRDPFiles** element.

```
<wsdl:message name="RDWebService_GetRDPFiles_InputMessage">
  <wsdl:part name="GetRDPFiles" element="tns:GetRDPFiles"/>
</wsdl:message>
```

The GetRDPFilesSoapIn message contains a GetRDPFiles element, as specified in section [3.1.4.1.2.1](#).

3.1.4.1.1.2 RDWebService_GetRDPFiles_OutputMessage Message

A WSDL message containing the response for **GetRDPFiles** WSDL operation.

The SOAP action value is:

```
http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles
```

The SOAP body contains **GetRDPFilesResponse** element.

```
<wsdl:message name="RDWebService_GetRDPFiles_OutputMessage">
  <wsdl:part name="GetRDPFilesResponse" element="tns:GetRDPFilesResponse"/>
</wsdl:message>
```

The GetRDPFilesSoapOut message contains a GetRDPFileResponse element in response to a GetRDPFilesSoapIn message. The GetRDPFileResponse element is specified in section [3.1.4.1.2.2](#).

3.1.4.1.2 Elements

The following table summarizes the XML schema element definitions that are specific to this operation.

| Element | Description |
|----------------------|---|
| GetRDPPFiles | Forms the body of GetRDPPFiles request. An empty type that is used when making the request for RDP files. |
| GetRDPPFilesResponse | Contains the response to a GetRDPPFiles request. The overall container that defines the protocol configuration. |

3.1.4.1.2.1 GetRDPPFiles

The GetRDPPFiles element forms the body of the request. This element contains no child elements and conveys no information.

```
<xsd:element name="GetRDPPFiles" nillable="true">
  <xsd:complexType/>
</xsd:element>
```

3.1.4.1.2.2 GetRDPPFilesResponse

The GetRDPPFilesResponse contains the response to a GetRDPPFiles request.

```
<xsd:element name="GetRDPPFilesResponse" nillable="true">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element minOccurs="1" maxOccurs="1" name="GetRDPPFilesResult" nillable="true"
type="tns:ReconnectContents"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

GetRDPPFilesResult:

GetRDPPFilesResult is a complex type that contains a container called ReconnectContents types. The ReconnectContents container is described in section [3.1.4.1.3.3](#). GetRDPPFilesResult contains the complex data type ReconnectContents.

The GetRDPPFileResponse MUST contain at least one GetRDPPFilesResult.

3.1.4.1.3 Complex Types

The following table summarizes the XML schema complex type definitions that are specific to this operation.

| ComplexType | Description |
|-------------------------|--|
| ArrayOfReconnectContent | The container for the ReconnectContent complex type. |
| ReconnectContent | Used to contain the remote desktop file stream and type of resource defined. |

| ComplexType | Description |
|-------------------|--|
| ReconnectContents | The container that defines the version and array of contents received by the web server. |

3.1.4.1.3.1 ArrayOfReconnectContent

ArrayOfReconnectContent is a complex type that specifies the collection of ReconnectContent types, as specified in section [3.1.4.1.3.2](#).

Namespace: <http://schemas.microsoft.com/ts/2010/09/rdweb>

```
<xsd:complexType name="ArrayOfReconnectContent">
  <xsd:sequence>
    <xsd:element minOccurs="0" maxOccurs="unbounded" name="ReconnectContent" nillable="true"
      type="tns:ReconnectContent"/>
  </xsd:sequence>
</xsd:complexType>
```

ReconnectContent: A collection of ReconnectContent types.

3.1.4.1.3.2 ReconnectContent

ReconnectContent has a string element that contains the RDP file stream, and a simple type called ReconnectContentType that is used to specify the type of RDP file stream. ReconnectContentType is specified in section [3.1.4.1.4.1](#). The RDP file stream consists of RDP files as described in [\[MSDN-TSCCRDP\]](#).

Namespace: <http://schemas.microsoft.com/ts/2010/09/rdweb>

```
<xsd:complexType name="ReconnectContent">
  <xsd:sequence>
    <xsd:element minOccurs="0" maxOccurs="1" name="rdpStream" nillable="true"
      type="xsd:string"/>
    <xsd:element minOccurs="1" maxOccurs="1" name="rct" type="tns:ReconnectContentType"/>
  </xsd:sequence>
</xsd:complexType>
```

rct: ReconnectContentType is specified in section [3.1.4.1.4.1](#).

rdpStream: A file stream that consists of RDP files as described in [\[MSDN-TSCCRDP\]](#).

3.1.4.1.3.3 ReconnectContents

The ReconnectContents type has a version string element and either zero or one type of ArrayOfReconnectContent type. The ArrayOfReconnectContent type is specified in section [3.1.4.1.3.1](#).

Namespace: <http://schemas.microsoft.com/ts/2010/09/rdweb>

```
<xsd:complexType name="ReconnectContents">
  <xsd:sequence>
    <xsd:element minOccurs="0" maxOccurs="1" name="version" nillable="true"
      type="xsd:string"/>
```

```

    <xsd:element minOccurs="0" maxOccurs="1" name="wkspRC" nillable="true"
type="tns:ArrayOfReconnectContent"/>
  </xsd:sequence>
</xsd:complexType>

```

version: A complex type that contains a string to represent versioning of the Remote Desktop Workspace Runtime protocol. A value should be defined in this operation when it is implemented.

wkspRC: An element of type ArrayOfReconnectContent.

3.1.4.1.4 Simple Types

The following table shows the Simple types included in the operation.

| SimpleType | Description |
|----------------------|---|
| ReconnectContentType | An enumerated type to indicate whether the user's resource is remote desktop, remote application, or virtual machine-based. |

3.1.4.1.4.1 ReconnectContentType

The valid values for this enumeration are "REMOTEDESKTOP", "VMREMOTEDESKTOP", or "REMOTEAPPLICATION".

Namespace: <http://schemas.microsoft.com/ts/2010/09/rdweb>

```

<xsd:simpleType name="ReconnectContentType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="REMOTEDESKTOP"/>
    <xsd:enumeration value="VMREMOTEDESKTOP"/>
    <xsd:enumeration value="REMOTEAPPLICATION"/>
  </xsd:restriction>
</xsd:simpleType>

```

The following table specifies the allowable values for **ReconnectContentType**.

| Value | Meaning |
|-------------------|---|
| REMOTEDESKTOP | Specifies a session type of remote desktop. |
| VMREMOTEDESKTOP | Specifies a session type of virtual machine. |
| REMOTEAPPLICATION | Specifies a session type of remote application. |

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

3.2 RDWebServiceSoap Client Details

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

3.2.1 Abstract Data Model

None.

3.2.2 Timers

None.

3.2.3 Initialization

None.

3.2.4 Message Processing Events and Sequencing Rules

None.

3.2.5 Timer Events

None.

3.2.6 Other Local Events

None.

4 Protocol Examples

4.1 An HTTP post request for data from the web service

The following is a request and response operation for RDP files resources.

```
POST /RDWeb/myWeb/rdwebservice.asmx HTTP/1.1
Host: localhost
Content-Type: text/xml; charset=utf-8
Content-Length: length
SOAPAction: "http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <GetRDPFiles xmlns="http://schemas.microsoft.com/ts/2010/09/rdweb" />
  </soap:Body>
</soap:Envelope>
HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: length

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <GetRDPFilesResponse xmlns="http://schemas.microsoft.com/ts/2010/09/rdweb">
      <GetRDPFilesResult>
        <version>string</version>
        <wkspRC>
          <ReconnectContent>
            <rdpStream>string</rdpStream>
            <rct>REMOTEAPPLICATION or REMOTEDESKTOP or VMREMOTEDESKTOP</rct>
          </ReconnectContent>
          <ReconnectContent>
            <rdpStream>string</rdpStream>
            <rct>REMOTEAPPLICATION or REMOTEDESKTOP or VMREMOTEDESKTOP</rct>
          </ReconnectContent>
        </wkspRC>
      </GetRDPFilesResult>
    </GetRDPFilesResponse>
  </soap:Body>
</soap:Envelope>
```

4.2 A sample of the resources returned

The request in section [4.1](#) is made and the return is an xml payload consisting of three resources (RDP file streams) that are associated to the user's remote desktop session, remote application session, or virtual machine.

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<ReconnectContents xmlns="http://schemas.microsoft.com/ts/2010/09/rdweb"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <version>8.0</version>
  <wkspRC>
    <ReconnectContent>
      <rdpStream>redirectclipboard:i:0 redirectprinters:i:0 redirectcomports:i:1
redirectsmartcards:i:0 devicestoredirect:s: drivestoredirect:s:* redirectdrives:i:1 session
bpp:i:32 prompt for credentials on client:i:1 server port:i:3389 allow font smoothing:i:1
promptcredentialonce:i:1 authentication level:i:0 gatewayusagemethod:i:2
gatewayprofileusagemethod:i:0 gatewaycredentialssource:i:0 full address:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com workspace id:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com use redirection server name:i:1
loadbalanceinfo:s:tsv://MS Terminal Services Plugin.1.RDVB9-101180 use multimon:i:0 alternate
full address:s:RDVB9-101180.rdvteam.stbtest.microsoft.com signscope:s:Full Address,Alternate
Full Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource,PromptCredentialOn
ce,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo signature:s: Full Address,Alternate Full
Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource,PromptCredentialOn
ce,Alternate
Shell,RemoteApplicationProgram,RemoteApplicationMode,RemoteApplicationName,RemoteApplicationC
mdLine,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo
signature:s:AQABAAEAAAEEgAAMIISFQYJKoZIHvcNAQcCoIISBjCCEgICAQExCzAJBgUrDgMC
GgUAMASGCSqGSIb3DQEHAACCEI8wggfFMIIGx6ADAgECAhBfZzkIP2oDi06PGDo+
oafJMA0GCSqGSIb3DQEBBQUAMBMxEtAPBgnVNBAMTCFNTCBSb290MCAXDTkwMDEw
MTAwMDAwMFOYDzIwOTAxMjMxMDAwMDAwWjATMREwDwYDVQQDEwhTU0wgUm9vdDCC
ASIWdQYJKoZIHvcNAQEBBQADggEPADCCAQoCggEBAKBSnjeWWYGMhQa1IGbdEkbC
ot14+TeYARdNALSIXOrD42ohMtr+owHtFAkY4zeantZWO0vp6erI8osVvSv6jL4
Wf8WQ6qoNPK9WshB3QbfCcxvq+EzRpiVbr+JF9OYsC2cuq3Zlw/3FnE7jWcbGOn5
DbXCtE6mHbpDgpnq2oG7PsU3rq+EBw8sIvPRegoFdEns8GM8Dys+eYbCW4o7+EDy
rtagRuCnj2X5mdmdHIunLD4kzeVv5dFqoZoU5HMBIPppK+D156+vzRyQ6jyKkEqA
wlzqBhqvhZxWv9+uYyffjsX82tRr6x3YnVnh5sdH+CMvpLKsr0fhvwe1Ocq3HCvMC
AwEAaOCBSswggUnMAwGA1UdEwQFMAMBAf8wggTVBg8rBgEEAYI3E4Lz4ajUwEE
ggTAMIEvAQIUlNMVGvzdAAECFNTTFJvb3QAAgEBAGECBAhOAFUATABMAASCBJQH
AgAAACQAAFTQTACAAAQABAPMKx61yTu3Bb/jRK6ss6csI/tGxeXhWJ3bH+hq1
Nn+x4ydjrt+/ljUfrxoG6lzdGegQijzqMrRmr6/n9eAr6fMgAXPFJqhatHlb+XN
JD6Up4scndmZ+WzNp+Bqtau8kd404pbwoZ5PisPPGPw7E10Hwp6MiLA8HhK+u
N8U+u4Ha6pmCQ7odpk60wrUN+ekYG2eNO3EW9w8j2a26n2wmNMxib9ulZhGM+Gr
7yVw3wbd28FavfI0qKpDFv9Z+DLqr/RWLMojq6enL+1Y2XRq3oxjJFC0B4z6UcuE
qI0Pq3MhElsCTRcBmDf5eN2iwkYS3WYgtQaFjIFZ1jeeUqBfw57B47bG5/MuF5eq
COGYcQakeZDB8Ko3526kln923CqVuWIwg7XfTe3ayvlHP+4VhPlol/pII40AdsVK
NjfuHT/47UabRsmyzTiSCGL/mwGKEVxKxjI5ZLH8lgpb2j/JuhZt2Kd7FLpBHg1Y
3unPcdMBx7BI18kjRaqVuTmY0u1U7xCewvNjC4O5VckPXukfMo5PadzhAHOp5QoM
u6LI3yipTGGT7tFfcOkWamFf+adtX364x6Trl8EzJHGjaQtvsZ8uegqoymUNffz+
6fFp2gjKiHu0F4+GL4IiYQ9cijZNB8cZ33MdlXCgBCEGUYcG3u18iBioXBL02tBF
ouPCw21/8zKg+DQp2LoBjWVkbB17pw8dxzSUR0WiuatJnzQ+MQNc9sCc4FJPFYJJ
ANWa0q17FN/5Skc3TU64G0StHnBudaFdf7V82ZYGWkyB3fZ8UNpmkOixrmyLpQQ7
WlcYkfMiR5rZEbkGjPbkKcIeJBUC3UFZnNgMGOLENm18D1ReWgN0kNIMH4896ms
B6B9kN2ywc1POMAE8DeBX6FzR13rbLKakm8CuTo7arS6nw/OuV1xKkOAMNvGUwFJ
g6fqGbjkXoqePThMxgXqFwXhLkqy/3sVkmW5C4sSQSHuOweWdtg6H6uKne90OHyq
k9FGBZ1F6bYyrTaxo6mObxDkrG5AZLgfp03UYdYADbghMG8oWP5W0wUYEXtH9B0H
VO9ZzXg4nr1lflmI2tGY0Hhe6hSyynpkROaE6VI18D0KJ14Gi912YY95aUb0yj4b
xcFrQf63P72PSPS1ZAUBlo+UsZ1/XfMvJjYiIvKc+wQ80tG0Vi24hfhcTDpiUNJ4
H/aMKdYwowEpYhQnGrC/yL5jubUHUB3x771V8qZjb7wF46f9s0azbAF22XktqIC0
GFYEknWor1kiXYMW3DWFVpCd+2YB0c5jGrLivmdQtXcbx7AzcharSknUmVWFRUGC
u8aIcVew+6b1Xs1JBsB2vdMPUB/QEZVtQiFfQWtOymxQEVqnZ9B60LBzY00ztkjC
f+bNS24V/w03vfuEK0CuHLwmDTjr4Z/9ndy4u6PY0xDO9+pgLaWiHVZpkG12M3g
myN+XvtrDT10lZ7yDA96ur6xSWKcZyJPhYSoC0xm2nq/pBknoS585MbixyWQuldg
MWhHnWNg0VTBV73zqkiQNmzBJDAdBgNVHQ4EFgQUKMNouHlh+66LZcePcoKz8gNB
Ge4wHwYDVR0jBBBgFoAUKMNouHlh+66LZcePcoKz8gNBGe4wDQYJKoZIHvcNAQEF
```

BQADggEBAEKDDEkzEnl+Z05IckEzk5BuIwT9ht/1SSiectM0+tdhJqjLuTcoU6
d/DzoOReQvbfE3ketK9fHcy+leiCigD2g0XYxfNctFxpoldPbbG1LIiyupUHzNBM
mKriwTpXNhaEwLwySjBI9brzBlcOrRGK9Eilo48QLmqPeb4eMrW+h0PFjunaa+kR
NABQOfxzwgq32T15z03dTlm59zL/qLvYRS7pDIFGjw4FdbdRhHDSYJv4CSzxcNpd
GCmWRLas92fKT59JBI7DWT0zeZPXxf0aAjqfWNwjLgdNedIKcbN0DcAbEZBLQvD
xKx2rJseV4iBo28tzGq8+c80fqInoxswggl0MIHhKADAgEChCwk27ipHlCr02u
fWa7Sv3pMA0GCSqSIB3DQEBBQUAMBMxETAPBgNVBAMTCFNTTCSB290MB4XDTE
MDIwMzAxMDIzMDIwODTEwMDgWzAxMDIzMDIwNTEzMDEGA1UEAxMqUkRWQjktMTAx
MTg0LnJkdnlrYW0uc3RidGVzdC5taWNyb3NvZnQuY29tMIIBIjANBgkqhkiG9w0B
AQEFAAOCQAQ8AMIBGKCAQEAO0Ocj2o9ZWMG8iiz3e315xMvolgSVY/J6dy4pJz5
ZlsGXODw56nq4r9En8/AxEDqMu2DYJAlmc05xHYzqhZullbAV1khgN+EE2Jy0r0X
Tt4slbiEITmtMj5wSYW0qbyrppP0+inU6Zm+FZhkte+Ery/ro+/09c2ei02VRboQ
aEox4jY22nLF7mOCsxdUzfbzFBE7pswtL/qji6nitf7oyofKFOGZy4EwIrCadtH
AvAlBR8Gz6/snLurF18bX0w0c5om/bQ51E0t6wPgjlitP41zokkwc9xubTgBb81
jp0+J1SgszJoDlqfRsteafy/MImLVNVfoShn35Gos9wmZQIDAQABo4IF1DCCBdAw
IwYDVR0fBBwwGjAYoBoGgEYYPzmlsZTovL3Rlc3QuY3JscQEAMAwGALUdEwQFMAMC
AAQAwCwYDVR0PBAQDAGQwMBMGALUdJQMMMAoGCCsGAQUFBwMBMBMGALUdJQMMMAoG
CCsGAQUFBwMDMDUQA1UdEwQUMCyCK1JEVki5L5TEwMTE4NC5yZHZ0ZWFTLnN0YnRl
c3QubWljcm9zb2Z0LmNvbTA1BgNVHREELjAsgipSRFZCOS0xMDEwODQucmR2dGVh
bS5zdgJ0ZXN0Lm1pY3Jvc29mdC5jb20wgwTtBg8rBgEEAYI3E4Lz4ajUwEggs+
MIIEugQIU1NMVGVZAAEBnZhbG1kAAIBBAIBAQQITgBVAEwATAAEGgSUBwIAAACK
AABSU0EyaAgAAAEAAQBLJtyzjzpj5yGhX9Vui4kwv/xpXstGnloPaDKzofQnPP20
Nb8F4LS5cc9ZJInONf60YjmcD6y3NFHn0PabaM7RMH1tfFms7nKyv56BBh8FJfAC
R9tpworABC5nhlMoHyqj+zeJpy6O6190LcymOxUeUC/DNVBezgmPuxXLanJbiMUpo
ELpFlU2Lns3190876y+vh0+lZJgVvnp1Cn69POkq7yptIVJcD4yrTkhLiVLN50
F73ScmIThn+AIv1XwFawbhaqM3bEOc2ZnZBgg+0y6kDEwM+fRL/i6qnn8OBcBltm
+ZykuNzpy9VELiilXpN9e3dsyjjBmNlPWqPn0OgE7R0OUsRykiqVvNWDi+4qbf
yIkWgAnNx3qxUeBnrigl0948NHP6qHJuqiulfz4yU/tbh1DlKJ0u2UziMhI5m66j
LI2U2b4x9LopuVcno8cVTwTmw7BCRJZs03/VO75lyAtDhc+QLQ39rp846nE50+u
JvZW6BU6/hYlIIZT+gtCnWmt+Ixurl/r++400SgMiAtjR9liFds0EN6LJwGzx+wFy
Tt7P10dJeLSiVir+6CUodaAFs+tfgdTosjsduT9wFRm8i83EXTu7xFwhGJZKgGsU
vl6waYIsJZs+QZx/plWtUNGMI3jyEvl6qGeloYpjmseTy0V86grxFyKZIAuIxeul
EvAm6blqD/btM0YMFZ8RNk7in80j1BfZy00f5kMvgBASipOvxGMcpnOmBsXKvPb8
ZBI+K7EWDkj+orXmzkfiiuKlCdJ1WJfb2t4JxwQf80JWKXIKfVZy+aOk4BaB57PyC3o
M/JRdxkCiZw7G0W49nD4aMBiJNcgnsdnDm9ZhWUX1sMQKQwqvG7g4YGBWwG+8Zjv
99NT+V3Sw/LubG7tjsAnPzJYG0Y6prwF749+M2FnBB0ZWwdIrACT7izOGKEcPwWT
LnKfu7PSksomly7cq5NskYD8bamcmxSIS7jwav/BLuTRGV5EWvGeM8eUfDkxQRRi
OW3IDw0HjD6VYVnjyHs7q+kkNJsSBPRqD9mGgFftjtYohwHmLrIDwIjZr54XqlT
8f7Dj4P5vPcUZhtOHC+00ZELmp7tODHX191uotAIPKSA3zH5S0kP93hOwepoZYhn
rJNDdLpSkOrzyP2eg5FOW4ZmNv3YrLQ47RdoZbOPBu+U5yyD200lbHLRli56NJgr
NsZMKnwX/Zghl/Yb9mge+jEbqUmxCfGrNtW7gIyXc31S2CCVQLPcjTa5RjjoaUobj
bAzFh6uMUZaTUXKVU48wHwYDVR0jBBgwFoAUKMnouHlh+66LZcePcoKz8gNBGe4w
DQYJKoZIhvcNAQEFBQAQDggEBAIIBdFJe+7TwikfEdvyJmKBeGigESQU3qIR8KbJC
+EjuCWA2kEnh2H8Mdek1YAuchPjyFCwIo3RRb72HTeAb9/K0G1LuLiHEG6QJPO8U
8nE7vLncBCKvZ3RsoZnqwZBYXq7cGxOIomEeNbB5z6IZUgqhw1VxxfEz0eM2yw8
GgymBseh5F+PSCd6m8Xwfpv++MLymAFnYAASVLFviH+ZohNKPvpr7LAE6M1B6UFT
LlSjDg+teINAJG1PoeQLllyNkwImo7fyJyA2QFFcHHW00X+kdkZK62LK61UAMYTi
MOMhs3XONNVUkzMPILVnC/W4WvgChZF14dA9dNknm0WIEp8xggFOMIIBSgIBATAN
MBMxETAPBgNVBAMTCFNTTCSB290AhCwk27ipHlCr02ufWa7Sv3pMAkGBSsOAwIa
BQAwDQYJKoZIhvcNAQEFBQAQEGgEARg6AoNGE/Fgl6ohkHCT+AirvrbLSElTfB62m
MBkmwGGL4M6GsM7x/pnhMrEliGMXy91Oc/wdv0hojRhLo43DEdu/sQ0GgIkzFOFu
C1gmLu88wUp7L45o71WtrhwOWWsjMVskbj//5XGrQ9dJnFb2s0cFhtCTEKuXMRA
dSPn0YFHS2Uzk6hhNmmjQ1+j1EJy5mFAod1jHAJrdwaQcE7Ttpw5jh0zntUbKFE6
1z26UTmt4V61+Z/eqwtPvcAyibgUwV180TayNSbmUd7fqVDPVa09D+Pn4klpEzfr
5dEvdHbLSChb7zr1Yuh7KGSDCftNm7EIJZWXzoBnGwE6RAJSg==

```
</rdpStream>  
<rct>REMOTEDESKTOP</rct>  
</ReconnectContent>  
<ReconnectContent>  
<rdpStream>redirectclipboard:i:0 redirectprinters:i:0 redirectcomports:i:1  
redirectsmartcards:i:0 devicestoredirect:s: drivestoredirect:s:* redirectdrives:i:1 session
```

bpp:i:32 prompt for credentials on client:i:1 server port:i:3389 allow font smoothing:i:1
promptcredentialonce:i:1 authentication level:i:0 gatewayusagemethod:i:2
gatewayprofileusagemethod:i:0 gatewaycredentialssource:i:0 full address:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com workspace id:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com use redirection server name:i:1
loadbalanceinfo:s:tsv://MS Terminal Services Plugin.1.RDVB9-101180 use multimon:i:0 alternate
full address:s:RDVB9-101180.rdvteam.stbtest.microsoft.com signscope:s:Full Address,Alternate
Full Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource,PromptCredentialOn
ce,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo signature:s: Full Address,Alternate Full
Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource,PromptCredentialOn
ce,Alternate
Shell,RemoteApplicationProgram,RemoteApplicationMode,RemoteApplicationName,RemoteApplicationC
mdLine,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo
signature:s:AQABAAEAAAEEgAAMIISFQYJKoZlHvcNAQcCoIISBjCCEgICAQExCzAJBgUrDgMC
GgUAMAsGCSqGSIb3DQEHAACCEI8wgffMIIGx6ADAgECAhBfZzkIP2oDi06PGDo+
oaFUMA0CSqGSIb3DQEBBQUAMBMxETAPBgNVBAMTCFNTCBSb290MCAXDtkwMDEw
MTAwMDAwMfOYdZlIwOTAxMjMxMDAwMDAwWjATMREwDwYDQDEwhTU0wgUm9vdDCC
ASiWdQYJKoZlHvcNAQEBBQADgEPADCCAQoCggEBAKBSnjeWWYGMhQalIGbdEkbC
otl4+TeYARdNALSIXOrD42ohMtr+owHtFAkY4zeantZW00vp6erI8osVvSv6jL4
Wf8WQ6qoNPK9WshB3QbfcCXvq+EzRpiVbr+JF9OYsC2cuq3ZlW/3FnE7jWcbGOn5
DbXCtE6mHbpDgpnq2oG7PsU3rq+EBw8sIvPRegoFdEns8GM8Dys+eYbCW4o7+EDy
rtaqRuCnj2X5mdmDIunlD4kzeVv5dFqoZoU5HMBIPppK+D156+vZrQy6jyKkEqA
w1zqBhqvhZXWv9+uYyffjsX82tRr6x3YnVnh5sdH+CMvpLKsr0fhvve10cq3HCvMC
AwEAaOCBSswggUnMAWGA1UdEwQFMAMBAf8wggTVBg8rBgEEAYI3E4LfZ4ajUwEE
ggTAMIIEvAQIUlNMVGVzdAAECFNTTFJvb3QAAGEBAGECBAhOAFUATABMAASCBJQH
AgAAACQAAFTQTACAAAAQABAPMKx61yTu3Bb/jRK6ss6csI/tGxeXhWJ3bh+hq1
Nn+x4ydjrt+/1jUfrxoG6lZDgEqQijzqMrRmr6/n9eAr6fMgAXPFJqhatHlb+XN
JD6Up4scndmZ+ZWNp+Bgqtau8kD404pbwoZ5PisPPGPw7E10Hwp60fMiLA8HhK+u
N8U+u4Ha6pmCQ7odpk6OwrUN+ekYG2eNO3EW9w8j2a26nC2wmNMxib9ulZhGM+Gr
7yVw3wbd28FavfI0qKpDFv9Z+DLqr/RWLMojq6enL+1Y2XRq3oxjJFC0B4z6UCuE
QI0Pq3MhElsCTRCBmDf5eN2iwkYS3WYgtQaFjIFZ1jeeUqBfw57B47bG5/MuF5eq
COGYcqAkeZDB8K03526kln923CqVuWIwg7XfTe3ayvlHP+4VhPlol/pII40AdsVK
NjfuHT/47UabRsmyzTiSCGL/mwGKEVxKxjI5ZLH8lgbp2j/JuhZt2Kd7FLpBHglY
3unPcdMBx7BI18kjRaqVuTmY0u1U7xCewvNjC4O5VckPXukfMo5PadzhAHOp5QoM
u6LI3yipTGGT7tFfcOKwAMFF+adtX364x6Trl8EzJHgjAQtvsZ8uegqoymUNffz+
6fFp2gjKiHu0F4+GL4IiYQ9cijZNB8cZ33MdlXCgBCEGUYcG3u18iBioXBL0t2BF
ouPCw2l/8zKg+Dqp2LoBjWVkbBl7pw8dxZSUROWIuaTJnzQ+MQNc9sCc4FjFYJJ
ANWa0q17FN/5Skc3TU64G0StHnBudaFdf7V82ZYGWKyB3fZ8UNpmkOirxmyLpQQ7
WlckYfQmLR5rZEBkGjPbkKCieJBUC3UFZnNgMGOLENml8DlReWgN0kNIMH4896mS
B6B9kN2ywc1POMAE8DeBX6FzR13rbLKakm8CuTo7arS6nw/OuV1xKkOAMNvgUwFJ
g6fqGbjkXoqePIbMXgXqFwXhLkqy/3sVkmW5C4sSQSHuOweWdtg6H6uKne90OHYq
k9FGBZ1F6bYyrTaxo6mObxDkrg5AZLgfp03UYdYADbghMG8oWP5W0wUYEXtH9B0H
VO9Z2Xg4nr1flmII2tGY0Hhe6hSyynpkROaE6VI18D0KJ14Gi912YY95aUb0yJ4b
xcFrQf63P72PSPS1ZAUBlo+UsZ1/XfmVjYiIvKc+wQ80tG0Vi24hfhcTDPiUNJ4
H/aMkdYwovEpYhQGrC/yL5juBUHUB3x771V8qZjb7wF46f9s0azbAf22XktqIC0
GFYEknWor1kiXYMW3DWFVpCd+2YB0c5jGrLivmdQtXcbx7AzcharSknUmVWFRUG
u8aIcVew+6b1Xs1JBsB2vdMPUB/QEZVtQiFfQWtOymxQEVqnZ9B60LbZy00ztkjC
f+bNS24V/wo3vfQuEK0CuHLwmDTjr4Z/9ndy4u6PY0xDO9+pgLaWihVZpkG12M3g
myN+XvtRDT10lz7YdaA96ur6xSWKcZyJPhYSoC0xm2nq/pBknoS585MbiXYWQuldg
MWhHnWNg0VTBV73zqkiQNmzBJDAdBgNVHQ4EFgQUKMNouHlh+66LZcePcoKz8gNB
Ge4wHwYDVR0jBBgwFoAUKMNouHlh+66LZcePcoKz8gNBGe4wDQYJKoZIhvcNAQEF
BQADggEBAEKDDEkzEnl+Z05IckEzk5BuIwTD9ht/1SSIectM0+tdhJqjLuTcoU6
d/DzoOReQbvfeE3ketK9fHcY+leiCigD2g0XYxfNctFxp0ldPbbG1LIiyupUHZNBM
mKriwTpXNhaEwlwysjBI9brzBlcOrrGK9Eilo48QLmqPeb4eMrW+h0PFjunaa+kR
NABQOfxzwgg32T15z03dTlm59zL/qLvYRS7pDIFGjw4FdbdRhHDSYJv4CSzxcNpd
GcmwRLAs92fKT59JBI7DWT0zezZPXxf0aAjqfWNwjLgdNedIKcbN0DcAbEZBLQvD
xKx2zJseV4iBo28tzG6ur6xSWKcZyJPhYSoC0xm2nq/pBknoS585MbiXYWQuldg
fWa7Sv3pMA0GCSqGSIb3DQEBBQUAMBMxETAPBgNVBAMTCFNTCBSb290MCAXDTEw
MDIwMzAxMDIzMDIwNTEzMDIwNTEzMDIwNTEzMDIwNTEzMDIwNTEzMDIwNTEzMDIw
MTg0LnJkdnrLYW0uc3RidGVzdC5taWNyb3NvZnQuY29tMIIBIjANBgkqhkiG9w0B

AQEFAAOCAQ8AMIIBCgKCAQEAo00cj2o9ZWMG8iiz3e315xMvolgSVY/J6dy4pJz5
ZlsGXODw56nq4r9En8/AxEDqMu2DYJA1mc05xHYzqhZullbAV1khgN+EE2Jy0r0X
Tt4s1biEITmtMj5wSYWQqbyrppP0+inU6Zm+FZhkte+Ery/rO+/09c2ei02VRboQ
aEox4jY22nLF7mOCsxdUzFbZFBE7pswtTl/qji6niTf7oyofKFOGZy4EwIrCadth
AvAlBR8GgZ6/snLurFl8bX0w0c5om/bQ51E0t6wPgjlitP41zokkwc9xubTgBb81
jp0+J1SgszJ0DlqrFsteafy/MImlVNVfoSHn35Gos9wmzQIDAQABo4IF1DCCBdAw
IwYDVR0fBbWwGjAYoBogEYYPZmlsZTovL3Rlc3QuY3JsgQEAMAwGA1UdEwQFMAMC
AQAwCwYDVR0PBAQDAGQwMBMGA1UdJQQMMAoGCCsGAQUFBwMBMGA1UdJQQMMAoG
CCsGAQUFBwMDMDUGA1UdBwQwMCyCK1JEVki5LTEwMTE4NC5yZHZ0ZWFTLnN0YnRl
c3QubWljcm9zb2Z0LmNvbTA1BgNVHREELjAsgipSRFZC0S0xMDExODUcMR2dGvH
bs5zdGJ0ZXN0Lm1pY3Jvc29mdC5jb20wgwTtBg8rBgEEAYI3E4Lz4ajUwEEggS+
MIIEugQIU1NMVGVzdaAEBNzhbG1kAAIBBAIBAQQITgBVAEwATAAEggSUBwIAAACk
AABSU0EyaAaAAEAQAblJtyzjphf5yGhX9Vui4kwv/xpXstGn1oPaDKzoFQnPP2O
Nb8F4LS5cc9ZJ1nONf60YjmCD6y3NFHn0PabaM7RMH1tFfms7nKyv56BBh8FJfAC
R9tpworABC5nhlMoHyqj+zeJpy606190LcymOxEuc/DNVBezgmPuxXLaNjbiMUpo
ELpFlU2Lns3190876y+vhO+1zJgVvnpn1Cn69POkq7yptIVJcD4yrTkhLiVLN5O
F73ScmIThN+AIv1XwFawbhaqM3bEOc2ZNZBgg+0y6kDEwM+fRL/i6qnn8OBcBltm
+ZykuNzpyY9VE1iiLxPn9e3dsyJyBmNlPWqPnOogE7R0OUsRykiqVvNWDi+4qbfy
yIkWgAnNx3qxUeBnrigL0948NHP6qHJuqiu1fz4yU/tbh1DlKJ0u2UziMhI5m66j
LI2UU2b4x9LopuVcno8vTWTmw7BCRJZsO3/VO751yAtDhc+QLQ39rp846nE50+u
JvZw6BU6/hY1IZT+gtCnWmt+Ixurl/r++40OSgMiAtjr91iFdsoEN6LJwGzx+wFy
Tt7P10JELSiVir+6CuodaAFs+tfGDToSjsduT9wFRm8i83EXTu7xvFwGJZKgGsU
vl6waYIsJzs+QZx/p1WtUNGMI3jyEvl6qGeloYpjmseTy0V86grxFyKZIAuIxeul
EvAm6blqD/btM0YMFZ8RNk7in80j1BfZy00f5kMvgBASipOvxGMcpnOmBsxKVpb8
ZBI+K7Ewdkjq+W9Viatq0/6Qj9rVu5I5aWAPUoyxy3IF1E3yRs4pvPmNZzxpEh1/
dG19wlebHQZy3cz1mN602j2fHZ1yRHPcPdnBoGFLm/N24qK50tekuuH1k+xB4qY
leZrC7sDvNp128CroKI4G9SM8OSkPikKsrP34BcoGRoTFpeKkBQak5fQOUbqUZit
sVImrLLeXbex1I9184YBkf8rLaFWajFK+p1H68qBRfkOsvCpUWhBt1qC447qtCYj
WrwUph6yt+orXmkf1uKlCdJ1WJfb2t4JxwQf80JWKXIKfVZy+aOk4BaB57PyC3o
M/JRdxkCiZw7G0W4ZmNv3YrLQ47RdoZbOPBu+U5yyD2001bH1Rli56NJgr
NsZMKnwX/Zghl/Yb9mge+JebqUmxCfGrNTw7gIyXc31S2CCVQLPcjTa5RjoaUobj
bAzFh6uMUZaTUXKVU48wHwYDVR0jBBgwFoAUKMnouHlh+66LZcePcoKz8gNBGe4w
DQYJKoZIhvcNAQEFBQADggEBAIIBdFJe+7TwikFEddyJmKBeGigESQ3qIR8KBjC
+EjuCwa2kEnh2H8MDEK1YAucHPJyFCwIo3RRb72HTEAb9/K0GLLuLiHEG6QJPO8U
8nE7vLncBCKVZ3RsoZnqwZBYXq7cGxOIOMeNbB5z6IZUgqhwn1VxxfEz0eM2yw8
GGymBseh5F+PSCd6m8Xwfpv++MLymAFnYAASVLFviH+ZohNKPvpr7LAE6M1B6UFT
LlSjDg+te1NAJGLPoEQLL1yNikwImo7fyJyA2QFFcHHW00X+kdkZK62LK61UAMYTi
MOMhs3XonNVUkzMPILVnC/W4WvgChZF14dA9dNknm0WIEp8xggFOMIIBSgIBATAn
MBMxETAPBgNVBAMTCFNTCBsb290AhCwk27ipHlCr02ufWw7Sv3pMAkGBSsOAwIa
BQAwDQYJKoZIhvcNAQEBBQAEggEARg6AoNGE/Fgl6ohkHCT+AirvjbLSElTfB62m
MBkmwG14M6Gs7x/pnhMrEliGMXy910c/wdv0hojRhLo43DEdu/sQ0GgIkzFOFu
C1gmLu88wUp7L45o71WtrhwOWwsjMVskbj//5XGrQ9dJnFb2s0cFhtCTEkKuXMRA
dSPn0YFHS2Uzk6hhNMjQ1+jlEJy5mFAodljHAJrdwaQcE7TtwP5jh0zntUbKFE6
1z26UTmt4V61+z/eqwtPvcAyibgUwV180TayNSbmUd7fqVDPVaO9D+Pn4klpEzfR
5dEvdHbLSchB7zr1YUh7KgsDCftNm7EIJZWXzoBnGwE6RAJSg==

</rdpStream>

<rct>REMOTEDESKTOP</rct>

</ReconnectContent>

<ReconnectContent>

<rdpStream>redirectclipboard:i:0 redirectprinters:i:0 redirectcomports:i:1
redirectsmartcards:i:0 devicestoredirect:s: drivestoredirect:s:* redirectdrives:i:1 session
bpp:i:32 prompt for credentials on client:i:1 span monitors:i:1 use multimon:i:1
remoteapplicationmode:i:1 server port:i:3389 allow font smoothing:i:1
promptcredentialonce:i:1 authentication level:i:0 gatewayusagemethod:i:2
gatewayprofileusagegemethod:i:0 gatewaycredentialsource:i:0 full address:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com alternate shell:s:|cmd remoteapplicationprogram:s:|cmd
remoteapplicationname:s:cmd.exe remoteapplicationcmdline:s: workspace id:s:RDVB9-
101180.rdvteam.stbtest.microsoft.com use redirection server name:i:1
loadbalanceinfo:s:tsv://MS Terminal Services Plugin.1.RDVB9-101180 alternate full
address:s:RDVB9-101180.rdvteam.stbtest.microsoft.com signscope:s:Full Address,Alternate Full

Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource, PromptCredentialOn
ce,Alternate
Shell,RemoteApplicationProgram,RemoteApplicationMode,RemoteApplicationName,RemoteApplicationC
mdLine,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo signature:s: Full Address,Alternate Full
Address,Use Redirection Server Name,Server
Port,GatewayUsageMethod,GatewayProfileUsageMethod,GatewayCredentialsSource, PromptCredentialOn
ce,Alternate
Shell,RemoteApplicationProgram,RemoteApplicationMode,RemoteApplicationName,RemoteApplicationC
mdLine,Authentication
Level,RedirectDrives,RedirectPrinters,RedirectCOMPorts,RedirectSmartCards,RedirectClipboard,D
evicesToRedirect,DrivesToRedirect,LoadBalanceInfo
signature:s:AQABAAEAAAEEgAAMIISFQYJKoZihvcNAQcCoIISBjCCEgICAQExCzAJBgUrDgMC
GgUAMAsGCSqGSIb3DQEHAaCCEI8wggffMIIGx6ADAGECAhBfZzkIP2odi06PGDo+
oaFJMA0GCSqGSIb3DQEBBQUAMBMxEtAPBgNVBAMTCFNTTCBSb290MCAXDTkwMDEw
MTAwMDAwMfOYDzIwOTAxMjMxMDAwMDAwWjATMREwDwYDQDEWhTU0wgU9vdDCC
ASiWdQYJKoZihvcNAQEBBQADgGEPADCCAQoCggEBAKBSnJeWVWYGMhQalIGbdEkbC
otl4+TeYARdNALSIXOrD42ohMtr+owHtFAkY4zeantZWO0vp6erI8osVvSv6jL4
Wf8WQ6qoNPK9WshB3QbfcCXvq+EzRpiVbr+JF9OYsC2cuq3ZiW/3FnE7jWcbGOn5
DbXCte6mHbpDgpnq2oG7PsU3rq+EBW8sIvPRegoFdEns8GM8Dys+eYbCW4o7+EDY
rtaqRuCnjZX5mdmDHInunLD4kzeVv5dFqoZoU5HMBIPppK+D156+vZrQy6jyKkEqA
wlzqBhqvhZxWv9+uYyFjsX82tRr6x3YnVnh5sdh+CMvplKsr0Fhvve10cq3HCvMC
AwEAAaOCBSswggUmmAWGAlUdEwQFMAMBAf8wggTVBg8rBgEEAYI3E4LfZ4ajUwEE
ggTAMIIEvAQIU1NMVGVZdAAECFNtTFJvb3QAAGeBAGECBAhOAFUATABMAASCBJQH
AgAAACQAAFTQTACAAAAQABAPMKx61yTu3Bb/jRK6ss6csI/tGxeXhWJ3bH+hq1
Nn+x4yjdrt+/1jUfrxoG6lzDgEqQijzqMrRmr6/n9eAr6fMgAXPkJqhatHLb+XN
JD6Up4scndmZ+ZWNp+BgQt8kD404pbwoZ5PisPPGPw7E10Hwp60fMiLA8HhK+u
N8U+u4Ha6pmCQ7odpk60wrUN+ekYG2eNO3EW9w8j2a26nC2wmNMxib9ulZhGM+Gr
7yVv3wbd28FavfI0qKpDFv9Z+DLqr/RWLMojq6enL+1Y2XRq3oxjJFC0B4z6UcuE
qI0Pg3MhElsCTRcBmDf5eN2iWkYS3WYgtQaFjIFZljeeUqBfw57B47bG5/MuF5eq
COGYcqAkeZDB8Ko3526kln923CqVuWiWg7XfTe3ayvLHP+4VhPlol/pII40AdsVK
NjfuHT/47UabRsmzyTiSCGL/mwGKEVxKxjI5ZLH8lppb2j/JuhZt2Kd7FLpBHglY
3unPcdMBx7BI18kjRaQvUtmY0u1U7xCewNjC4O5VckPXukfMo5PadzhAHOp5Qom
u6LI3yipTGGT7tFfcOkWaMff+adtX364x6Trl8EzJHGjaQtvsZ8uegqoymUNffz+
6fFp2gJkiHu0F4+GL4IiYQ9cijZNB8cZ33MdlXCgBCEGUyCG3u18iBl0XBL02tBF
ouPCw21/8zKg+Dqp2LoBjWVkbBl7pw8dXzSUR0WuaTJnzQ+MQNc9sCc4FJPFyYJ
ANWaQql7FN/5Skc3TU64G0StHnBudaFdf7V82ZYGWKyB3fZ8UNpmkOirxmyLpQQ7
WlcKfYqMiR5rZebkGjPbkKcIeJBUC3UFZnNgMGOLENml8D1ReWgN0kNIMH4896mS
B6B9kN2ywc1PomaE8DeBX6FzR13rbLKakm8CuTo7arS6nw/OuV1xKkOAMNvgUwFJ
g6fqGbJkXoqePiBMXgXqFwXhLkqy/3sVkmW5C4sSQShuOweWdtg6H6uKne900HYq
k9FGBZ1F6byrTaxo6mObxDkrq5AZLgfp03UYdYADbghMG8owP5W0wUYExtH9B0H
VO9ZZXg4nr1lfmI2tGY0Hhe6hSyynpkROaE6VI18D0KJ14Gi912YY95aUb0yj4b
xcFrQf63P72PSP1ZAUbl0+Usz1/xFMvJyYiIvKc+WQ80tG0Vi24hFhcTDpiUNJ4
H/amKdYwovEpYhQnGrC/yL5juBUhUB3x771V8qZjb7wf46f9s0azbaf22XktqIC0
GFYEknWor1kiXYMW3DWFVpCd+2YB0c5jGrLivmdQtXcbz7AzcharSknUmVwFRUGC
u8aIcVew+6b1Xs1JBsB2vdMPUB/QEZVtQiFfQWtOymxQEVqnZ9B60LBzY00ztkjC
f+bNS24V/wo3vFQuEK0CuHLWmDTjr4Z/9ndy4u6PY0xD09+pgLaWihVZpkG12M3g
myN+XvtrDT10lz7Yda96ur6xSWKcZyJPhYSoC0xm2nq/pBknoS585MbixyWQuldg
MWhHnWNg0TVBV73zqkiQNmzBJDAdbgNVHQ4EFgQUKMNouHlh+66LZcePcoKz8gNB
Ge4wHwYDVR0jBBgwFoAUKMNouHlh+66LZcePcoKz8gNBGe4wDQYJKoZihvcNAQEF
BQADgGEBAAEKDDEkzEnl+ZO5IckEzk5BuIwtD9ht/1SSilectM0+tdhJqjLuTcoU6
d/DZoOREQbvfe3ketK9fHcy+leiCigD2g0XYxfNctFxpoldPbbG1LIiyupUHZNBM
mKriwTpXNhaEw1wysjBI9brzBlcOrRGK9E1lo48QLmqPeb4eMrW+h0PFjunaa+kR
NABQOfxzwqg32T15z03dTlm59zL/qLvYRS7pDIFGjw4FdbdRhHDSYJv4CSzxcNpd
GCmwRLAs92fKT59JBI7DWTtozezZPXxf0aAjqfWNwjLgdNedIKcbN0DcAbEzBLQvD
xKx2rJsev4iBo28tgG8+c80fqInoxswggioMIIHkKADAgECAhCwk27ipHlCr02u
fWa7Sv3pMA0GCSqGSIb3DQEBBQUAMBMxEtAPBgNVBAMTCFNTTCBSb290MB4XDTEw
MDIwMzAxMDIzMDI0XDEwMzAxMDIzMDI0NTEwMzAxMDIzMDI0NTEwMzAxMDIzMDI0NTEw
MzAxMDIzMDI0NTEwMzAxMDIzMDI0NTEwMzAxMDIzMDI0NTEwMzAxMDIzMDI0NTEwMzAx
MTg0LnJkdnlYw0uc3RidGVzdC5taWVyb3NvZnZuY292MIIBIjANBgkqhkiG9w0B
AQEFAAOCAQ8AMIIBCgKCAQEAoOocj2o9ZWMG8iiz3e3l5xMvo1gSVY/J6dy4pJz5
ZlsGX0dw56nq4r9En8/AXedqMu2DYJAlmc05xHYzqhzullbAV1khgN+EE2Jy0r0X
Tt4slibiEITmtMj5sSYW0qbyrppP0+inU6Zm+Fzhkte+Ery/ro+/09c2ei02VRboQ
aEox4jY22nLF7mOCsxdUzFzFBE7pswtTL/qji6niTf7oyofKFGZy4EwIrcadtH
AvAlBR8GgZ6/snLurFl8bX0w0c5om/bQ51E0t6wPgjlitP41zokkwc9xubTgBb81

jp0+J1SgszJoD1qfRsteafy/MIMLVNVfoSHn35GOs9wmZQIDAQABo4IF1DCCBdAw
IwYDVR0fBBwwGjAYoBOgEYYPZmlsZTovL3Rlc3QuY3JsgQEAMAwGA1UdEwQFMAMC
AQAwCwYDVR0PBAQDAGQwMBMGA1UdJQQMMAoGCCsGAQUFBwMBMGA1UdJQQMMAoG
CCsGAQUFBwMDMDUGA1UdBwQuMCYCK1JEVki5LTEwMTE4NC5yZHZ0ZWFTLnN0YnRl
c3QubWljcm9zb2Z0LmNvbTA1BgNVHREELjAsqipSRFZCOS0xMDExODQucmR2dGVh
bS5zdGJ0ZXN0LmIpY3Jvc29mdC5jb20wggtTBG8rBgEEAYI3E4Lz4ajUwEggs+
MIIEugQIU1NMVGVzdaAEbnZhbG1kAAIBBAIBAQQITgBVAEwATAAEggSUBWIAAACk
AABSU0EYAAgAAEAQAQ1JtyzjPHf5yGhX9Vui4kwv/xpXstGn1oPaDKzofQnFp20
Nb8F4LS5cc9ZJInOnf60YjmCD6y3NFHn0PabaM7RMH1tFfms7nKyv56BBh8FJfAC
R9tpworABC5nhlMoHyqj+zeJpy606190LcymOxEUC/DNVBezgmPuxXLaNjbiMUpo
ELpFlU2Lns3190876y+vh0+1zJgVvpnp1Cn69POkq7yptIVJcD4yrTkhkLiVLN50
F73ScmIthN+AIv1XwFawbhaqM3bEOc2ZNZBgg+0y6kDEwM+frL/i6qnn8OBcBltm
+ZykuNzpyY9VELiiLxPn9e3dsyjjyBmNlPWqPnOOG7R0OUSRyKiqVvNWDi+4qbf
yIkWgAnNx3qxUeBnriGL0948NHP6gHJuqu1fz4yU/tbhlDlKJ0u2UziMhI5m66j
LI2UU2b4x9LopuVcno8cVTwTmw7BCRJZsO3/VO751yAtDHc+QLQ39rp846nE50+u
JvZW6BU6/hYlIzT+gtCnWmT+Ixurl/r++40OSgMiAtjR91iFds0EN6LJwGzx+wFy
Tt7P1OdJeLSiVir+6CUodaAFs+tfgdTosjsduT9wFRm8i83EXTu7x7FwGJZKGSU
v16waYIsJZs+QZz/p1WUNGMI3jyEvl6qGeloYpjmseTy0V86grxKyZIAuIxeul
EvAm6b1qd/btM0YMFZ8RNk7in80j1BfZyO0f5kMvgBASipOvxGMcpnOmBsXKvPb8
ZBI+K7EWDkj+q+WViatqO/6Qj9rVu5I5aWAPUoyxy3IFLE3yRs4pvPmNZzxpEh1/
dG19wlebHQZy3cZ1mN602j2fHZlyRHPCPdNB0GFLm/N2Z4qK5OtekuuH1k+xB4qY
leZrC7sDvNPl28CroK14G9SM8OSkPikKsrP34BcoGRoTFpeKkBAk5fQ0UbgUZit
sVImrLLexBex1I9184YBkf8rLaFWajFK+p1H68qBRfKosvCpUWhBtiqc447qtCYj
WrwUph6yt+orXmzkfuiKlCdJlWJfb2t4JxwQf80JWKxIKfVZy+aOk4BaB57PyC3o
M/JRdxkCizW7G0W49nd4aMBiJNcgnsdnDm9ZhWUX1sMQKQwqvG7g4YGBWwG+8Zjv
99NT+V3Sw/LUbg7tjSAnPzJYG0Y6prwF749+M2FnBBOZwWdIrACT7izOGKEcPxWT
LnKFu7PSksomly7cQ5NskYD8bamcmxSIS7jwav/BLuTRGV5EWvGem8eUfDkxQRRRI
OW3IDw0HjD6VYVNjyHs7q+XkNJsSBPRqD9mGgFfTjtyOhwHmLrIDwIjZIr54Xq1T
8f7Dj4P5vPcUZhtOHC+00ZEImp7tODHX191uotAiPKSa3zH5S0kP93hOwepoZYhn
rJNDLpSkRzyPZeg5F0W4ZmNv3YrLQ47RdoZbOPBU+U5yyD2001bH1R1i56NJgr
NsZMKnwx/Zghl/Yb9mge+jEbjUmxCfGrNtw7gIyXc31S2CCVQLPcjTa5RjoaUobj
bAzFh6uMUZaTUXKVU48wHwYDVR0jBBgwFoAUKMnouHlh+66LZcePcoKz8gNBGe4w
DQYJKoZIhvcNAQEFBQAQDggEBAIIBdFJe+7TwikFEdvyJmKBeGigESQU3qIR8Kbjc
+EjuCwa2kEnh2H8Mdek1YAuchPjyFCwIo3RRb72HTEAb9/K0G1LuLiHEG6QJPO8U
8nE7vLncBCKVZ3RsoZnqwZBYXq7cGxOIOMeEneB5z6IZUgqhwnlVxxfEz0eM2yw8
GGymBseh5F+PSCd6m8Xwfpv++MLymAFnYAASVLFviH+ZohNKPvpr7LAE6MLB6UFT
LlSjDg+teINAJG1PoEQILl1yNIkwImo7fyJyA2QFFcHHW00X+kdZK62LK61UAMYTi
MOMhs3XONNVUkzMPILVnC/W4WvgChZF14dA9dNknm0WIEp8xggFOMIIBSgIBATAn
MBMxETAPBgNVBAMTCFNTTCBSb290AhCwk27ipHlCr02ufWa7Sv3pMAkGBSsOAwIa
BQAwdQYJKoZIhvcNAQEBBQAEGgEARg6AoNGE/Fg16ohkHCT+AirvrbLSELtFB62m
MBkmwGG14M6GsM7x/pnhMrElIGMxy91Oc/wdv0hojRhLo43DEdu/sQ0GgIkzFOFu
C1gmLu88wUp7L45071WtrrhOWwsjMVskbj//5XGrQ9dJnFb2s0cFhtCTEKkuXMRA
dSpn0YFHS2Uzk6hhNMmjQ1+j1EJy5mFAodljHAJrdwaQcE7Ttwp5jh0zntUbKFE6
1z26UTmt4V61+Z/eqwtPvcAyibgUwVl80TayNSbmUd7fqVDPVa09D+Pn4k1pEzFr
5dEvdHbLSCHB7zr1YU7h7KGsDCftNm7EIJZWXzoBnGwE6RAJSg==

```
</rdpStream>  
<rect>REMOTEEAPPLICATION</rect>  
</ReconnectContent>  
</wksprc>  
</ReconnectContents>
```

5 Security

5.1 Security Considerations for Implementers

There are no known additional security considerations for the Remote Desktop Workspace Runtime Protocol, but server implementers are encouraged to use transport mechanisms that support encryption and integrity verification of the messages.

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

```
<wsdl:definitions xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:tns="http://schemas.microsoft.com/ts/2010/09/rdweb"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"
targetNamespace="http://schemas.microsoft.com/ts/2010/09/rdweb"
xmlns:wSDL="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <xsd:schema elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/ts/2010/09/rdweb">
      <xsd:element name="GetRDPFiles" nillable="true">
        <xsd:complexType/>
      </xsd:element>
      <xsd:element name="GetRDPFilesResponse" nillable="true">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element minOccurs="1" maxOccurs="1" name="GetRDPFilesResult" nillable="true"
type="tns:ReconnectContents"/>
          </xsd:sequence>
        </xsd:complexType>
      </xsd:element>
      <xsd:complexType name="ReconnectContents">
        <xsd:sequence>
          <xsd:element minOccurs="0" maxOccurs="1" name="version" nillable="true"
type="xsd:string"/>
          <xsd:element minOccurs="0" maxOccurs="1" name="wkspRC" nillable="true"
type="tns:ArrayOfReconnectContent"/>
        </xsd:sequence>
      </xsd:complexType>
      <xsd:complexType name="ArrayOfReconnectContent">
        <xsd:sequence>
          <xsd:element minOccurs="0" maxOccurs="unbounded" name="ReconnectContent"
nillable="true" type="tns:ReconnectContent"/>
        </xsd:sequence>
      </xsd:complexType>
      <xsd:complexType name="ReconnectContent">
        <xsd:sequence>
          <xsd:element minOccurs="0" maxOccurs="1" name="rdpStream" nillable="true"
type="xsd:string"/>
          <xsd:element minOccurs="1" maxOccurs="1" name="rct"
type="tns:ReconnectContentType"/>
        </xsd:sequence>
      </xsd:complexType>
      <xsd:simpleType name="ReconnectContentType">
        <xsd:restriction base="xsd:string">
          <xsd:enumeration value="REMOTEDESKTOP"/>
          <xsd:enumeration value="VMREMOTEDESKTOP"/>
          <xsd:enumeration value="REMOTEAAPPLICATION"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:schema>
  </wsdl:types>
  <wsdl:message name="RDWebService_GetRDPFiles_InputMessage">
    <wsdl:part name="GetRDPFiles" element="tns:GetRDPFiles"/>
  </wsdl:message>
  <wsdl:message name="RDWebService_GetRDPFiles_OutputMessage">
    <wsdl:part name="GetRDPFilesResponse" element="tns:GetRDPFilesResponse"/>
  </wsdl:message>
```

```

<wsdl:portType name="RDWebService">
  <wsdl:operation name="GetRDPFiles">
    <wsdl:input wsaw:Action="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
name="RDWebService_GetRDPFiles_InputMessage"
message="tns:RDWebService_GetRDPFiles_InputMessage"/>
    <wsdl:output wsaw:Action="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
name="RDWebService_GetRDPFiles_OutputMessage"
message="tns:RDWebService_GetRDPFiles_OutputMessage"/>
  </wsdl:operation>
</wsdl:portType>
<wsdl:binding name="RDWebServiceSoap" type="tns:RDWebService">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="GetRDPFiles">
    <soap:operation soapAction="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles"
style="document"/>
    <wsdl:input name="RDWebService_GetRDPFiles_InputMessage">
      <soap:body use="literal"/>
    </wsdl:input>
    <wsdl:output name="RDWebService_GetRDPFiles_OutputMessage">
      <soap:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
</wsdl:binding>
<wsdl:binding name="RDWebServiceSoap12" type="tns:RDWebService">
  <soap12:binding transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="GetRDPFiles">
    <soap12:operation
soapAction="http://schemas.microsoft.com/ts/2010/09/rdweb/GetRDPFiles" style="document"/>
    <wsdl:input name="RDWebService_GetRDPFiles_InputMessage">
      <soap12:body use="literal"/>
    </wsdl:input>
    <wsdl:output name="RDWebService_GetRDPFiles_OutputMessage">
      <soap12:body use="literal"/>
    </wsdl:output>
  </wsdl:operation>
</wsdl:binding>
</wsdl:definitions>

```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Windows 8 operating system
- Windows Server 2012 operating system
- Windows 8.1 operating system
- Windows Server 2012 R2 operating system

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

8 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

9 Index

A

Abstract data model
[client](#) 16
[server](#) 11
[Applicability](#) 7
[Attribute groups](#) 10
[Attributes](#) 10

C

[Capability negotiation](#) 8
[Change tracking](#) 28
Client
[abstract data model](#) 16
[initialization](#) 16
[local events](#) 16
[message processing](#) 16
[sequencing rules](#) 16
[timer events](#) 16
[timers](#) 16
[Complex types](#) 9

D

Data model - abstract
[client](#) 16
[server](#) 11

E

Events
[local - client](#) 16
[local - server](#) 15
[timer - client](#) 16
[timer - server](#) 15

F

[Fields - vendor-extensible](#) 8
[Full WSDL](#) 25

G

[Glossary](#) 5
[Groups](#) 10

I

[Implementer - security considerations](#) 24
[Index of security parameters](#) 24
[Informative references](#) 6
Initialization
[client](#) 16
[server](#) 11
[Introduction](#) 5

L

Local events
[client](#) 16
[server](#) 15

M

Message processing
[client](#) 16
[server](#) 11
Messages
[attribute groups](#) 10
[attributes](#) 10
[complex types](#) 9
[elements](#) 9
[enumerated](#) 9
[groups](#) 10
[namespaces](#) 9
[simple types](#) 9
[syntax](#) 9
[transport](#) 9

N

[Namespaces](#) 9
[Normative references](#) 5

O

Operations
[GetRDPFiles](#) 11
[Overview \(synopsis\)](#) 6

P

[Parameters - security index](#) 24
[Preconditions](#) 7
[Prerequisites](#) 7
[Product behavior](#) 27

R

References
[informative](#) 6
[normative](#) 5
[Relationship to other protocols](#) 7

S

Security
[implementer considerations](#) 24
[parameter index](#) 24
Sequencing rules
[client](#) 16
[server](#) 11
Server
[abstract data model](#) 11
[GetRDPFiles operation](#) 11
[initialization](#) 11
[local events](#) 15

- [message processing](#) 11
- [sequencing rules](#) 11
- [timer events](#) 15
- [timers](#) 11
- [Simple types](#) 9
- [Standards assignments](#) 8
- Syntax
 - [messages - overview](#) 9

T

- Timer events
 - [client](#) 16
 - [server](#) 15
- Timers
 - [client](#) 16
 - [server](#) 11
- [Tracking changes](#) 28
- [Transport](#) 9
- Types
 - [complex](#) 9
 - [simple](#) 9

V

- [Vendor-extensible fields](#) 8
- [Versioning](#) 8

W

- [WSDL](#) 25