[MS-WUSP]: Windows Update Services: Client-Server Protocol

<table>
<tr>
<td>This topic lists the Errata found in [MS-WMF] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.

Errata are subject to the same terms as the Open Specifications documentation referenced.</td>
<td>RSS

Atom</td>
</tr>
</table>

Errata below are for Protocol Document Version V24.0 – 2015/10/16.

Errata Published*	Description
2016/04/18	The changes summarized below are relevant for Windows Server 2012 and Windows Server 2012 R2 with [MSKB-3148812] and Windows Server 2016 Technical Preview. View this Word document to see the information added: MS-WUSP_diff_0316_0407_forErrata. In Section 2.2.2.2.10, GetExtendedUpdateInfo2, added the GetExtendedUpdateInfo2 method.
2016/01/11	In Section 2.2.2.4, Faults, added a missing description for tag <Method> in the faults 'detail' element. Changed from: <ErrorCode>errorCode</ErrorCode> <Message>message</Message> <ID>id</ID> … Changed to: <ErrorCode>errorCode</ErrorCode> <Message>message</Message> <ID>id</ID> <Method>method</Method> … **method:** A string indicating the web service method in which the fault occurred. This MAY be omitted.
2016/01/11	In Section 2.2.2.2.9, SyncPrinterCatalog, changed "SyncUpdatesResult" to "SyncPrinterCatalogResult". Changed from: **SyncUpdatesResult:** Upon successful completion of this operation, this element MUST be returned. The client SHOULD interpret this result, as specified in section 3.1.5.7. The format is the same as the one defined in the Response section of 2.2.2.2.4. Changed to: **SyncPrinterCatalogResult:** Upon successful completion of this operation, this element MUST be returned. The client SHOULD interpret this result, as specified

Errata Published*	Description
	in section 3.1.5.7. The format is the same as the one defined in the Response section of 2.2.2.2.4.

2016/01/11	In Section 2.2.2.2.1, GetConfig, updated minOccurs values in ConfigurationProperty to match the IDL in Section 6.2, Client Web Service WSDL.
	
	Changed from:
	
	ConfigurationProperty: Its format is as follows.
	
	``xml
	<s:complexType name="ConfigurationProperty">
	  <s:sequence>
	    <s:element minOccurs="1" maxOccurs="1" name="Name"
	      type="s:string" />
	    <s:element minOccurs="1" maxOccurs="1" name="Value"
	      type="s:string" />
	  </s:sequence>
	</s:complexType>
	``
	
	Changed to:
	
	ConfigurationProperty: Its format is as follows.
	
	``xml
	<s:complexType name="ConfigurationProperty">
	  <s:sequence>
	    <s:element minOccurs="0" maxOccurs="1" name="Name"
	      type="s:string" />
	    <s:element minOccurs="0" maxOccurs="1" name="Value"
	      type="s:string" />
	  </s:sequence>
	</s:complexType>
	``
	
	In Section 2.2.2.2.3, RegisterComputer, updated minOccurs values in computerInfo to match the IDL in Section 6.2, Client Web Service WSDL.
	
	Changed from:
	
	…
	
	``xml
	        <s:element minOccurs="0" maxOccurs="1" name="SuiteMask"
	          type="s:short" />
	        <s:element minOccurs="0" maxOccurs="1" name="OldProductType"
	          type="s:unsignedByte" />
	        <s:element minOccurs="0" maxOccurs="1" name="NewProductType"
	          type="s:int" />
	        <s:element minOccurs="0" maxOccurs="1" name="SystemMetrics"
	          type="s:int" />
	        <s:element minOccurs="0" maxOccurs="1" name="ClientVersionMajorNumber"
	          type="s:short" />
	        <s:element minOccurs="0" maxOccurs="1" name="ClientVersionMinorNumber"
	          type="s:short" />
	        <s:element minOccurs="0" maxOccurs="1" name="ClientVersionBuildNumber"
	          type="s:short" />
	        <s:element minOccurs="0" maxOccurs="1" name="ClientVersionQfeNumber"
	          type="s:short" />
	``
	
	…
	
	Changed to:

Errata Published*	Description
| | ```
<s:element minOccurs="1" maxOccurs="1" name="SuiteMask"
    type="s:short" />
<s:element minOccurs="1" maxOccurs="1" name="OldProductType"
    type="s:unsignedByte" />
<s:element minOccurs="1" maxOccurs="1" name="NewProductType"
    type="s:int" />
<s:element minOccurs="1" maxOccurs="1" name="SystemMetrics"
    type="s:int" />
<s:element minOccurs="1" maxOccurs="1" name="ClientVersionMajorNumber"
    type="s:short" />
<s:element minOccurs="1" maxOccurs="1" name="ClientVersionMinorNumber"
    type="s:short" />
<s:element minOccurs="1" maxOccurs="1" name="ClientVersionBuildNumber"
    type="s:short" />
<s:element minOccurs="1" maxOccurs="1" name="ClientVersionQfeNumber"
    type="s:short" />
```<br><br>… |
| 2015/12/11 | In Section 4 Protocol Examples, the protocol version was changed to 1.8 as defined in section 2.2.2.2.

Changed from:
1.0

Changed to:
1.8 |

*Date format: YYYY/MM/DD